

# TABLETOP BASIC KIT

### NTERESTING VIDEOS ABOUT TABLETOP

- Dedolight Lightstream Introduction of the three dedolight Lightstream families
- Lightstream for drama and infinity lighting
- Lightstream Lite the incredible one light 8 reflectors ecological master piece for entire scenes
- Lightstream Tabletop the magic multi-talent

Length: 14:07



#### https://t1p.de/introtable



Francois Aubry shows Lightstream Tabletop lighting on cosmetics

Length: 2:25



Dedo gives short introduction to Lightstream Tabletop Length: 1:50



#### https://t1p.de/dedoinstr





#### https://t1p.de/cosmetic



Lightstream Tabletop – the basics kit. A demo from our agent meeting 2022

Length: 7:21



### NTRODUCTION

#### DEDOLIGHT LIGHTSTREAM TABLETOP SYSTEM

This system offers an incredible variety of creative choices for all traditional Tabletop tasks like food, cosmetics, product, jewelry; but has also already been expanded to many other tasks, even for the lighting of small music video studios and portrait photography in many different versions.



In product and tabletop photography, precision and a desire for detail create the effects that make the image interesting and attractive. Intelligently placed accents can underline the special character of a product, direct the attention of the viewer to where you want them to look, and give them a third dimension.

For example, the dedolight Imager projection attachments are precision tools with extraordinary optical properties.

- High light efficiency based on optical construction
- Perfect contrast rendition
- Extremely low distortion
- No colour fringing
- Exchangeable projection lenses (wide-angle, zoom, telephoto)
- Excellent transmission

In conjunction with our Imager accessories, such as framing shutter, iris, glass and steel gobo holders, you are able to achieve surgical precision in lighting.

### **NTRODUCTION**



### **DEDOLIGHT LIGHSTREAM TABLETOP BASIC KIT**

This kit is based on two Ledzilla lights, which are focusing, dimmable mono- or bicolor lights.

Included in the kit are the traditional accessories – a soft tube and a soft box.

When you remove the front part of the original Ledzilla light, you can replace it with the two magic parallel beam intensifiers, which create a homogenous, wonderful parallel beam, and at the same time intensify the light output multiple times, creating a perfect lighting tool to address individual reflectors or groups of reflectors, which in turn can feed other choices of reflectors, thus creating an incredible multitude of creative effects.

Another option is the Ledzilla front-end modification, including our famous projection attachments, in the mini format (small) which always provides the capability of moving the image plane, when projecting from an angle, to have perfect focus on both sides (or up/down) of the projected images.

As an option you can modify the projection attachments with an entire choice of highclass projection lenses, see page 12, #44 – 51.

Ledzilla lights that you may have bought in the past may not have enough strength in the friction, to support all these wonderful front-end attachments, that's why the ones that we offer with the Tabletop kit work with lock levers, to rest the chosen position of the light (upgrade kit "DLOBML-UGK" of earlier versions available).

### NTRODUCTION

Included in the basic kit are also the so-called eye filters, which can be mounted in front of the projection lenses, to create soft-flowing transition of the created effects or images, and/or to create unnoticeable accents, to highlight facial features without making your work obvious, or to create attractive accents on labels or other details of your chosen products.

Also contained in the basic kit is a rich choice of universal mounting devices, including the DH3 mounting plate, which you can tape onto many surfaces, or fix with the effective pins, or slide into cracks and crevices.

A table support is also included, as well as stand fittings for regular lighting stands, and a choice of clamps onto which many of the mounting arms can be attached.

In the kit you will already find a rich choice of flexible mounting arms and articulating arms, stackable devices with dual-flex arms.

You can work with the included 15 different reflectors.

Building your own setup for your Tabletop workshop you can add the rail system (not included in the basic kit), see page 14, #55-56, which accepts the DLR-LOCK or the DLR-LOCK-M for further attachment of the incredible choice of mounting devices.

Such rails you can mount directly on your work table, on the top or below, or install above for downward mounting.

### **OPTIONS**

Not contained in the basic kit are a DMX controller (DTOB-BAT-DMX, page 10, #34), which needs to work with a very special Ledzilla (not included in the kit, DLOBML-DMX, page 10, #30), with no electronic controls inside the Ledzilla, but allowing the DMX and other control methods.

For very special work and high precision background projections we introduce an invention see page 12, #40 und 41, a so-called asymmetric universal imager, to take inserts of gobos, effect filters, or other imaging surfaces, or the asymmetric framing shutter version, to create many different shapes by manipulating the shutter blades.

We have already explained that all of our projection attachments for all our lights include the moving image plane – a practice known by many professional photographers from their view cameras, to get both ends of the projected image into equal focus when projecting from an angle.

Here, with the asymmetric imager we can also move the optical axis of the projection lens, and thus create asymmetric light distribution, most probably worldwide the first device capable of this function; for most demanding precision work.

Other options include battery power and battery charger.

Of course, beyond the content of the basic kit you can also add more or other lights from the dedolight range, like the DLED2 (20 Watt), or the DLED3 (40 Watt), monocolor or bicolor.

If you want to make the effort and explore the incredible potential and the unprecedented choice of lighting precision, this may be the best set of tools that you can find.

## TABLETOP BASIC KIT

The Tabletop Basic Kit is available as bicolor and daylight versi-ons. Many parts for even more possibilities. All in one convenient case.



### **OPTIONAL: KLSTT-D-B** - TABLETOP BASIC KIT DAYLIGHT



6





### KLSTT-BI-B - LEDZILLA TABLETOP KIT, BICOLOR, BASIC



**3.810,**- €

**3.610,- €** 

# TABLETOP BASIC KIT

### KLSTT-BI-B - LEDZILLA TABLETOP KIT, BICOLOR, BASIC


### **3.810**,- €

inclusive following components:

Number	Piece	Code	Description	List single	List total
Mounting	for refl	ectors:			
1	2	DH3	Mounting plate with 1/4" female thread	29,00 €	58,00
2	2	DPINSET	Fixing pins for DH3 plate on wood or similar surfaces.	4,00 €	8,00
3	6	CLAMP-M	Mini clamp with 1/4" und 3/8" female thread	11,00€	66,00
4	2	CLAMP1	dedolight clamp	45,00€	90,00
5	2	DLSA1/4	Stand fitting. 16 mm receptacle to 1/4" female thread	11,00€	22,00
6	6	DMFA40	Flexible arm 40 cm with 1/4" thread and camera shoe mount	46,00 €	276,00
Reflectors	:				
7	1	DLRHSH-7X10	Hammered surface reflector heavy. 7x10 cm (2.75" x 4")	29,00 €	29,00
8	1	DLRHSL-7X10	Hammered surface reflector light. 7x10 cm (2.75" x 4")	29,00 €	29,00
9	1	DLRHSM-7X10	Hammered surface reflector medium. 7x10 cm (2.75" x 4")	29,00 €	29,00
10	1	DEFRM-MS1	EFLECT mini reflector multi-mirror silver 1, with camera shoe mount, 7x10 cm (2.75" x 4")	29,00 €	29,00
11	1	DEFRM-MG1	EFLECT mini reflector multi-mirror gold 1, with camera shoe mount, 7x10 cm (2.75" x 4")	29,00 €	29,00
12	3	DLRTT1-7x10	dedolight Lightstream Table-Top reflectors. Spread index 1 with camera shoe mount, 7x10 cm (2.75" x 4")	29,00 €	87,00
13	2	DLRTT2-7x10	dedolight Lightstream Table-Top reflectors. Spread index 2 with camera shoe mount, 7x10 cm (2.75" x 4")	29,00 €	58,00
14	2	DLRTT3-7x10	dedolight Lightstream TableTop reflectors. Spread index 3 with camera shoe mount, 7x10 cm (2.75" x 4")	29,00 €	58,00
15	2	DLRTT4-7x10	dedolight Lightstream Table-Top reflectors. Spread index 4 with camera shoe mount, 7x10 cm (2.75" x 4")	29,00 €	58,00
16	1	DLRTT5-7x10	dedolight Lightstream Table-Top reflectors. Spread index 5 with camera shoe mount, 7x10 cm (2.75" x 4")	29,00 €	29,00
Lighthead	ls, light	control and power	supply and mounting for lightheads:		
17	2	DLBSA-JSF	16 mm receptacle (female) to camera-shoe mount adapter (female). Fits DLED2HSM and DLED2YHSM light heads.	21,00€	42,00
18	2	DLOBML-BI-OB7	Ledzilla bicolor with locking levers and parallel beam intensifier Ledzilla 6–18V DC input.	520,00€	1040,00
19	2	DLOBML-OF-BI	Ledzilla bicolor front-end with flip-up filter	60,00€	120,00
20	1	DLOBML-SBX12	Soft box, 12 cm / 4.7" wide	99,00€	99,00
21	1	DLOBML-LT20	Soft tube, 20 cm / 8" long	174,00€	174,00
22	1	DPOB1	Universal imager for Ledzilla and 60 mm lens	215,00€	215,00
23	1	DPOB2	Framing-shutter imager for Ledzilla with 60 mm lens	225,00€	225,00
24	1	DPEYESET	Eye filter attachment (fits all Classic Series imager lenses (exept 30 mm) & DP400-150 and DP400-185 lenses)	65,00€	65,00
25	1	DPGSETS	Gobo set for DP1S imagers	167,00€	167,00
26	1	DPGHS	Gobo holder for DP1S/DPOB1	20,00 €	20,00
27	2	DLPS-12	AC power supply (100 – 240 V) with 12 V DC, 18 W output, incl. EU/USA/UK/AUS input connector set.	30,00 €	60,00
28	2	DLOBML-BS	7.2 V Sony battery shoe for NP-F / Panasonic VW-VBD1	20,00 €	40,00
Case:					
29	1	DCHDLSTT	Lightstream Table-Top hard case - without content	588,00€	588,00

# **REFLECTORS AND MOUNTING - KIT CONTENT**

show how the mounting options can be combined



## LIGHT CONTROL AND POWER SUPPLY - KIT CONTENT




### LIGHTHEAD FIXTURES & POWER SUPPLIES:

Number	Code	Description	List Price
Lighthea	d fixtures:		
18	DLOBML-D-OB7	Ledzilla daylight with locking levers and parallel beam intensifier Ledzilla 6–18V DC input.	420,00 €
30	DLOBML-BI-DMX-LL	Special Ledzilla version with no internal electronics, Bicolor, only functional with No. 34 DTOB-BAT- DMX ballast	308,00 €
31	DLOBML-BI-LL	Ledzilla bicolor, Focusable onboard LED light with 8-leaf barn door. 6-18V DC input. Separate battery shoe or mains power supply DLPS-12 required.	471,00€
32	DLOBML2-LL	Ledzilla2, daylight. Focusable onboard LED light with 16:9 filter and two barn door leaves. 6-18V DC input. Separate battery shoe or mains power supply DLPS-12 required.	354,00€
Frontend	:		
19	DLOBML-OF-D	Ledzilla bicolor front-end with flip-up filter	60,00 €
Power su	upplies:		
33	DLOBML-BS	Battery shoe for Sony 7.2 V NP-F battery	20,00 €
34	DTOB-BAT-DMX	Special version - built only on request. DMX control box for DLOBML-DMX daylight light head.	364,00 €
35	DLB-NPF550	7.2 V Li-Ion battery 14.8 Wh (2000 mAh)	36,00 €
36	DLB-NPF950	7.2 V Li-Ion battery 43.2 Wh (6000 mAh)	71,00€
37	DLCH-NPF	Charger for NP-F battery, input 100 – 240 V AC, please specify power connector	28,00 €








## **OPTIONS FOR LIGHTSTREAM BASIC KIT**

Not in Basic Kit included - show how can be combined



### **LIGHT SHAPING:**

Number	Code	Description	List Price
38	DPOB1-0	Universal imager for Ledzilla. No projection lens	129,00€
39	DPOB2-0	Framing-shutter imager for Ledzilla without projection lens	139,00 €
Asym	metric light dist	ribution with our new asymmetric projection attachments.	
side ma image This stil special	ay be depicted in fo plane, that allows to I leaves the effect, w new projection atta	backgrounds, you may not always direct straight onto the background, but from an angle. This will cause the cus and the other side may be out of focus. I order to compensate that, all of our projection attachments now o tilt the image plane and thus, correct the image as projected, to be in focus on both sides equally or both side then projecting from an angle, that one side closer to the light will be brighter than the other side. For this, on chments, the center of the projection optic can be shifted, moved from one side to the other or respectively up come asymmetric, making one side equally bright to the other side of the image, sideways or vertical.	have a moving des out of focus. these very
<b>40</b>	DPOB1A	Asymmetric universal imager DP1 for Ledzilla and 60 mm lens	499,00 €
41	DPOB2A	Asymmetric framing-shutter DP2 imager for Ledzilla with 60 mm lens	509,00€
42	DPOB1A-0	Asymmetric universal imager DP1 for Ledzilla. No projection lens	412,00€
43	DPOB2A-0	Asymmetric framing-shutter DP2 imager for Ledzilla. No projection lens	412,00€
44	DPL30M	30 mm projection lens for DP1.2, DP2.2, DP1S and DP2S imagers, f 1.8	248,00€
45	DPL50M	50 mm projection lens for DP1.2, DP2.2, DP1S and DP2S imagers, f 2.8	205,00 €
46	DPL60M	Imager lens, 60 mm, f 2.8	101,00€
47	DPL85M	Imager lens, 85 mm, f 2.8	82,00€
48	DPL150.1M	Imager lens, 150 mm, f.2.2 for DP1.2, DP2.2, DP3.1	288,00€
49	DPL185M	Imager lens, 185 mm, f 3.5	234,00€
50	DPLZ120M	Imager zoom lens, 70–120 mm, f 3.5	219,00€
51	DPLZ150M	Imager zoom lens, 85–150 mm, f 3.5	219,00€





### **OPTIONS FOR LIGHTSTREAM BASIC KIT**

not in Basic Kit included - show how can be combined



# **OPTIONS FOR LIGHTSTREAM TABLETOP SYSTEM**


### **NON-RAIL MOUNTING OPTIONS**

Number	Code	Description	List Price
52	DLBSA-TS	Table stand: 9.5 x 6.3 x 1.2 cm (3.7 x 2.5 x 0.5") with shoe for light head	9,00 €
53	DLBSA-JSF	16 mm receptacle (female) to camera-shoe mount adapter (female). Fits DLED2HSM and DLE- D2YHSM light heads.	21,00€



#### **RAIL MOUNTING OPTIONS**

Number	Code	Description	List Price
54	DLR-LOCK-M	Sliding lock, to attach and lock Lightstream reflectors. With 16 mm (5/8") stud, length 8 cm (3"). Works with DLR-RAIL.	63,00€
55	DLR-RAIL50	50 cm (1.6 ft) long rail may be used with DLR-LOCK mountings	62,00 €
56	DLR-RAIL80	80 cm (2.6 ft) long rail may be used with DLR-LOCK mountings	72,00€
57	DLR-LOCK	Sliding lock for DLR-ARM, to attach and lock Lightstream reflectors. Works with DLGA160 arm.	68,00€
58	DMFC29	dedolight mounting, flexible coupler with 16 mm stud on both ends. Length 29 cm (0.95 ft)	42,00 €
59	DMFC40	dedolight mounting, flexible coupler with 16 mm stud on both ends. Length 40 cm (1.3 ft)	51,00€
60	DSTFX29	Flexible stand extension, 29 cm (0.95 ft)	53,00 €
61	DSTFX40	Flexible stand extension, 40 cm (1.3 ft)	60,00 €
62	DMFA22	dedolight mounting. Flexible arm 22 cm (8.7") with $1/4$ " thread and camera shoe mount	34,00 €
63	DMFA40	dedolight mounting. Flexible arm 40 cm (1.3 ft) with 1/4" thread and camera shoe mount	46,00 €
64	DMGOOSE40	dedolight mounting. Gooseneck bending arm with 1/4 thread and camera shoe mount	12,00€
65	DMFBA33	dedolight mounting. Flexible ball joint arm 33 cm (1 ft) with 1/4" thread and 1/4" screw	11,00 €
66	FW-AA11	Articulating arm with, 1/4" screw and camera shoe	21,00€
67	FW-AA11N	Articulating arm with locking rosette, 1/4" screw and camera shoe	34,00 €







### **Dedo Weigert Film GmbH**

Karl - Weinmair - Straße 10 80807 Munich Germany Tel.: +49 (0)89 - 356 16 01 info@dedoweigertfilm.de www.dedoweigertfilm.de

