



**DEDO
WEIGERT
FILM**

*** dedolight**

Product List 08/2019
no prices - Alphabetical Order

Alphabetical Product List 08/2019

For prices please inquire our authorized / exclusive distributors or their dealers.

See list of [international distributors](#).

All specifications are subject to change without prior notification.

Please note:

many of our products are available with different Country Extensions.

Please mention in your order:

-A = Australian Cable • 240 V AC version or/and country-specific AC power connector.

-E = European Cable (Schuko) • 230 V AC version or/and country-specific AC power connector.

-G = Great Britan Cable • 240 V AC version or/and country-specific AC power connector.

-J = Japan Cable • 100 V AC version or/and country-specific AC power connector.

-U = U.S. Cable • 120 V AC version or/and country-specific AC power connector.

Some prices may vary depending on country extensions.

Color coding explanation

Red colored Text marks changes of code, description or price

Block marked items are new products

Block marked items are changed in code

Block marked items are phased out in 2019

Valid as of 1st of August 2019

CONTENT

dedolight Products.....	1
dedolight Kits.....	46
dedolight Sets.....	61
LAMPS	71

Code	Series	Description	EAN
dedolight Products			
BIGPACK-XL	Classic	Battery pack NiMh 28,8V/ 28Ah (806,4 W/h) + 13V simultan	4060434000003
BIGPACK1	Classic	Battery pack NiMH with internal charger, 14.4 V / 28 Ah, 28,8 V / 14 Ah	4060434000010
BPS4-DAYCON	Classic	4-Light daylight conversion package (backpack): 2x DDCF, diffusers half blue and full blue	4060434000287
CHICL	Chinellini	Universal heavy duty clamp, 37,5 cm (14.8") length	4060434000539
CHICS	Chinellini	Universal heavy duty clamp, 18 cm (7.1") length	4060434000546
CLAMP-C	Classic	Clamp with 1/4" internal thread and hex. receptacle, fits diameter from 13 mm (0.51 ") to 25,4 mm (1")	4060434000553
CLAMP-D	Classic	Clamp with 1/4" internal thread and hex. receptacle, fits diameter from 25 mm (0,98") to 52 mm (2")	4060434000560
CLAMP-G	Mountings	Supaclamp 5mm flat to 50mm diameter	4060434023835
CLAMP-S	Classic	Scissors clamp with long 16mm (5/8") stud	4060434000577
CLAMP1	Classic	dedolight clamp	4060434000584
COOLAMP	Dedocool	Lamp 250 W, 24 V for COOLH light heads, Socket GX5.3, 50 hours, 3200 K, 10.000 lm	4060434000591
COOLH	Dedocool	dedocool light head, tungsten	4060434000607
COOLT3	Dedocool	dedocool transformer/control unit (A / E / G / J / U. 110 – 240 V AC, please specify DCAB3IEC power connector)	4060434000621
DBD1200R	Serie 1200	Barn door with rotatable leaves (Series 1200 / DLED12)	4060434000638
DBD2	Classic	Super barn door (twelve leaves)	4060434000645
DBD3	Classic	Barn door (8 leaves) with reflex reducing structure	4060434000652
DBD400	Serie 400	Barn door (Series 400)	4060434000669
DBD8	Classic	Standard barn door (eight leaves)	4060434000676
DBDS	DLED2	8-leaf barn door with rotatable leaves for DLED2/DLED3 light heads	4060434000683
DBDS8	DLED2	Standard 8-leaf barn door for DLED2/DLED3 light heads	4060434000690
DBP	Classic	Backpack	4060434000706
DBPS	Classic	Backpack, small	4060434000713
DBPSLED	DLED4	Backpack, small, with dividers for Felloni panel	4060434000720
DBPSW	Classic	Backpack, small, with transport wheels (for Felloni panel)	4060434000737
DCAB3A-A	Classic	Separate AC power cable for DLEDRAMA, DEB200DT, DEB402DT, DEB1200D, DT4x150 power supplies, 2,5 m, Australian connector (old code: DCAB1200-AUS)	4060434000751
DCAB3A-E	Classic	Separate AC power cable for DLEDRAMA, DEB200DT, DEB402DT, DEB1200D, DT4x150 power supplies, 2,5 m, European connector (old code: DCAB1200-EU)	4060434000768
DCAB3A-G	Classic	Separate AC power cable for DLEDRAMA, DEB200DT, DEB402DT, DEB1200D, DT4x150 power supplies, 2,5 m, Great Britain connector (old code: DCAB1200-GB)	4060434000775
DCAB3A-J	Classic	Separate AC power cable for DLEDRAMA, DEB200DT, DEB402DT, DEB1200D, DT4x150 power supplies, 2,5 m, Japan connector (old code: DCAB1200-J)	4060434000782

All specifications are subject to change without prior notification.

1



Code	Series	Description	LIST €	EAN
DCAB3A-SW-A	Classic	Separate AC power cable for DLH652T, DLH1000T, DLED12 and LEDRAPTOR light heads (optional for DLEDRAMA panel) with built-in ON/OFF switch, 5m, Australian connector. (old code: DCAB12-AUS)		406043400799
DCAB3A-SW-E	Classic	Separate AC power cable for DLH652T, DLH1000T, DLED12 and LEDRAPTOR light heads (optional for DLEDRAMA panel) with built-in ON/OFF switch, 5m, European connector (old code: DCAB12-EU)		406043400805
DCAB3A-SW-G	Classic	Separate AC power cable for DLH652T, DLH1000T, DLED12 and LEDRAPTOR light heads (optional for DLEDRAMA panel) with built-in ON/OFF switch, 5m, Great Britain connector (old code: DCAB12-GB)		406043400812
DCAB3A-SW-J	Classic	Separate AC power cable for DLH652T, DLH1000T, DLED12 and LEDRAPTOR light heads (optional for DLEDRAMA panel) with built-in ON/OFF switch, 5m, Japan connector (old code: DCAB12-US)		406043400829
DCAB3A-SW-U	Classic	Separate AC power cable for DLH652T, DLH1000T, DLED12 and LEDRAPTOR light heads (optional for DLEDRAMA panel) with built-in ON/OFF switch, 5m, US-american connector (old code: DCAB12-US)		406043400836
DCAB3A-U	Classic	Separate AC power cable for DLEDRAMA, DEB200DT, DEB402DT, DEB1200D, DT4x150 power supplies, 2,5 m, US-american connector (old code: DCAB1200-US)		406043400843
DCAB3IEC-A	Serie 400	Separate AC cable for DEB400DT, DT7, DT9 ballasts , 2,5 m, Australian connector,		406043400850
DCAB3IEC-E	Serie 400	Separate AC cable for DEB400DT, DT7, DT9 ballasts , 2,5 m, European connector		406043400867
DCAB3IEC-G	Serie 400	Separate AC cable for DEB400DT, DT7, DT9 ballasts , 2,5 m, Great Britain connector		406043400874
DCAB3IEC-J	Serie 400	Separate AC cable for DEB400DT, DT7, DT9 ballasts , 2,5 m, Japan connector		406043400881
DCAB3IEC-U	Serie 400	Separate AC cable for DEB400DT, DT7, DT9 ballasts , 2,5 m, U.S. connector		406043400898
DCAB4MINI-10	Lightstream	Extension cable 3pin, 10m, for DLR-MCB		4060434020599
DCAB4MINI-3	Lightstream	Extension cable 3pin, 3m, for DLR-MCB		4060434020605
DCAR3	Classic	Cigarette lighter adapter for DLH4 (12V)		4060434000904
DCDP	Classic	Transport hard case for DP1.1 and DP2.1 imager kit		4060434000911
DCDP400	Serie 400	Transport hard case (DP400)		4060434000928
DCEB1200	Serie 1200	Transport hard case (DEB1200D)		4060434000935
DCHD1200	Serie 1200	Transport hard case (DLH1200D/DLH1000T)		4060434000959
DCHD200-1	Serie 200	Transport hard case (K200-1)		4060434000966
DCHD200-3	Serie 200	Transport hard case (K200-3)		4060434000973
DCHD3x652	Serie 400	Transport hard case (DLH652T/DLH652T-DMX)		4060434000997
DCHD400	Serie 400	Transport hard case (DLH402DT, DEB400DT)		4060434001000
DCHD400W	Serie 400	Transport hard case with handle and wheels (DLH400DT, DEB400DT)		4060434001017
DCHD70	Lightstream	Heavy duty transport case for DPB70 light head.		4060434021107
DCHDCOOL	Dedocool	Transport hard case (2x COOLH / COOLT3)		4060434001048
DCHDKA1	Classic	Transport hard case (KA24 / KLED3 / KLED4 Kits)		4060434001055
DCHDKA2	Classic	Transport hard case (KLED2x1F Kits)		4060434001062
DCHDM4	Classic	Transport hard case (KAC24 and KA1)		4060434001079
DCHDMU4	Ledzilla	Heavy duty transport case for 4-Light Multi-Spectrum kit		4060434021657
DCHDRAMA	Ledrama	Heavy duty transport case for 1x LEDRAMA LED panel		4060434021664
DCHDRAP7W	Ledraptor	Transport case for LEDRAPTOR 7 kits with wheels		4060434023088
DCHDREF	Lightstream	Transport case with wheels for Lightstream reflectors		4060434023842
DCHDW1	Classic	Transport hard case with handle and wheels (KLT7-3)		4060434001086
DCL60-D	dedolight Studio	Ceiling light 60x60cm, daylight LED		4060434001093



Code	Series	Description	LIST €	EAN
DCOLM	dedolight LED	Multicolor LED panel		4060434022142
DDCC-CAR	Ledzilla	DC cable 1.8 m (6') with jack Ø5,5 mm/2,5 mm and cigarette light connector old code: DLOBML-CAR		4060434001109
DDCC-DTAPL	Ledzilla	DC cable with jack Ø5,5 mm/2,5 mm, 55 cm / 22" with Anton/Bauer D-TAP connector old code: DLOBML-AB-L		4060434001116
DDCC-DTAPS	Ledzilla	DC cable 28 cm / 11" with jack Ø5,5 mm/2,5 mm and Anton/Bauer D-TAP connector old code: DLOBML-AB-S		4060434001123
DDCC-EXT5	DLED2	500cm power extension cable with jack Ø5,5 mm/2,5 mm for DLPS-12, DLPS12-30 and DLPS12-60 power supplies old code: DLPS12-EXT5		4060434001130
DDCC-PAG	Ledzilla	DC cable 55 cm / 22" with jack Ø5,5 mm/2,5 mm for PAG battery old code: DLOBML-PAG		4060434001147
DDCC-SWIT	Ledzilla	DC cable 55 cm / 22" with jack Ø5,5 mm/2,5 mm for Swit battery old code: DLOBML-SWIT		4060434001154
DDCC-XLR	Ledzilla	DC cable 65 cm- 1.30 m / 25- 51" with jack Ø5,5 mm/2,5 mm and 4-pin XLR connector, coiled. old code: DLOBML-XLR		4060434001161
DDCF	Classic	Dichroic daylight conversion filter (Classic Series)		4060434001178
DDCF400	Serie 400	Dichroic daylight conversion filter (Series 400)		4060434001185
DDTAP-CAR	dedolight LED	D-TAP cable, 1.8 m (6') with cigarette light connector (for DT7/9-(BI)-BAT-AB power supplies)		4060434001192
DDTAP-EXT5	dedolight LED	D-TAP power extension cable (AWG16 / 1,5m ²) for DLPS36-100 power supply. D-TAP connectors on both ends (male / female) (for DT7/9-(BI)-BAT-AB power supplies)		4060434001208
DDTAP-XLR	dedolight LED	D-TAP cable 65 cm- 1.30 m / 25- 51" with 4-pin XLR connector, coiled. (for DT7/9-(BI)-BAT-AB power supplies)		4060434001215
DEB1200D	Serie 1200	Flicker-free electronic ballast 1200 W, incl. DMX control, incl. AC power cable (A / E / G / J / U. 90- 264 V AC, please specify power connector of „DCAB3A" cable)		4060434001222
DEB1200D-RB	Serie 1200	Flicker-free electronic ballast, 1200 W, for high speed shootings, incl. AC power cable (A / E / G / J / U. 90- 264 V AC, please specify power connector of „DCAB3A" cable)		4060434001239
DEB1200H	Serie 1200	Ballast holder for DEB1200D with 2x CLAMP-D		4060434001246
DEB200DT	Serie 200	Flicker-free electronic ballast, 200 W, incl. AC power cable (A / E / G / J / U. 90- 264 V AC, please specify power connector of „DCAB3A" cable)		4060434001253
DEB200H	Classic	Ballast holder with CLAMP-C		4060434001260
DEB400DT	Serie 400	Flicker-free electronic ballast, 400/575 W, incl. AC power cable (A / E / G / J / U. 90- 264 V AC, please specify power connector of „DCAB3IEC" cable)		4060434001277
DEB400H	Serie 400	Ballast holder with CLAMP-D		4060434001284
DEB400Hx2	Serie 400	Dual ballast holder with extending arm, incl. 2x CLAMP-D		4060434001291
dedolight Kits				
dedolight Sets				
DEFP	Eflect	EFLECT transport pouch		4060434021114
DEFPL	Eflect	EFLECT large transport pouch		4060434022203
DEFR-MG1	Eflect	EFLECT reflector multi-mirror gold 1, with magnet. 20 x 20 cm (7.9 x 7.9")		4060434022869
DEFR-MS1	Eflect	EFLECT reflector multi-mirror silver 1, with magnet. 20 x 20 cm (7.9 x 7.9")		4060434021152
DEFR-MS2	Eflect	EFLECT reflector multi-mirror silver 2, with magnet. 20 x 20 cm (7.9 x 7.9")		4060434022876
DEFRL-MG1	Eflect	EFLECT large reflector multi-mirror gold 1. Size 45 x 45 cm (17.7 x 17.7")		4060434022586
DEFRL-MG2	Eflect	EFLECT large reflector multi-mirror gold 2. Size 45 x 45 cm (17.7 x 17.7")		4060434022210
DEFRL-MS1	Eflect	EFLECT large reflector multi-mirror silver 1. Size 45 x 45 cm (17.7 x 17.7")		4060434022593
DEFRL-MS2	Eflect	EFLECT large reflector multi-mirror silver 2. Size 45 x 45 cm (17.7 x 17.7")		4060434022227
DF5IN1-106	dedoflex	dedoflex disc 5in1, diameter 106 cm (42"), translucent diffuser disc with white, softgold, gold and silver reflective cover		4060434001314
DF5IN1-56	dedoflex	dedoflex disc 5in1, diameter 56 cm (22"), translucent diffuser disc with white, softgold, gold and silver reflective cover		4060434001321

All specifications are subject to change without prior notification.

Code	Series	Description	LIST €	EAN
DF5IN1-81	dedoflex	dedoflex disc 5in1, diameter 81 cm (32"), translucent diffuser disc with white, softgold, gold and silver reflective cover		4060434001338
DFCCMG-1/16	DLED4	Minus green color correction filter (76 x 76 mm) for DLED4/DLED7, 1/16 intensity		4060434001345
DFCCMG-1/2	DLED4	Minus green color correction filter (76 x 76 mm) for DLED4/DLED7, 1/2 intensity		4060434001352
DFCCMG-1/4	DLED4	Minus green color correction filter (76 x 76 mm) for DLED4/DLED7, 1/4 intensity		4060434001369
DFCCMG-1/8	DLED4	Minus green color correction filter (76 x 76 mm) for DLED4/DLED7, 1/8 intensity		4060434001376
DFCCMG400-1/16	DLED9	Minus green color correction filter (128 x 128 mm) for DLED9, 1/16 intensity		4060434001383
DFCCMG400-1/2	DLED9	Minus green color correction filter (128 x 128 mm) for DLED9, 1/2 intensity		4060434001390
DFCCMG400-1/4	DLED9	Minus green color correction filter (128 x 128 mm) for DLED9, 1/4 intensity		4060434001406
DFCCMG400-1/8	DLED9	Minus green color correction filter (128 x 128 mm) for DLED9, 1/8 intensity		4060434001413
DFCCMGS-1/16	DLED2	Minus green color correction filter (small / 59 x 59mm) for DLED2/DLED3, 1/16 intensity		4060434001420
DFCCMGS-1/2	DLED2	Minus green color correction filter (small / 59 x 59mm) for DLED2/DLED3, 1/2 intensity		4060434001437
DFCCMGS-1/4	DLED2	Minus green color correction filter (small / 59 x 59mm) for DLED2/DLED3, 1/4 intensity		4060434001444
DFCCMGS-1/8	DLED2	Minus green color correction filter (small / 59 x 59mm) for DLED2/DLED3, 1/8 intensity		4060434001451
DFCCPG-1/16	DLED4	Plus green color correction filter (76 x 76 mm) for DLED4/DLED7, 1/16 intensity		4060434001468
DFCCPG-1/2	DLED4	Plus green color correction filter (76 x 76 mm) for DLED4/DLED7, 1/2 intensity		4060434001475
DFCCPG-1/4	DLED4	Plus green color correction filter (76 x 76 mm) for DLED4/DLED7, 1/4 intensity		4060434001482
DFCCPG-1/8	DLED4	Plus green color correction filter (76 x 76 mm) for DLED4/DLED7, 1/8 intensity		4060434001499
DFCCPG400-1/16	DLED9	Plus green color correction filter (128 x 128 mm) for DLED9/DLED10, 1/16 intensity		4060434001505
DFCCPG400-1/2	DLED9	Plus green color correction filter (128 x 128 mm) for DLED9/DLED10, 1/2 intensity		4060434001512
DFCCPG400-1/4	DLED9	Plus green color correction filter (128 x 128 mm) for DLED9/DLED10, 1/4 intensity		4060434001529
DFCCPG400-1/8	DLED9	Plus green color correction filter (128 x 128 mm) for DLED9/DLED10, 1/8 intensity		4060434001536
DFCCPGS-1/16	DLED2	Plus green color correction filter (small / 59 x 59mm) for DLED2/DLED3, 1/16 intensity		4060434001543
DFCCPGS-1/2	DLED2	Plus green color correction filter (small / 59 x 59mm) for DLED2/DLED3, 1/2 intensity		4060434001550
DFCCPGS-1/4	DLED2	Plus green color correction filter (small / 59 x 59mm) for DLED2/DLED3, 1/4 intensity		4060434001567
DFCCPGS-1/8	DLED2	Plus green color correction filter (small / 59 x 59mm) for DLED2/DLED3, 1/8 intensity		4060434001574
DFCOL2	Classic	Dichroic glass color effect filter (specify color: R-red / RM-red magenta / FO-full orange / O-yellow orange / Y-yellow / LG-light green / FG-full green / T-turquoise / LB-light blue / MB-medium blue / P-purple)		4060434001581
DFGW106	dedoflex	dedoflex softgold/white reflector disc, 106 cm (42")		4060434001598
DFGW30	dedoflex	dedoflex softgold/white reflector disc, 30 cm (12")		4060434001604
DFGW81	dedoflex	dedoflex softgold/white reflector disc, 81 cm (32")		4060434001611
DFH	Classic	Gel filter holder		4060434001628
DFH1200	Serie 1200	Filter holder for Series 1200 / DLED12 / DLED30 fixtures		4060434001635
DFH400	Serie 400	Filter holder (Series 400 / DLED9 / DLED10)		4060434001642
DFOPT	Lightstream	Optimizer filter for DLH4, DLH200DT, DLED4, DLED7 light heads, when using parallel beam intensifiers		4060434022555
DFOPTL	Lightstream	Optimizer filter for DLH400DT, DLH650, DLH652T, DLED9, DLED10 light heads, when using parallel beam intensifiers		4060434023859
DFOPTS	Lightstream	Optimizer filter for DLED2, DLED3 LED light heads, when using parallel beam intensifiers		4060434022562
DFOPTXL	Lightstream	Optimizer filter for DLH1200D, DLH1000T, DLED12, DLED30 light heads, when using parallel beam intensifiers		4060434023866
DFPOL	Classic	Polarizing glass filter for CLASSIC filter slots, incl. holder		4060434001659
DFSW106	dedoflex	dedoflex silver/white reflector disc, 106 cm (42")		4060434001666
DFSW30	dedoflex	dedoflex silver/white reflector disc, 30 cm (12")		4060434001673
DFSW81	dedoflex	dedoflex silver/white reflector disc, 81 cm (32")		4060434001680
DFT106	dedoflex	dedoflex translucent diffuser disc, 106 cm (42")		4060434001697

Code	Series	Description	LIST €	EAN
DFT30	dedoflex	dedoflex translucent diffuser disc, 30 cm (12")		4060434001703
DFT81	dedoflex	dedoflex translucent diffuser disc, 81 cm (32")		4060434001710
DFX400H	Classic	Glass effects holder, size „A“, fits DP400U modules		4060434001727
DFX400T1-LB	Serie 400	Structure effect glass filter, „Harmony“, light blue, dia. 100 mm for DP400U imager projection attachment.		4060434001956
DFX400T1-LG	Serie 400	Structure effect glass filter, „Harmony“, light green, dia. 100 mm for DP400U imager projection attachment.		4060434001963
DFX400T1-M	Serie 400	Structure effect glass filter, „Harmony“, magenta, dia. 100 mm for DP400U imager projection attachment.		4060434001970
DFX400T1-O	Serie 400	Structure effect glass filter, „Harmony“, orange, dia. 100 mm for DP400U imager projection attachment.		4060434001987
DFX400T1-P	Serie 400	Structure effect glass filter, „Harmony“, purple, dia. 100 mm for DP400U imager projection attachment.		4060434001994
DFX400T1-R	Serie 400	Structure effect glass filter, „Harmony“, red, dia. 100 mm for DP400U imager projection attachment.		4060434002007
DFX400T1-T	Serie 400	Structure effect glass filter, „Harmony“, turquoise, dia. 100 mm for DP400U imager projection attachment.		4060434002014
DFX400T1-Y	Serie 400	Structure effect glass filter, „Harmony“, yellow, dia. 100 mm for DP400U imager projection attachment.		4060434002021
DFX400T10-LB	Serie 400	Structure effect glass filter, „Farrago“, light blue, dia. 100 mm for DP400U imager projection attachment.		4060434001772
DFX400T10-LG	Serie 400	Structure effect glass filter, „Farrago“, light green, dia. 100 mm for DP400U imager projection attachment.		4060434001789
DFX400T10-M	Serie 400	Structure effect glass filter, „Farrago“, magenta, dia. 100 mm for DP400U imager projection attachment.		4060434001796
DFX400T10-O	Serie 400	Structure effect glass filter, „Farrago“, orange, dia. 100 mm for DP400U imager projection attachment.		4060434001802
DFX400T10-P	Serie 400	Structure effect glass filter, „Farrago“, purple, dia. 100 mm for DP400U imager projection attachment.		4060434001819
DFX400T10-R	Serie 400	Structure effect glass filter, „Farrago“, red, dia. 100 mm for DP400U imager projection attachment.		4060434001826
DFX400T10-T	Serie 400	Structure effect glass filter, „Farrago“, turquoise, dia. 100 mm for DP400U imager projection attachment.		4060434001833
DFX400T10-Y	Serie 400	Structure effect glass filter, „Farrago“, yellow, dia. 100 mm for DP400U imager projection attachment.		4060434001840
DFX400T11-LB	Serie 400	Structure effect glass filter, „Cells“, light blue, dia. 100 mm for DP400U imager projection attachment.		4060434001864
DFX400T11-LG	Serie 400	Structure effect glass filter, „Cells“, light green, dia. 100 mm for DP400U imager projection attachment.		4060434001871
DFX400T11-M	Serie 400	Structure effect glass filter, „Cells“, magenta, dia. 100 mm for DP400U imager projection attachment.		4060434001888
DFX400T11-O	Serie 400	Structure effect glass filter, „Cells“, orange, dia. 100 mm for DP400U imager projection attachment.		4060434001895
DFX400T11-P	Serie 400	Structure effect glass filter, „Cells“, purple, dia. 100 mm for DP400U imager projection attachment.		4060434001901
DFX400T11-R	Serie 400	Structure effect glass filter, „Cells“, red, dia. 100 mm for DP400U imager projection attachment.		4060434001918
DFX400T11-T	Serie 400	Structure effect glass filter, „Cells“, turquoise, dia. 100 mm for DP400U imager projection attachment.		4060434001925
DFX400T11-Y	Serie 400	Structure effect glass filter, „Cells“, yellow, dia. 100 mm for DP400U imager projection attachment.		4060434001932
DFX400T2-LB	Serie 400	Structure effect glass filter, „Groove“, light blue, dia. 100 mm for DP400U imager projection attachment.		4060434002045
DFX400T2-LG	Serie 400	Structure effect glass filter, „Groove“, light green, dia. 100 mm for DP400U imager projection attachment.		4060434002052

All specifications are subject to change without prior notification.



dedolight products • alphabetical order • 08/2019

Code	Series	Description	LIST €	EAN
DFX400T2-M	Serie 400	Structure effect glass filter, „Groove“, magenta, dia. 100 mm for DP400U imager projection attachment.		4060434002069
DFX400T2-O	Serie 400	Structure effect glass filter, „Groove“, orange, dia. 100 mm for DP400U imager projection attachment.		4060434002076
DFX400T2-P	Serie 400	Structure effect glass filter, „Groove“, purple, dia. 100 mm for DP400U imager projection attachment.		4060434002083
DFX400T2-R	Serie 400	Structure effect glass filter, „Groove“, red, dia. 100 mm for DP400U imager projection attachment.		4060434002090
DFX400T2-T	Serie 400	Structure effect glass filter, „Groove“, turquoise, dia. 100 mm for DP400U imager projection attachment.		4060434002106
DFX400T2-Y	Serie 400	Structure effect glass filter, „Groove“, yellow, dia. 100 mm for DP400U imager projection attachment.		4060434002113
DFX400T3-LB	Serie 400	Structure effect glass filter, „Waffle“, light blue, dia. 100 mm for DP400U imager projection attachment.		4060434002137
DFX400T3-LG	Serie 400	Structure effect glass filter, „Waffle“, light green, dia. 100 mm for DP400U imager projection attachment.		4060434002144
DFX400T3-M	Serie 400	Structure effect glass filter, „Waffle“, magenta, dia. 100 mm for DP400U imager projection attachment.		4060434002151
DFX400T3-O	Serie 400	Structure effect glass filter, „Waffle“, orange, dia. 100 mm for DP400U imager projection attachment.		4060434002168
DFX400T3-P	Serie 400	Structure effect glass filter, „Waffle“, purple, dia. 100 mm for DP400U imager projection attachment.		4060434002175
DFX400T3-R	Serie 400	Structure effect glass filter, „Waffle“, red, dia. 100 mm for DP400U imager projection attachment.		4060434002182
DFX400T3-T	Serie 400	Structure effect glass filter, „Waffle“, turquoise, dia. 100 mm for DP400U imager projection attachment.		4060434002199
DFX400T3-Y	Serie 400	Structure effect glass filter, „Waffle“, yellow, dia. 100 mm for DP400U imager projection attachment.		4060434002205
DFX400T4-LB	Serie 400	Structure effect glass filter, „Waves“, light blue, dia. 100 mm for DP400U imager projection attachment.		4060434002229
DFX400T4-LG	Serie 400	Structure effect glass filter, „Waves“, light green, dia. 100 mm for DP400U imager projection attachment.		4060434002236
DFX400T4-M	Serie 400	Structure effect glass filter, „Waves“, magenta, dia. 100 mm for DP400U imager projection attachment.		4060434002243
DFX400T4-O	Serie 400	Structure effect glass filter, „Waves“, orange, dia. 100 mm for DP400U imager projection attachment.		4060434002250
DFX400T4-P	Serie 400	Structure effect glass filter, „Waves“, purple, dia. 100 mm for DP400U imager projection attachment.		4060434002267
DFX400T4-R	Serie 400	Structure effect glass filter, „Waves“, red, dia. 100 mm for DP400U imager projection attachment.		4060434002274
DFX400T4-T	Serie 400	Structure effect glass filter, „Waves“, turquoise, dia. 100 mm for DP400U imager projection attachment.		4060434002281
DFX400T4-Y	Serie 400	Structure effect glass filter, „Waves“, yellow, dia. 100 mm for DP400U imager projection attachment.		4060434002298
DFX400T5-LB	Serie 400	Structure effect glass filter, „Lamello“, light blue, dia. 100 mm for DP400U imager projection attachment.		4060434002311
DFX400T5-LG	Serie 400	Structure effect glass filter, „Lamello“, light green, dia. 100 mm for DP400U imager projection attachment.		4060434002328
DFX400T5-M	Serie 400	Structure effect glass filter, „Lamello“, magenta, dia. 100 mm for DP400U imager projection attachment.		4060434002335
DFX400T5-O	Serie 400	Structure effect glass filter, „Lamello“, orange, dia. 100 mm for DP400U imager projection attachment.		4060434002342
DFX400T5-P	Serie 400	Structure effect glass filter, „Lamello“, purple, dia. 100 mm for DP400U imager projection attachment.		4060434002359



Code	Series	Description	LIST €	EAN
DFX400T5-R	Serie 400	Structure effect glass filter, „Lamello“, red, dia. 100 mm for DP400U imager projection attachment.		4060434002366
DFX400T5-T	Serie 400	Structure effect glass filter, „Lamello“, turquoise, dia. 100 mm for DP400U imager projection attachment.		4060434002373
DFX400T5-Y	Serie 400	Structure effect glass filter, „Lamello“, yellow, dia. 100 mm for DP400U imager projection attachment.		4060434002380
DFX400T6-LB	Serie 400	Structure effect glass filter, „Mystic Square“, light blue, dia. 100 mm for DP400U imager projection attachment.		4060434002403
DFX400T6-LG	Serie 400	Structure effect glass filter, „Mystic Squares“, light green, dia. 100 mm for DP400U imager projection attachment.		4060434002410
DFX400T6-M	Serie 400	Structure effect glass filter, „Mystic Squares“, magenta, dia. 100 mm for DP400U imager projection attachment.		4060434002427
DFX400T6-O	Serie 400	Structure effect glass filter, „Mystic Squares“, orange, dia. 100 mm for DP400U imager projection attachment.		4060434002434
DFX400T6-P	Serie 400	Structure effect glass filter, „Mystic Squares“, purple, dia. 100 mm for DP400U imager projection attachment.		4060434002441
DFX400T6-R	Serie 400	Structure effect glass filter, „Mystic Squares“, red, dia. 100 mm for DP400U imager projection attachment.		4060434002458
DFX400T6-T	Serie 400	Structure effect glass filter, „Mystic Squares“, turquoise, dia. 100 mm for DP400U imager projection attachment.		4060434002465
DFX400T6-Y	Serie 400	Structure effect glass filter, „Mystic Squares“, yellow, dia. 100 mm for DP400U imager projection attachment.		4060434002472
DFX400T7-LB	Serie 400	Structure effect glass filter, „Cakester“, light blue, dia. 100 mm for DP400U imager projection attachment.		4060434002496
DFX400T7-LG	Serie 400	Structure effect glass filter, „Cakester“, light green, dia. 100 mm for DP400U imager projection attachment.		4060434002502
DFX400T7-M	Serie 400	Structure effect glass filter, „Cakester“, magenta, dia. 100 mm for DP400U imager projection attachment.		4060434002519
DFX400T7-O	Serie 400	Structure effect glass filter, „Cakester“, orange, dia. 100 mm for DP400U imager projection attachment.		4060434002526
DFX400T7-P	Serie 400	Structure effect glass filter, „Cakester“, purple, dia. 100 mm for DP400U imager projection attachment.		4060434002533
DFX400T7-R	Serie 400	Structure effect glass filter, „Cakester“, red, dia. 100 mm for DP400U imager projection attachment.		4060434002540
DFX400T7-T	Serie 400	Structure effect glass filter, „Cakester“, turquoise, dia. 100 mm for DP400U imager projection attachment.		4060434002557
DFX400T7-Y	Serie 400	Structure effect glass filter, „Cakester“, yellow, dia. 100 mm for DP400U imager projection attachment.		4060434002564
DFX400T8-LB	Serie 400	Structure effect glass filter, „Crystal“, light blue, dia. 100 mm for DP400U imager projection attachment.		4060434002588
DFX400T8-LG	Serie 400	Structure effect glass filter, „Crystal“, light green, dia. 100 mm for DP400U imager projection attachment.		4060434002595
DFX400T8-M	Serie 400	Structure effect glass filter, „Crystal“, magenta, dia. 100 mm for DP400U imager projection attachment.		4060434002601
DFX400T8-O	Serie 400	Structure effect glass filter, „Crystal“, orange, dia. 100 mm for DP400U imager projection attachment.		4060434002618
DFX400T8-P	Serie 400	Structure effect glass filter, „Crystal“, purple, dia. 100 mm for DP400U imager projection attachment.		4060434002625
DFX400T8-R	Serie 400	Structure effect glass filter, „Crystal“, red, dia. 100 mm for DP400U imager projection attachment.		4060434002632
DFX400T8-T	Serie 400	Structure effect glass filter, „Crystal“, turquoise, dia. 100 mm for DP400U imager projection attachment.		4060434002649
DFX400T8-Y	Serie 400	Structure effect glass filter, „Crystal“, yellow, dia. 100 mm for DP400U imager projection attachment.		4060434002656

All specifications are subject to change without prior notification.

Code	Series	Description	LIST €	EAN
DFX400T9-LB	Serie 400	Structure effect glass filter, „Flow“, light blue, dia. 100 mm for DP400U imager projection attachment.		4060434002670
DFX400T9-LG	Serie 400	Structure effect glass filter, „Flow“, light green, dia. 100 mm for DP400U imager projection attachment.		4060434002687
DFX400T9-M	Serie 400	Structure effect glass filter, „Flow“, magenta, dia. 100 mm for DP400U imager projection attachment.		4060434002694
DFX400T9-O	Serie 400	Structure effect glass filter, „Flow“, orange, dia. 100 mm for DP400U imager projection attachment.		4060434002700
DFX400T9-P	Serie 400	Structure effect glass filter, „Flow“, purple, dia. 100 mm for DP400U imager projection attachment.		4060434002717
DFX400T9-R	Serie 400	Structure effect glass filter, „Flow“, red, dia. 100 mm for DP400U imager projection attachment.		4060434002724
DFX400T9-T	Serie 400	Structure effect glass filter, „Flow“, turquoise, dia. 100 mm for DP400U imager projection attachment.		4060434002731
DFX400T9-Y	Serie 400	Structure effect glass filter, „Flow“, yellow, dia. 100 mm for DP400U imager projection attachment.		4060434002748
DFXH	Classic	Glass effects holder, size ‚M‘, fits DP1.1		4060434001741
DFXST1-LB	DLED2	Structure effect glass filter, „Harmony“, light blue, dedolight size-S for DP1S imager projection attachment.		4060434002946
DFXST1-LG	DLED2	Structure effect glass filter, „Harmony“, light green, dedolight size-S for DP1S imager projection attachment.		4060434002953
DFXST1-M	DLED2	Structure effect glass filter, „Harmony“, magenta, dedolight size-S for DP1S imager projection attachment.		4060434002960
DFXST1-O	DLED2	Structure effect glass filter, „Harmony“, orange, dedolight size-S for DP1S imager projection attachment.		4060434002977
DFXST1-P	DLED2	Structure effect glass filter, „Harmony“, purple, dedolight size-S for DP1S imager projection attachment.		4060434002984
DFXST1-R	DLED2	Structure effect glass filter, „Harmony“, red, dedolight size-S for DP1S imager projection attachment.		4060434002991
DFXST1-T	DLED2	Structure effect glass filter, „Harmony“, turquoise, dedolight size-S for DP1S imager projection attachment.		4060434003004
DFXST1-Y	DLED2	Structure effect glass filter, „Harmony“, yellow, dedolight size-S for DP1S imager projection attachment.		4060434003011
DFXST10-LB	DLED2	Structure effect glass filter, „Farrago“, light blue, dedolight size-S for DP1S imager projection attachment.		4060434002762
DFXST10-LG	DLED2	Structure effect glass filter, „Farrago“, light green, dedolight size-S for DP1S imager projection attachment.		4060434002779
DFXST10-M	DLED2	Structure effect glass filter, „Farrago“, magenta, dedolight size-S for DP1S imager projection attachment.		4060434002786
DFXST10-O	DLED2	Structure effect glass filter, „Farrago“, orange, dedolight size-S for DP1S imager projection attachment.		4060434002793
DFXST10-P	DLED2	Structure effect glass filter, „Farrago“, purple, dedolight size-S for DP1S imager projection attachment.		4060434002809
DFXST10-R	DLED2	Structure effect glass filter, „Farrago“, red, dedolight size-S for DP1S imager projection attachment.		4060434002816
DFXST10-T	DLED2	Structure effect glass filter, „Farrago“, turquoise, dedolight size-S for DP1S imager projection attachment.		4060434002823
DFXST10-Y	DLED2	Structure effect glass filter, „Farrago“, yellow, dedolight size-S for DP1S imager projection attachment.		4060434002830
DFXST11-LB	DLED2	Structure effect glass filter, „Cells“, light blue, dedolight size-S for DP1S imager projection attachment.		4060434002854
DFXST11-LG	DLED2	Structure effect glass filter, „Cells“, light green, dedolight size-S for DP1S imager projection attachment.		4060434002861
DFXST11-M	DLED2	Structure effect glass filter, „Cells“, magenta, dedolight size-S for DP1S imager projection attachment.		4060434002878

Code	Series	Description	LIST €	EAN
DFXST11-O	DLED2	Structure effect glass filter, „Cells“, orange, dedolight size-S for DP1S imager projection attachment.		4060434002885
DFXST11-P	DLED2	Structure effect glass filter, „Cells“, purple, dedolight size-S for DP1S imager projection attachment.		4060434002892
DFXST11-R	DLED2	Structure effect glass filter, „Cells“, red, dedolight size-S for DP1S imager projection attachment.		4060434002908
DFXST11-T	DLED2	Structure effect glass filter, „Chells“, turquoise, dedolight size-S for DP1S imager projection attachment.		4060434002915
DFXST11-Y	DLED2	Structure effect glass filter, „Cells“, yellow, dedolight size-S for DP1S imager projection attachment.		4060434002922
DFXST2-LB	DLED2	Structure effect glass filter, „Groove“, light blue, dedolight size-S for DP1S imager projection attachment.		4060434003035
DFXST2-LG	DLED2	Structure effect glass filter, „Groove“, light green, dedolight size-S for DP1S imager projection attachment.		4060434003042
DFXST2-M	DLED2	Structure effect glass filter, „Groove“, magenta, dedolight size-S for DP1S imager projection attachment.		4060434003059
DFXST2-O	DLED2	Structure effect glass filter, „Groove“, orange, dedolight size-S for DP1S imager projection attachment.		4060434003066
DFXST2-P	DLED2	Structure effect glass filter, „Groove“, purple, dedolight size-S for DP1S imager projection attachment.		4060434003073
DFXST2-R	DLED2	Structure effect glass filter, „Groove“, red, dedolight size-S for DP1S imager projection attachment.		4060434003080
DFXST2-T	DLED2	Structure effect glass filter, „Groove“, turquoise, dedolight size-S for DP1S imager projection attachment.		4060434003097
DFXST2-Y	DLED2	Structure effect glass filter, „Groove“, yellow, dedolight size-S for DP1S imager projection attachment.		4060434003103
DFXST3-LB	DLED2	Structure effect glass filter, „Waffle“, light blue, dedolight size-S for DP1S imager projection attachment.		4060434003127
DFXST3-LG	DLED2	Structure effect glass filter, „Waffle“, light green, dedolight size-S for DP1S imager projection attachment.		4060434003134
DFXST3-M	DLED2	Structure effect glass filter, „Waffle“, magenta, dedolight size-S for DP1S imager projection attachment.		4060434003141
DFXST3-O	DLED2	Structure effect glass filter, „Waffle“, orange, dedolight size-S for DP1S imager projection attachment.		4060434003158
DFXST3-P	DLED2	Structure effect glass filter, „Waffle“, purple, dedolight size-S for DP1S imager projection attachment.		4060434003165
DFXST3-R	DLED2	Structure effect glass filter, „Waffle“, red, dedolight size-S for DP1S imager projection attachment.		4060434003172
DFXST3-T	DLED2	Structure effect glass filter, „Waffle“, turquoise, dedolight size-S for DP1S imager projection attachment.		4060434003189
DFXST3-Y	DLED2	Structure effect glass filter, „Waffle“, yellow, dedolight size-S for DP1S imager projection attachment.		4060434003196
DFXST4-LB	DLED2	Structure effect glass filter, „Waves“, light blue, dedolight size-S for DP1S imager projection attachment.		4060434003219
DFXST4-LG	DLED2	Structure effect glass filter, „Waves“, light green, dedolight size-S for DP1S imager projection attachment.		4060434003226
DFXST4-M	DLED2	Structure effect glass filter, „Waves“, magenta, dedolight size-S for DP1S imager projection attachment.		4060434003233
DFXST4-O	DLED2	Structure effect glass filter, „Waves“, orange, dedolight size-S for DP1S imager projection attachment.		4060434003240
DFXST4-P	DLED2	Structure effect glass filter, „Waves“, purple, dedolight size-S for DP1S imager projection attachment.		4060434003257
DFXST4-R	DLED2	Structure effect glass filter, „Waves“, red, dedolight size-S for DP1S imager projection attachment.		4060434003264

All specifications are subject to change without prior notification.



dedolight products • alphabetical order • 08/2019

Code	Series	Description	LIST €	EAN
DFXST4-T	DLED2	Structure effect glass filter, „Waves“, turquoise, dedolight size-S for DP1S imager projection attachment.		4060434003271
DFXST4-Y	DLED2	Structure effect glass filter, „Waves“, yellow, dedolight size-S for DP1S imager projection attachment.		4060434003288
DFXST5-LB	DLED2	Structure effect glass filter, „Lamello“, light blue, dedolight size-S for DP1S imager projection attachment.		4060434003301
DFXST5-LG	DLED2	Structure effect glass filter, „Lamello“, light green, dedolight size-S for DP1S imager projection attachment.		4060434003318
DFXST5-M	DLED2	Structure effect glass filter, „Lamello“, magenta, dedolight size-S for DP1S imager projection attachment.		4060434003325
DFXST5-O	DLED2	Structure effect glass filter, „Lamello“, orange, dedolight size-S for DP1S imager projection attachment.		4060434003332
DFXST5-P	DLED2	Structure effect glass filter, „Lamello“, purple, dedolight size-S for DP1S imager projection attachment.		4060434003349
DFXST5-R	DLED2	Structure effect glass filter, „Lamello“, red, dedolight size-S for DP1S imager projection attachment.		4060434003356
DFXST5-T	DLED2	Structure effect glass filter, „Lamello“, turquoise, dedolight size-S for DP1S imager projection attachment.		4060434003363
DFXST5-Y	DLED2	Structure effect glass filter, „Lamello“, yellow, dedolight size-S for DP1S imager projection attachment.		4060434003370
DFXST6-LB	DLED2	Structure effect glass filter, „Mystic Squares“, light blue, dedolight size-S for DP1S imager projection attachment.		4060434003394
DFXST6-LG	DLED2	Structure effect glass filter, „Mystic Squares“, light green, dedolight size-S for DP1S imager projection attachment.		4060434003400
DFXST6-M	DLED2	Structure effect glass filter, „Mystic Squares“, magenta, dedolight size-S for DP1S imager projection attachment.		4060434003417
DFXST6-O	DLED2	Structure effect glass filter, „Mystic Squares“, orange, dedolight size-S for DP1S imager projection attachment.		4060434003424
DFXST6-P	DLED2	Structure effect glass filter, „Mystic Squares“, purple, dedolight size-S for DP1S imager projection attachment.		4060434003431
DFXST6-R	DLED2	Structure effect glass filter, „Mystic Squares“, red, dedolight size-S for DP1S imager projection attachment.		4060434003448
DFXST6-T	DLED2	Structure effect glass filter, „Mystic Squares“, turquoise, dedolight size-S for DP1S imager projection attachment.		4060434003455
DFXST6-Y	DLED2	Structure effect glass filter, „Mystic Squares“, yellow, dedolight size-S for DP1S imager projection attachment.		4060434003462
DFXST7-LB	DLED2	Structure effect glass filter, „Cakester“, light blue, dedolight size-S for DP1S imager projection attachment.		4060434003486
DFXST7-LG	DLED2	Structure effect glass filter, „Cakester“, light green, dedolight size-S for DP1S imager projection attachment.		4060434003493
DFXST7-M	DLED2	Structure effect glass filter, „Cakester“, magenta, dedolight size-S for DP1S imager projection attachment.		4060434003509
DFXST7-O	DLED2	Structure effect glass filter, „Cakster“, orange, dedolight size-S for DP1S imager projection attachment.		4060434003516
DFXST7-P	DLED2	Structure effect glass filter, „Cakester“, purple, dedolight size-S for DP1S imager projection attachment.		4060434003523
DFXST7-R	DLED2	Structure effect glass filter, „Cakester“, red, dedolight size-S for DP1S imager projection attachment.		4060434003530
DFXST7-T	DLED2	Structure effect glass filter, „Cakester“, turquoise, dedolight size-S for DP1S imager projection attachment.		4060434003547
DFXST7-Y	DLED2	Structure effect glass filter, „Cakester“, yellow, dedolight size-S for DP1S imager projection attachment.		4060434003554
DFXST8-LB	DLED2	Structure effect glass filter, „Crystal“, light blue, dedolight size-S for DP1S imager projection attachment.		4060434003578

Code	Series	Description	LIST €	EAN
DFXST8-LG	DLED2	Structure effect glass filter, „Crystal“, light green, dedolight size-S for DP1S imager projection attachment.		4060434003585
DFXST8-M	DLED2	Structure effect glass filter, „Crystal“, magenta, dedolight size-S for DP1S imager projection attachment.		4060434003592
DFXST8-O	DLED2	Structure effect glass filter, „Crystal“, orange, dedolight size-S for DP1S imager projection attachment.		4060434003608
DFXST8-P	DLED2	Structure effect glass filter, „Crystal“, purple, dedolight size-S for DP1S imager projection attachment.		4060434003615
DFXST8-R	DLED2	Structure effect glass filter, „Crystal“, red, dedolight size-S for DP1S imager projection attachment.		4060434003622
DFXST8-T	DLED2	Structure effect glass filter, „Crystal“, turquoise, dedolight size-S for DP1S imager projection attachment.		4060434003639
DFXST8-Y	DLED2	Structure effect glass filter, „Crystal“, yellow, dedolight size-S for DP1S imager projection attachment.		4060434003646
DFXST9-LB	DLED2	Structure effect glass filter, „Flow“, light blue, dedolight size-S for DP1S imager projection attachment.		4060434003660
DFXST9-LG	DLED2	Structure effect glass filter, „Flow“, light green, dedolight size-S for DP1S imager projection attachment.		4060434003677
DFXST9-M	DLED2	Structure effect glass filter, „Flow“, magenta, dedolight size-S for DP1S imager projection attachment.		4060434003684
DFXST9-O	DLED2	Structure effect glass filter, „Flow“, orange, dedolight size-S for DP1S imager projection attachment.		4060434003691
DFXST9-P	DLED2	Structure effect glass filter, „Flow“, purple, dedolight size-S for DP1S imager projection attachment.		4060434003707
DFXST9-R	DLED2	Structure effect glass filter, „Flow“, red, dedolight size-S for DP1S imager projection attachment.		4060434003714
DFXST9-T	DLED2	Structure effect glass filter, „Flow“, turquoise, dedolight size-S for DP1S imager projection attachment.		4060434003721
DFXST9-Y	DLED2	Structure effect glass filter, „Flow“, yellow, dedolight size-S for DP1S imager projection attachment.		4060434003738
DFXT1-LB	Classic	Structure effect glass filter, „Harmony“, light blue, size ‚M‘ for DP1.1 imager projection attachment.		4060434003936
DFXT1-LG	Classic	Structure effect glass filter, „Harmony“, light green, size ‚M‘ for DP1.1 imager projection attachment.		4060434003943
DFXT1-M	Classic	Structure effect glass filter, „Harmony“, magenta, size ‚M‘ for DP1.1 imager projection attachment.		4060434003950
DFXT1-O	Classic	Structure effect glass filter, „Harmony“, orange, size ‚M‘ for DP1.1 imager projection attachment.		4060434003967
DFXT1-P	Classic	Structure effect glass filter, „Harmony“, purple, size ‚M‘ for DP1.1 imager projection attachment.		4060434003974
DFXT1-R	Classic	Structure effect glass filter, „Harmony“, red, size ‚M‘ for DP1.1 imager projection attachment.		4060434003981
DFXT1-T	Classic	Structure effect glass filter, „Harmony“, turquoise, size ‚M‘ for DP1.1 imager projection attachment.		4060434003998
DFXT1-Y	Classic	Structure effect glass filter, „Harmony“, yellow, size ‚M‘ for DP1.1 imager projection attachment.		4060434004001
DFXT10-LB	Classic	Structure effect glass filter, „Farrago“, light blue, size ‚M‘ for DP1.1 imager projection attachment.		4060434003752
DFXT10-LG	Classic	Structure effect glass filter, „Farrago“, light green, size ‚M‘ for DP1.1 imager projection attachment.		4060434003769
DFXT10-M	Classic	Structure effect glass filter, „Farrago“, magenta, size ‚M‘ for DP1.1 imager projection attachment.		4060434003776
DFXT10-O	Classic	Structure effect glass filter, „Farrago“, orange, size ‚M‘ for DP1.1 imager projection attachment.		4060434003783

All specifications are subject to change without prior notification.



dedolight products • alphabetical order • 08/2019

Code	Series	Description	LIST €	EAN
DFXT10-P	Classic	Structure effect glass filter, „Farrago“, purple, size ‚M‘ for DP1.1 imager projection attachment.		4060434003790
DFXT10-R	Classic	Structure effect glass filter, „Farrago“, red, size ‚M‘ for DP1.1 imager projection attachment.		4060434003806
DFXT10-T	Classic	Structure effect glass filter, „Farrago“, turquoise, size ‚M‘ for DP1.1 imager projection attachment.		4060434003813
DFXT10-Y	Classic	Structure effect glass filter, „Farrago“, yellow, size ‚M‘ for DP1.1 imager projection attachment.		4060434003820
DFXT11-LB	Classic	Structure effect glass filter, „Cells“, light blue, size ‚M‘ for DP1.1 imager projection attachment.		4060434003844
DFXT11-LG	Classic	Structure effect glass filter, „Cells“, light green, size ‚M‘ for DP1.1 imager projection attachment.		4060434003851
DFXT11-M	Classic	Structure effect glass filter, „Cells“, magenta, size ‚M‘ for DP1.1 imager projection attachment.		4060434003868
DFXT11-O	Classic	Structure effect glass filter, „Cells“, orange, size ‚M‘ for DP1.1 imager projection attachment.		4060434003875
DFXT11-P	Classic	Structure effect glass filter, „Cells“, purple, size ‚M‘ for DP1.1 imager projection attachment.		4060434003882
DFXT11-R	Classic	Structure effect glass filter, „Cells“, red, size ‚M‘ for DP1.1 imager projection attachment.		4060434003899
DFXT11-T	Classic	Structure effect glass filter, „Chells“, turquoise, size ‚M‘ for DP1.1 imager projection attachment.		4060434003905
DFXT11-Y	Classic	Structure effect glass filter, „Cells“, yellow, size ‚M‘ for DP1.1 imager projection attachment.		4060434003912
DFXT2-LB	Classic	Structure effect glass filter, „Groove“, light blue, size ‚M‘ for DP1.1 imager projection attachment.		4060434004025
DFXT2-LG	Classic	Structure effect glass filter, „Groove“, light green, size ‚M‘ for DP1.1 imager projection attachment.		4060434004032
DFXT2-M	Classic	Structure effect glass filter, „Groove“, magenta, size ‚M‘ for DP1.1 imager projection attachment.		4060434004049
DFXT2-O	Classic	Structure effect glass filter, „Groove“, orange, size ‚M‘ for DP1.1 imager projection attachment.		4060434004056
DFXT2-P	Classic	Structure effect glass filter, „Groove“, purple, size ‚M‘ for DP1.1 imager projection attachment.		4060434004063
DFXT2-R	Classic	Structure effect glass filter, „Groove“, red, size ‚M‘ for DP1.1 imager projection attachment.		4060434004070
DFXT2-T	Classic	Structure effect glass filter, „Groove“, turquoise, size ‚M‘ for DP1.1 imager projection attachment.		4060434004087
DFXT2-Y	Classic	Structure effect glass filter, „Groove“, yellow, size ‚M‘ for DP1.1 imager projection attachment.		4060434004094
DFXT3-LB	Classic	Structure effect glass filter, „Waffle“, light blue, size ‚M‘ for DP1.1 imager projection attachment.		4060434004117
DFXT3-LG	Classic	Structure effect glass filter, „Waffle“, light green, size ‚M‘ for DP1.1 imager projection attachment.		4060434004124
DFXT3-M	Classic	Structure effect glass filter, „Waffle“, magenta, size ‚M‘ for DP1.1 imager projection attachment.		4060434004131
DFXT3-O	Classic	Structure effect glass filter, „Waffle“, orange, size ‚M‘ for DP1.1 imager projection attachment.		4060434004148
DFXT3-P	Classic	Structure effect glass filter, „Waffle“, purple, size ‚M‘ for DP1.1 imager projection attachment.		4060434004155
DFXT3-R	Classic	Structure effect glass filter, „Waffle“, red, size ‚M‘ for DP1.1 imager projection attachment.		4060434004162
DFXT3-T	Classic	Structure effect glass filter, „Waffle“, turquoise, size ‚M‘ for DP1.1 imager projection attachment.		4060434004179
DFXT3-Y	Classic	Structure effect glass filter, „Waffle“, yellow, size ‚M‘ for DP1.1 imager projection attachment.		4060434004186

Code	Series	Description	LIST €	EAN
DFXT4-LB	Classic	Structure effect glass filter, „Waves“, light blue, size ‚M‘ for DP1.1 imager projection attachment.		4060434004209
DFXT4-LG	Classic	Structure effect glass filter, „Waves“, light green, size ‚M‘ for DP1.1 imager projection attachment.		4060434004216
DFXT4-M	Classic	Structure effect glass filter, „Waves“, magenta, size ‚M‘ for DP1.1 imager projection attachment.		4060434004223
DFXT4-O	Classic	Structure effect glass filter, „Waves“, orange, size ‚M‘ for DP1.1 imager projection attachment.		4060434004230
DFXT4-P	Classic	Structure effect glass filter, „Waves“, purple, size ‚M‘ for DP1.1 imager projection attachment.		4060434004247
DFXT4-R	Classic	Structure effect glass filter, „Waves“, red, size ‚M‘ for DP1.1 imager projection attachment.		4060434004254
DFXT4-T	Classic	Structure effect glass filter, „Waves“, turquoise, size ‚M‘ for DP1.1 imager projection attachment.		4060434004261
DFXT4-Y	Classic	Structure effect glass filter, „Waves“, yellow, size ‚M‘ for DP1.1 imager projection attachment.		4060434004278
DFXT5-LB	Classic	Structure effect glass filter, „Lamello“, light blue, size ‚M‘ for DP1.1 imager projection attachment.		4060434004292
DFXT5-LG	Classic	Structure effect glass filter, „Lamello“, light green, size ‚M‘ for DP1.1 imager projection attachment.		4060434004308
DFXT5-M	Classic	Structure effect glass filter, „Lamello“, magenta, size ‚M‘ for DP1.1 imager projection attachment.		4060434004315
DFXT5-O	Classic	Structure effect glass filter, „Lamello“, orange, size ‚M‘ for DP1.1 imager projection attachment.		4060434004322
DFXT5-P	Classic	Structure effect glass filter, „Lamello“, purple, size ‚M‘ for DP1.1 imager projection attachment.		4060434004339
DFXT5-R	Classic	Structure effect glass filter, „Lamello“, red, size ‚M‘ for DP1.1 imager projection attachment.		4060434004346
DFXT5-T	Classic	Structure effect glass filter, „Lamello“, turquoise, size ‚M‘ for DP1.1 imager projection attachment.		4060434004353
DFXT5-Y	Classic	Structure effect glass filter, „Lamello“, yellow, size ‚M‘ for DP1.1 imager projection attachment.		4060434004360
DFXT6-LB	Classic	Structure effect glass filter, „Mystic Squares“, light blue, size ‚M‘ for DP1.1 imager projection attachment.		4060434004384
DFXT6-LG	Classic	Structure effect glass filter, „Mystic Squares“, light green, size ‚M‘ for DP1.1 imager projection attachment.		4060434004391
DFXT6-M	Classic	Structure effect glass filter, „Mystic Squares“, magenta, size ‚M‘ for DP1.1 imager projection attachment.		4060434004407
DFXT6-O	Classic	Structure effect glass filter, „Mystic Squares“, orange, size ‚M‘ for DP1.1 imager projection attachment.		4060434004414
DFXT6-P	Classic	Structure effect glass filter, „Mystic Squares“, purple, size ‚M‘ for DP1.1 imager projection attachment.		4060434004421
DFXT6-R	Classic	Structure effect glass filter, „Mystic Squares“, red, size ‚M‘ for DP1.1 imager projection attachment.		4060434004438
DFXT6-T	Classic	Structure effect glass filter, „Mystic Squares“, turquoise, size ‚M‘ for DP1.1 imager projection attachment.		4060434004445
DFXT6-Y	Classic	Structure effect glass filter, „Mystic Squares“, yellow, size ‚M‘ for DP1.1 imager projection attachment.		4060434004452
DFXT7-LB	Classic	Structure effect glass filter, „Cakester“, light blue, size ‚M‘ for DP1.1 imager projection attachment.		4060434004476
DFXT7-LG	Classic	Structure effect glass filter, „Cakester“, light green, size ‚M‘ for DP1.1 imager projection attachment.		4060434004483
DFXT7-M	Classic	Structure effect glass filter, „Cakester“, magenta, size ‚M‘ for DP1.1 imager projection attachment.		4060434004490

All specifications are subject to change without prior notification.



dedolight products • alphabetical order • 08/2019

Code	Series	Description	LIST €	EAN
DFXT7-O	Classic	Structure effect glass filter, „Cakster“, orange, size ‚M‘ for DP1.1 imager projection attachment.		4060434004506
DFXT7-P	Classic	Structure effect glass filter, „Cakster“, purple, size ‚M‘ for DP1.1 imager projection attachment.		4060434004513
DFXT7-R	Classic	Structure effect glass filter, „Cakster“, red, size ‚M‘ for DP1.1 imager projection attachment.		4060434004520
DFXT7-T	Classic	Structure effect glass filter, „Cakster“, turquoise, size ‚M‘ for DP1.1 imager projection attachment.		4060434004537
DFXT7-Y	Classic	Structure effect glass filter, „Cakster“, yellow, size ‚M‘ for DP1.1 imager projection attachment.		4060434004544
DFXT8-LB	Classic	Structure effect glass filter, „Crystal“, light blue, size ‚M‘ for DP1.1 imager projection attachment.		4060434004568
DFXT8-LG	Classic	Structure effect glass filter, „Crystal“, light green, size ‚M‘ for DP1.1 imager projection attachment.		4060434004575
DFXT8-M	Classic	Structure effect glass filter, „Crystal“, magenta, size ‚M‘ for DP1.1 imager projection attachment.		4060434004582
DFXT8-O	Classic	Structure effect glass filter, „Crystal“, orange, size ‚M‘ for DP1.1 imager projection attachment.		4060434004599
DFXT8-P	Classic	Structure effect glass filter, „Crystal“, purple, size ‚M‘ for DP1.1 imager projection attachment.		4060434004605
DFXT8-R	Classic	Structure effect glass filter, „Crystal“, red, size ‚M‘ for DP1.1 imager projection attachment.		4060434004612
DFXT8-T	Classic	Structure effect glass filter, „Crystal“, turquoise, size ‚M‘ for DP1.1 imager projection attachment.		4060434004629
DFXT8-Y	Classic	Structure effect glass filter, „Crystal“, yellow, size ‚M‘ for DP1.1 imager projection attachment.		4060434004636
DFXT9-LB	Classic	Structure effect glass filter, „Flow“, light blue, size ‚M‘ for DP1.1 imager projection attachment.		4060434004650
DFXT9-LG	Classic	Structure effect glass filter, „Flow“, light green, size ‚M‘ for DP1.1 imager projection attachment.		4060434004667
DFXT9-M	Classic	Structure effect glass filter, „Flow“, magenta, size ‚M‘ for DP1.1 imager projection attachment.		4060434004674
DFXT9-O	Classic	Structure effect glass filter, „Flow“, orange, size ‚M‘ for DP1.1 imager projection attachment.		4060434004681
DFXT9-P	Classic	Structure effect glass filter, „Flow“, purple, size ‚M‘ for DP1.1 imager projection attachment.		4060434004698
DFXT9-R	Classic	Structure effect glass filter, „Flow“, red, size ‚M‘ for DP1.1 imager projection attachment.		4060434004704
DFXT9-T	Classic	Structure effect glass filter, „Flow“, turquoise, size ‚M‘ for DP1.1 imager projection attachment.		4060434004711
DFXT9-Y	Classic	Structure effect glass filter, „Flow“, yellow, size ‚M‘ for DP1.1 imager projection attachment.		4060434004728
DGF-BR	Efect	Blue / red gel filter, incl. holder		4060434021169
DGF-OT	Efect	Orange / turquoise gel filter, incl. holder		4060434021176
DGF-TO	Efect	Turquoise / orange gel filter, incl. holder		4060434021183
DGF-YM	Efect	Yellow / magenta gel filter, incl. holder		4060434021190
DGF-YT	Efect	Yellow / turquoise gel filter, incl. holder		4060434021206
DGFL-BR	Efect	blue/red gel filter, incl. DFH400 filter holder		4060434022234
DGFL-OT	Efect	orange/turquoise gel filter, incl. DFH400 filter holder		4060434022241
DGFL-TO	Efect	turquoise/orange gel filter, incl. DFH400 filter holder		4060434022258
DGFL-YM	Efect	yellow/magenta gel filter, incl. DFH400 filter holder		4060434022265
DGFL-YT	Efect	yellow/turquoise gel filter, incl. DFH400 filter holder		4060434022272
DGFLWH-BR	Efect	Blue/red gel filter, Series 400 size. Spare part without filter holder.		4060434023873
DGFLWH-OT	Efect	Orange/turquoise gel filter, Series 400 size. Spare part without filter holder.		4060434023880

Code	Series	Description	LIST €	EAN
DGFLWH-TO	Eflect	Turquoise/orange gel filter, Series 400 size. Spare part without filter holder.		4060434023897
DGFLWH-YM	Eflect	Yellow/magenta gel filter, Series 400 size. Spare part without filter holder.		4060434023903
DGFLWH-YT	Eflect	Yellow/turquoise gel filter, Series 400 size. Spare part without filter holder.		4060434023910
DGFWH-BR	Eflect	Blue/red gel filter, CLASSIC size. Spare part without filter holder.		4060434023927
DGFWH-OT	Eflect	Orange/turquoise gel filter, CLASSIC size. Spare part without filter holder.		4060434023934
DGFWH-TO	Eflect	Turquoise/orange gel filter, CLASSIC size. Spare part without filter holder.		4060434023941
DGFWH-YM	Eflect	Yellow/magenta gel filter, CLASSIC size. Spare part without filter holder.		4060434023958
DGFWH-YT	Eflect	Yellow/turquoise gel filter, CLASSIC size. Spare part without filter holder.		4060434023965
DGL-O	Ledzilla	Colored polycarbonate eyeglasses, orange (320-550nm)		4060434021671
DGL-R	Ledzilla	Colored polycarbonate eyeglasses, red (450-570nm)		4060434021688
DGL-UV	Ledzilla	UV protection eyeglasses		4060434021695
DGL-Y	Ledzilla	Colored polycarbonate eyeglasses, yellow (415-450nm)		4060434021701
DGRADF03	Classic	Dichroic graduated ND grey glass filter: minus one stop		4060434004919
DGRADF06	Classic	Dichroic graduated ND grey glass filter: minus two stops		4060434004926
DGRADF09	Classic	Dichroic graduated ND grey glass filter: minus three stops		4060434004933
DGRADF400-03	Serie 400	Dichroic graduated ND grey glass filter: minus one stop (Series 400)		4060434004957
DGRADF400-06	Serie 400	Dichroic graduated ND grey glass filter: minus two stops (Series 400)		4060434004964
DGRADF400-09	Serie 400	Dichroic graduated ND grey glass filter: minus three stops (Series 400)		4060434004971
DGRADFS03	DLED2	Dichroic graduated ND grey glass filter: minus one stop (DLED2 / DLED3 Series)		4060434004995
DGRADFS06	DLED2	Dichroic graduated ND grey glass filter: minus two stops (DLED2 / DLED3 Series)		4060434005008
DGRADFS09	DLED2	Dichroic graduated ND grey glass filter: minus three stops (DLED2 / DLED3 Series)		4060434005015
DH2	Classic	Wall holder		4060434005077
DHF	Classic	Heat filter		4060434005084
DIMTA3	Classic	Power supply 1 x 12 V / 100 W ((E) 230 V AC)		4060434005091
DL100	Classic	Tungsten halogen lamp (FCR), 100 W, 12 V, Socket GY6.35, 700 hours, 3200 K, 3600 lm, black-tip		4060434005107
DL100-24	Classic	Tungsten halogen lamp, 100 W, 24 V, Socket G6.35, 800 hours, 3200 K, 2900 lm, black-tip		4060434005114
DL100-24-NB	Classic	Tungsten halogen lamp, 100 W, 24 V, Socket G6.35, 800 hours, 3200 K, 2900 lm		4060434005121
DL100-NB	Classic	Tungsten halogen lamp (FCR), 100 W, 12 V, Socket GY6.35, 700 hours, 3200 K, 3600 lm		4060434005138
DL1000FEL-NB	Serie 1200	Tungsten halogen lamp, 1000 W, 120 V, Socket GY9.5, 300 hours, 3200 K, 27500 lm		4060434005145
DL1000FEP-NB	Serie 1200	Tungsten halogen lamp, 1000 W, 230- 240 V , Socket G9.5, 300 hours, 3200 K, 25000 lm		4060434005152
DL1000FKJ-NB	Serie 1200	Tungsten halogen lamp, 1000 W, 230- 240 V , Socket G22, 200 hours, 3200 K, 26000 lm		4060434005169
DL1200DHR-NB	Serie 1200	Daylight lamp, 1200 W, Socket G22		4060434005176
DL1200DHR-PB	Lightstream	Daylight lamp, 1200 W, Socket G22. To be used with DPB70 parallel beam light head only.		4060434022135
DL150	Classic	Tungsten halogen lamp (FCS), 150 W, 24 V, Socket G6,35, 300 hours, 3200 K, 6000 lm, black-tip		4060434005183
DL150-NB	Classic	Tungsten halogen lamp (FCS), 150 W, 24 V, Socket G6,35, 300 hours, 3200 K, 6000 lm		4060434005190
DL20	Classic	Tungsten halogen lamp, 20 W, 12- 14 V, Socket GY6.35, 3000 hours, 3200 K, 320 lm, black-tip		4060434005206
DL20-NB	Classic	Tungsten halogen lamp, 20 W, 12- 14 V, Socket GY6,35, 3000 hours, 3200 K, 320 lm		4060434005213
DL200DHR-NB	Classic	Daylight lamp, 200 W, 70 V, Socket GZY9.5, 200 hours, 5500 K, 16000 lm		4060434005220
DL200THR-NB	Classic	Tungsten lamp, 200 W, 70 V, Socket GZY9.5, 1000 hours, 3200 K, 17900 lm		4060434005237
DL35	Classic	Tungsten halogen lamp, 35 W, 12- 14 V, Socket GY6.35, 4000 hours, 3000 K, 600 lm, black-tip		4060434005244
DL35-NB	Classic	Tungsten halogen lamp, 35 W, 12- 14 V, Socket GY6.35, 4000 hours, 3000 K, 600 lm		4060434005251
DL400DHR-NB	Serie 400	Daylight lamp, 400 W, 67 V, Socket GZZ9.5, 750 hours, 6200 K, 33000 lm		4060434005268
DL50	Classic	Tungsten halogen lamp, 50 W, 12- 14 V, Socket GY6.35, 800 hours, 3200 K, 1600 lm, black-tip		4060434005275

All specifications are subject to change without prior notification.

Code	Series	Description	LIST €	EAN
DL50-NB	Classic	Tungsten halogen lamp, 50 W, 12- 14 V, Socket GY6.35, 800 hours, 3200 K, 1600 lm		4060434005282
DL500EHD-NB	Serie 650	Tungsten halogen lamp, 500 W, 120 V, Socket GY9.5, 500 hours, 3150 K, 12700 lm		4060434005299
DL500FRG-NB	Serie 650	Tungsten halogen lamp, 500 W, 120 V, Socket GY9.5, 150 hours, 3200 K, 13000 lm		4060434005305
DL500FRH-NB	Serie 650	Tungsten halogen lamp, 500 W, 230 V, Socket GY9.5, 150 hours, 3200 K, 12500 lm		4060434005312
DL500M40-NB	Serie 650	Tungsten halogen lamp, 500 W, 230- 240 V, Socket GY9.5, 2000 hours, 2900 K, 8500 lm		4060434005329
DL575THR-NB	Serie 400	Tungsten lamp, 575 W, 67 V, Socket GZZ9.5, 750 hours, 3200 K, 40000 lm		4060434005336
DL600GKV-NB	Serie 650	Tungsten halogen lamp, 600 W, 230 V, Socket GY9.5, 250 hours, 3200 K, 14000 lm		4060434005343
DL650FRK-NB	Serie 650	Tungsten halogen lamp, 650 W, 120 V, Socket GY9.5, 200 hours, 3200 K, 16900 lm		4060434005367
DL650FRM-NB	Serie 650	Tungsten halogen lamp, 650 W, 230 V, Socket GY9.5, 150 hours, 3200 K, 16320 lm		4060434005374
DL650T26-NB	Serie 650	Tungsten halogen lamp, 650 W, 230 V, Socket GY9.5, 400 hours, 3100 K, 15500 lm		4060434005381
DL75	Classic	Tungsten halogen lamp, 75 W, 12- 14 V, Socket GY6.35, 4000 hours, 3000 K, 1450 lm, black-tip		4060434005398
DL75-NB	Classic	Tungsten halogen lamp, 75 W, 12- 14 V, Socket GY6.35, 4000 hours, 3000 K, 1450 lm		4060434005404
DL750EHF-NB	Serie 1200	Tungsten halogen lamp, 750 W, 120 V, Socket GY9.5, 300 hours, 3200 K, 20000 lm		4060434005411
DL800HX-NB	Serie 1200	Tungsten halogen lamp, 800 W, 230- 240 V, Socket GY9.5, 250 hours, 3200 K, 20000 lm		4060434005428
DLA-LB	Classic	Large bone, 2 x female shoe and 3 x 1/4" recepticals, mounts to camera with 1/4" screw		4060434005435
DLA-ML	Ledzilla	Square top fits Ledzilla, accepts 16 mm baby stud (5/8")		4060434005442
DLA416	CLASSIC	Universal stand adapter, 16mm stud, 3x 16mm receptacles		4060434022289
DLB-BPU60	Ledzilla	Battery 14,4 V, 70 Wh		4060434005459
DLB-NPF550	Serie 200	7.4 V Li-Ion battery 14.8 Wh (2000 mAh)		4060434005466
DLB-NPF950	Classic	7.4 V Li-Ion battery 43.2 Wh (6000 mAh)		4060434005473
DLBCA-AB	Classic	Belt adapter for Anton/Bauer battery mounts. D-TAP power out socket		4060434005503
DLBCA-NPF	Classic	Belt adapter for 7,2V NP-F batteries		4060434005510
DLBCA-V	Classic	Belt adapter for V-Mount batteries. D-TAP power out socket		4060434005527
DLBCA2-AB	DLED4	Belt adapter for Anton/Bauer battery mounts with holding plate for LED BAT power supplies. D-TAP power out socket		4060434005534
DLBCA2-BSU	DLED3	Belt adapter for 12V Sony BP-U batteries		4060434023170
DLBCA2-NPF	DLED4	Belt adapter for 7,2V NP-F batteries with holding plate for DT2-BAT/DT2-BI-BAT power supplies		4060434005541
DLBCA2-V	DLED4	Belt adapter for V-Mount batteries with holding plate for LED BAT power supplies. D-TAP power out socket		4060434005558
DLBF-8AA	Classic	External battery box for 8 AA batteries 1.5 V with 12 V DC output		4060434005572
DLBOX	Classic	Plastic box		4060434005589
DLBRHS	Classic	Rail with folding handle, 1/4" screw for camera and shoe for light head		4060434005596
DLBRS	Classic	Rail with 1/4" screw for camera and shoe for light head		4060434005602
DLBSA-3S	Classic	Triple shoe with tilt lock		4060434005619
DLBSA-HAND	Classic	Shoe adapter with handle		4060434005626
DLBSA-JSF	DLED2	16mm receptacle (female) to hot-shoe mount adapter (female). Fits DLED2HSM and DLED2YHSM light heads.		4060434005633
DLBSA-M	Classic	1/4" male to mini shoe for Sony mini camcorder, use with DLBSA-T		4060434005640
DLBSA-MBJ	Classic	Metal ball joint with 1/4" screw for light head and camera mount.		4060434005657
DLBSA-MBJ2	Classic	Ball joint with 1/4 inch screw and camera mount. (comes with Ledrama Pocket DLRPKT)		4060434005664
DLBSA-MBS	Classic	Ball joint with 16mm stud to use with DLED2Y light heads		4060434005671
DLBSA-S	Classic	Female shoe adapter to 1/4" male		4060434005688
DLBSA-T	Classic	Female shoe adapter to 1/4" female		4060434005695
DLBSA-TS	Classic	Table stand: 9.5 x 6.3 x 1.2 cm (3.7 x 2.5 x 0.5") with shoe for light head		4060434005701
DLBSA-U	Ledzilla	Square top fits Ledzilla, ends in male shoe		4060434005718
DLCH-BPU	Ledzilla	Dual-Charger for 2x DLB-BPU batteries (a.k.a. BP-U)		4060434005725

Code	Series	Description	LIST €	EAN
DLCH-NPF	Classic	Charger for NP-F battery, input 100- 240 V AC, please specify power connector (A / E / G / J / U)		4060434005732
DLDIM-BAT	Classic	12 V / 24 V in-line dimmer with cable to connect a DLH4/DLH1x150S. Please specify power input cable.		4060434005749
DLDIM-BAT-AB	Classic	DLDIM-BAT cable with D-Tap connector, length 130 cm		4060434005756
DLDIM-BAT-CAR	Classic	DLDIM-BAT cable to cigarette lighter socket in cars (no ON/OFF switch), length 180 cm.		4060434005763
DLDIM-BAT-XLR	Classic	DLDIM-BAT cable with 4-pin XLR connector, length 130 cm.		4060434005770
DLDIM1000-A	Classic	In-line dimmer, max. 1 kW @ 230 V, max. 750 W @ 120 V (90- 264 V AC, Australian connector)		4060434005787
DLDIM1000-E	Classic	In-line dimmer, max. 1 kW @ 230 V, max. 750 W @ 120 V (90- 264 V AC, European connector)		4060434005794
DLDIM1000-G	Classic	In-line dimmer, max. 1 kW @ 230 V, max. 750 W @ 120 V (90- 264 V AC, Great Britain connector)		4060434005800
DLDIM1000-J	Classic	In-line dimmer, max. 1 kW @ 230 V, max. 750 W @ 120 V (90- 264 V AC, Japan connector)		4060434005817
DLDIM1000-U	Classic	In-line dimmer, max. 1 kW @ 230 V, max. 750 W @ 120 V (90- 264 V AC, U.S. connector)		4060434005824
DLDIM2000-A	Classic	In-line dimmer, max. 2 kW @ 230 V, max. 1 kW @ 120 V, with MOSFET silent technology (90- 264 V AC, Australian connector)		4060434005831
DLDIM2000-DMX-A	Classic	DLDIM2000 with integrated DMX control (90- 264 V AC, Australian connector)		4060434005848
DLDIM2000-DMX-E	Classic	DLDIM2000 with integrated DMX control (90- 264 V AC, European connector)		4060434005855
DLDIM2000-DMX-G	Classic	DLDIM2000 with integrated DMX control (90- 264 V AC, Great Britain connector)		4060434005862
DLDIM2000-DMX-J	Classic	DLDIM2000 with integrated DMX control (90- 264 V AC, Japan connector)		4060434005879
DLDIM2000-DMX-U	Classic	DLDIM2000 with integrated DMX control (90- 264 V AC, U.S. connector)		4060434005886
DLDIM2000-E	Classic	In-line dimmer, max. 2 kW @ 230 V, max. 1 kW @ 120 V, with MOSFET silent technology (90- 264 V AC, European connector)		4060434005893
DLDIM2000-G	Classic	In-line dimmer, max. 2 kW @ 230 V, max. 1 kW @ 120 V, with MOSFET silent technology (90- 264 V AC, Great Britain connector)		4060434005909
DLDIM2000-J	Classic	In-line dimmer, max. 2 kW @ 230 V, max. 1 kW @ 120 V, with MOSFET silent technology (90- 264 V AC, Japan connector)		4060434005916
DLDIM2000-U	Classic	In-line dimmer, max. 2 kW @ 230 V, max. 1 kW @ 120 V, with MOSFET silent technology (90- 264 V AC, U.S. connector)		4060434005923
DLED10-BI	DLED10	Focusing LED light head, bicolor		4060434021213
DLED10-D	DLED10	Focusing LED light head, daylight		4060434021220
DLED12-BI-DMX	DLED12	Focusing LED light head, bicolor incl. DMX power supply and AC power cable (A / E / G / J / U. 90- 264 V AC). Mains power cable included (please specify connector of „DCAB3A-SW“ power cable)		4060434005930
DLED12-BI-PO-DMX	DLED12	Focusing LED light head, bicolor incl. DMX power supply and AC power cable, pole operated (A / E / G / J / U. 90- 264 V AC). Mains power cable included (please specify connector of „DCAB3A-SW“ power cable)		4060434005947
DLED12-D-DMX	DLED12	Focusing LED light head, daylight incl. DMX power supply and AC power cable (A / E / G / J / U. 90- 264 V AC). Mains power cable included (please specify connector of „DCAB3A-SW“ power cable)		4060434005954
DLED12-D-PO-DMX	DLED12	Focusing LED light head, daylight incl. DMX power supply and AC power cable, pole operated (A / E / G / J / U. 90- 264 V AC). Separate mains power cable required (please specify connector of „DCAB3A-SW“ power cable)		4060434005961
DLED12-T-DMX	DLED12	Focusing LED light head, tungsten incl. DMX power supply and AC power cable (A / E / G / J / U. 90- 264 V AC). Mains power cable included (please specify connector of „DCAB3A-SW“ power cable)		4060434005978

All specifications are subject to change without prior notification.

Code	Series	Description	LIST €	EAN
DLED12-T-PO-DMX	DLED12	Focusing LED light head, tungsten incl. DMX power supply and AC power cable, pole operated (A / E / G / J / U. 90- 264 V AC). Mains power cable included (please specify connector of „DCAB3A-SW“ power cable)		4060434005985
DLED2-BC2	DLED2	7.2 V Canon battery shoe for Canon (Video) Battery BP 808/809/819		4060434005992
DLED2-BI	DLED2	Focusing 20W LED bicolor light head with 16mm (5/8“) receptacle and build-in electronics		4060434006005
DLED2-BP	DLED2	Panasonic battery shoe for CGA		4060434006012
DLED2-BS	DLED2	Battery holder SONY NP-F for DLED2 and DLED2HSM models with built-in electronics (DLB-NPF950 recommended)		4060434006029
DLED2-BSU	DLED2	Battery holder SONY BP-U for DLED2 and DLED2HSM models with built-in electronics		4060434006036
DLED2-D	DLED2	Focusing 20W LED daylight light head with 16mm (5/8“) receptacle and build-in electronics		4060434006043
DLED2-SBX	DLED2	Soft box for DLED2 and DLED3 LED light heads. DLSR60 required		4060434006050
DLED2HSM-BI	DLED2	Focusing 20W LED bicolor light head with shoe mount for video cameras and build-in electronics		4060434006067
DLED2HSM-D	DLED2	Focusing 20W LED daylight light head with shoe mount for video cameras and build-in electronics		4060434006074
DLED2POW0.55	DLED2	DT2-BAT / DT2-BI-BAT cable to light head, 55cm long		4060434006081
DLED2POW1.4	DLED2	DT2-BAT / DT2-BI-BAT cable to light head, 140cm long		4060434006098
DLED2POW3	DLED2	DT2-BAT / DT2-BI-BAT cable to light head, 300cm long		4060434006104
DLED2Y-BI	DLED2	Focusing 20W LED bicolor light head with yoke and 16mm (5/8“) receptacle. Requires DT2-BI-BAT ballast.		4060434006111
DLED2Y-D	DLED2	Focusing 20W LED daylight light head with yoke and 16mm (5/8“) receptacle. Requires DT2-BAT ballast.		4060434006128
DLED2Y-IR860	DLED2	DLED2 special LED light head with yoke- infrared 860 nm for cameras with night-shot mode. Requires DT2-BAT-IR ballast.		4060434006135
DLED2Y-IR960	DLED2	DLED2 special LED light head with yoke- infrared 960 nm for surveillance cameras. Requires DT2-BAT-IR ballast.		4060434006142
DLED2YHSM-BI	DLED2	Focusing 20W LED bicolor light head with yoke and shoe mount. Requires DT2-BI-BAT ballast.		4060434006159
DLED2YHSM-D	DLED2	Focusing 20W LED daylight light head with yoke and shoe mount. Requires DT2-BAT ballast.		4060434006166
DLED3-BI	DLED3	Focusing 40W TURBO LED light head, bicolor		4060434006173
DLED3-D	DLED3	Focusing 40W TURBO LED light head, daylight		4060434006180
DLED3-T	DLED3	Focusing 40W TURBO LED light head, tungsten		4060434006197
DLED30-D	DLED30	300 W focusing LED light head, daylight. DPOW30 cable and DT30 power supply required		4060434021237
DLED30-D-PO	DLED30	300 W focusing LED light head pole-operated, daylight. DPOW30 cable and DT30 power supply required		4060434022609
DLED3HSM-BI	DLED3	Focusing 40W TURBO LED light head, bicolor, with camera shoe		4060434006203
DLED3HSM-D	DLED3	Focusing 40W TURBO LED light head, daylight, with camera shoe		4060434006210
DLED3HSM-T	DLED3	Focusing 40W TURBO LED light head, tungsten, with camera shoe		4060434006227
DLED4-BI	DLED4	Focusing LED light head, bicolor		4060434006234
DLED4-BI-IR	DLED4	Focusable IR-A LED light, adjustable between 860nm and 960nm wavelength. DT4-BI or DT4-BI-BAT required		4060434022616
DLED4-D	DLED4	Focusing LED light head, daylight		4060434006241
DLED4-IR860	DLED4	DLED4 special LED light head- infrared 860 nm for cameras with night-shot mode		4060434006258
DLED4-T	DLED4	Focusing LED light head, tungsten		4060434006265
DLED4-UV365	DLED4	DLED4 special LED light head- UV 365 nm wavelength technology, „black-light“ - slightly UV-A radiation		4060434006272
DLED4-UV400	DLED4	DLED4 special LED light head- UV 400 nm wavelength technology, „black-light“ - slightly UV-A radiation		4060434006289

Code	Series	Description	LIST €	EAN
DLED4SE-BI-A	DLED4	Focusing LED light head, bicolor incl. power supply, studio edition (90- 264 V AC, Australian cable)		4060434006296
DLED4SE-BI-DMX-A	DLED4	Focusing LED light head, bicolor incl. DMX power supply with digital display for Kelvin values, studio edition (90- 264 V AC, Australian cable)		4060434006302
DLED4SE-BI-DMX-E	DLED4	Focusing LED light head, bicolor incl. DMX power supply with digital display for Kelvin values, studio edition (90- 264 V AC, European cable)		4060434006319
DLED4SE-BI-DMX-G	DLED4	Focusing LED light head, bicolor incl. DMX power supply with digital display for Kelvin values, studio edition (90- 264 V AC, Great Britain cable)		4060434006326
DLED4SE-BI-DMX-J	DLED4	Focusing LED light head, bicolor incl. DMX power supply with digital display for Kelvin values, studio edition (90- 264 V AC, Japan cable)		4060434006333
DLED4SE-BI-DMX-U	DLED4	Focusing LED light head, bicolor incl. DMX power supply with digital display for Kelvin values, studio edition (90- 264 V AC, U.S. cable)		4060434006340
DLED4SE-BI-E	DLED4	Focusing LED light head, bicolor incl. power supply, studio edition (90- 264 V AC, European cable)		4060434006357
DLED4SE-BI-G	DLED4	Focusing LED light head, bicolor incl. power supply, studio edition (90- 264 V AC, Great Britain cable)		4060434006364
DLED4SE-BI-J	DLED4	Focusing LED light head, bicolor incl. power supply, studio edition (90- 264 V AC, Japan cable)		4060434006371
DLED4SE-BI-PO-A	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, bicolor incl. power supply, studio edition, pole-operated (90- 264 V AC, Australian cable)		4060434006388
DLED4SE-BI-PO-DMX-A	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, bicolor incl. DMX power supply incl. Kelvin Display, studio edition, pole-operated (90- 264 V AC, Australian cable)		4060434006395
DLED4SE-BI-PO-DMX-E	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, bicolor incl. DMX power supply incl. Kelvin Display, studio edition, pole-operated (90- 264 V AC, European cable)		4060434006401
DLED4SE-BI-PO-DMX-G	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, bicolor incl. DMX power supply incl. Kelvin Display, studio edition, pole-operated (90- 264 V AC, Great Britain cable)		4060434006418
DLED4SE-BI-PO-DMX-J	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, bicolor incl. DMX power supply incl. Kelvin Display, studio edition, pole-operated (90- 264 V AC, Japan cable)		4060434006425
DLED4SE-BI-PO-DMX-U	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, bicolor incl. DMX power supply incl. Kelvin Display, studio edition, pole-operated (90- 264 V AC, U.S. cable)		4060434006432
DLED4SE-BI-PO-E	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, bicolor incl. power supply, studio edition, pole-operated (90- 264 V AC, European cable)		4060434006449
DLED4SE-BI-PO-G	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, bicolor incl. power supply, studio edition, pole-operated (90- 264 V AC, Great Britain cable)		4060434006456
DLED4SE-BI-PO-J	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, bicolor incl. power supply, studio edition, pole-operated (90- 264 V AC, Japan cable)		4060434006463
DLED4SE-BI-PO-U	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, bicolor incl. power supply, studio edition, pole-operated (90- 264 V AC, U.S. cable)		4060434006470

All specifications are subject to change without prior notification.



Code	Series	Description	LIST €	EAN
DLED4SE-BI-U	DLED4	Focusing LED light head, bicolor incl. power supply, studio edition (90- 264 V AC, U.S. cable)		4060434006487
DLED4SE-D-A	DLED4	Focusing LED light head, daylight incl. power supply, studio edition (90- 264 V AC, Australian cable)		4060434006494
DLED4SE-D-DMX-A	DLED4	Focusing LED light head, daylight incl. DMX power supply, studio edition (90- 264 V AC, Australian cable)		4060434006500
DLED4SE-D-DMX-E	DLED4	Focusing LED light head, daylight incl. DMX power supply, studio edition (90- 264 V AC, European cable)		4060434006517
DLED4SE-D-DMX-G	DLED4	Focusing LED light head, daylight incl. DMX power supply, studio edition (90- 264 V AC, Great Britain cable)		4060434006524
DLED4SE-D-DMX-J	DLED4	Focusing LED light head, daylight incl. DMX power supply, studio edition (90- 264 V AC, Japan cable)		4060434006531
DLED4SE-D-DMX-U	DLED4	Focusing LED light head, daylight incl. DMX power supply, studio edition (90- 264 V AC, U.S. cable)		4060434006548
DLED4SE-D-DMX16-A	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, daylight incl. 8/16 Bit switchable DMX power supply, studio edition (90- 264 V AC, Australian cable)		4060434006555
DLED4SE-D-DMX16-E	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, daylight incl. 8/16 Bit switchable DMX power supply, studio edition (90- 264 V AC, European cable)		4060434006562
DLED4SE-D-DMX16-G	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, daylight incl. 8/16 Bit switchable DMX power supply, studio edition (90- 264 V AC, Great Britain cable)		4060434006579
DLED4SE-D-DMX16-J	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, daylight incl. 8/16 Bit switchable DMX power supply, studio edition (90- 264 V AC, Japan cable)		4060434006586
DLED4SE-D-DMX16-U	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, daylight incl. 8/16 Bit switchable DMX power supply, studio edition (90- 264 V AC, U.S. cable)		4060434006593
DLED4SE-D-E	DLED4	Focusing LED light head, daylight incl. power supply, studio edition (90- 264 V AC, European cable)		4060434006609
DLED4SE-D-G	DLED4	Focusing LED light head, daylight incl. power supply, studio edition (90- 264 V AC, Great Britain cable)		4060434006616
DLED4SE-D-J	DLED4	Focusing LED light head, daylight incl. power supply, studio edition (90- 264 V AC, Japan cable)		4060434006623
DLED4SE-D-PO-A	DLED4	Focusing LED light head, daylight incl. power supply, studio edition, pole-operated (90- 264 V AC, Australian cable)		4060434006630
DLED4SE-D-PO-DMX-A	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, daylight incl. DMX power supply, studio edition, pole-operated (90- 264 V AC, Australian cable)		4060434006647
DLED4SE-D-PO-DMX-E	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, daylight incl. DMX power supply, studio edition, pole-operated (90- 264 V AC, European cable)		4060434006654
DLED4SE-D-PO-DMX-G	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, daylight incl. DMX power supply, studio edition, pole-operated (90- 264 V AC, Great Britain cable)		4060434006661
DLED4SE-D-PO-DMX-J	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, daylight incl. DMX power supply, studio edition, pole-operated (90- 264 V AC, Japan cable)		4060434006678
DLED4SE-D-PO-DMX-U	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, daylight incl. DMX power supply, studio edition, pole-operated (90- 264 V AC, U.S. cable)		4060434006685
DLED4SE-D-PO-DMX16-A	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, daylight incl. 8/16 Bit switchable DMX power supply, studio edition, pole-operated (90- 264 V AC, Australian cable)		4060434006692

Code	Series	Description	LIST €	EAN
DLED4SE-D-PO-DMX16-E	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, daylight incl. 8/16 Bit switchable DMX power supply, studio edition, pole-operated (90- 264 V AC, European cable)		4060434006708
DLED4SE-D-PO-DMX16-G	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, daylight incl. 8/16 Bit switchable DMX power supply, studio edition, pole-operated (90- 264 V AC, Great Britain cable)		4060434006715
DLED4SE-D-PO-DMX16-J	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, daylight incl. 8/16 Bit switchable DMX power supply, studio edition, pole-operated (90- 264 V AC, Japan cable)		4060434006722
DLED4SE-D-PO-DMX16-U	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, daylight incl. 8/16 Bit switchable DMX power supply, studio edition, pole-operated (90- 264 V AC, U.S. cable)		4060434006739
DLED4SE-D-PO-E	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, daylight incl. power supply, studio edition, pole-operated (90- 264 V AC, European cable)		4060434006746
DLED4SE-D-PO-G	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, daylight incl. power supply, studio edition, pole-operated (90- 264 V AC, Great Britain cable)		4060434006753
DLED4SE-D-PO-J	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, daylight incl. power supply, studio edition, pole-operated (90- 264 V AC, Japan cable)		4060434006760
DLED4SE-D-PO-U	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, daylight incl. power supply, studio edition, pole-operated (90- 264 V AC, U.S. cable)		4060434006777
DLED4SE-D-U	DLED4	Focusing LED light head, daylight incl. power supply, studio edition (90- 264 V AC, U.S. cable)		4060434006784
DLED4SE-T-A	DLED4	Focusing LED light head, tungsten incl. power supply, studio edition (90- 264 V AC, Australian cable)		4060434006791
DLED4SE-T-DMX-A	DLED4	Focusing LED light head, tungsten incl. DMX power supply, studio edition (90- 264 V AC, Australian cable)		4060434006807
DLED4SE-T-DMX-E	DLED4	Focusing LED light head, tungsten incl. DMX power supply, studio edition (90- 264 V AC, European cable)		4060434006814
DLED4SE-T-DMX-G	DLED4	Focusing LED light head, tungsten incl. DMX power supply, studio edition (90- 264 V AC, Great Britain cable)		4060434006821
DLED4SE-T-DMX-J	DLED4	Focusing LED light head, tungsten incl. DMX power supply, studio edition (90- 264 V AC, Japan cable)		4060434006838
DLED4SE-T-DMX-U	DLED4	Focusing LED light head, tungsten incl. DMX power supply, studio edition (90- 264 V AC, U.S. cable)		4060434006845
DLED4SE-T-DMX16-A	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, tungsten incl. 8/16 Bit switchable DMX power supply, studio edition (90- 264 V AC, Australian cable)		4060434006852
DLED4SE-T-DMX16-E	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, tungsten incl. 8/16 Bit switchable DMX power supply, studio edition (90- 264 V AC, European cable)		4060434006869
DLED4SE-T-DMX16-G	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, tungsten incl. 8/16 Bit switchable DMX power supply, studio edition (90- 264 V AC, Great Britain cable)		4060434006876
DLED4SE-T-DMX16-J	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, tungsten incl. 8/16 Bit switchable DMX power supply, studio edition (90- 264 V AC, Japan cable)		4060434006883
DLED4SE-T-DMX16-U	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, tungsten incl. 8/16 Bit switchable DMX power supply, studio edition (90- 264 V AC, U.S. cable)		4060434006890

All specifications are subject to change without prior notification.



Code	Series	Description	LIST €	EAN
DLED4SE-T-E	DLED4	Focusing LED light head, tungsten incl. power supply, studio edition (90- 264 V AC, European cable)		4060434006906
DLED4SE-T-G	DLED4	Focusing LED light head, tungsten incl. power supply, studio edition (90- 264 V AC, Great Britain cable)		4060434006913
DLED4SE-T-J	DLED4	Focusing LED light head, tungsten incl. power supply, studio edition (90- 264 V AC, Japan cable)		4060434006920
DLED4SE-T-PO-A	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, tungsten incl. power supply, studio edition, pole-operated (90- 264 V AC, Australian cable)		4060434006937
DLED4SE-T-PO-DMX-A	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, tungsten incl. DMX power supply, studio edition, pole-operated (90- 264 V AC, Australian cable)		4060434006944
DLED4SE-T-PO-DMX-E	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, tungsten incl. DMX power supply, studio edition, pole-operated (90- 264 V AC, European cable)		4060434006951
DLED4SE-T-PO-DMX-G	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, tungsten incl. DMX power supply, studio edition, pole-operated (90- 264 V AC, Great Britain cable)		4060434006968
DLED4SE-T-PO-DMX-J	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, tungsten incl. DMX power supply, studio edition, pole-operated (90- 264 V AC, Japan cable)		4060434006975
DLED4SE-T-PO-DMX-U	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, tungsten incl. DMX power supply, studio edition, pole-operated (90- 264 V AC, U.S. cable)		4060434006982
DLED4SE-T-PO-DMX16-A	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, tungsten incl. 8/16 Bit switchable DMX power supply, studio edition, pole-operated (90- 264 V AC, Australian cable)		4060434006999
DLED4SE-T-PO-DMX16-E	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, tungsten incl. 8/16 Bit switchable DMX power supply, studio edition, pole-operated (90- 264 V AC, European cable)		4060434007002
DLED4SE-T-PO-DMX16-G	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, tungsten incl. 8/16 Bit switchable DMX power supply, studio edition, pole-operated (90- 264 V AC, Great Britain cable)		4060434007019
DLED4SE-T-PO-DMX16-J	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, tungsten incl. 8/16 Bit switchable DMX power supply, studio edition, pole-operated (90- 264 V AC, Japan cable)		4060434007026
DLED4SE-T-PO-DMX16-U	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, tungsten incl. 8/16 Bit switchable DMX power supply, studio edition, pole-operated (90- 264 V AC, U.S. cable)		4060434007033
DLED4SE-T-PO-E	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, tungsten incl. power supply, studio edition, pole-operated (90- 264 V AC, European cable)		4060434007040
DLED4SE-T-PO-G	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, tungsten incl. power supply, studio edition, pole-operated (90- 264 V AC, Great Britain cable)		4060434007057
DLED4SE-T-PO-J	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, tungsten incl. power supply, studio edition, pole-operated (90- 264 V AC, Japan cable)		4060434007064
DLED4SE-T-PO-U	DLED4	Special version, built on order only. Delivery times on request. Focusing LED light head, tungsten incl. power supply, studio edition, pole-operated (90- 264 V AC, U.S. cable)		4060434007071
DLED4SE-T-U	DLED4	Focusing LED light head, tungsten incl. power supply, studio edition (90- 264 V AC, U.S. cable)		4060434007088
DLED7-BI	DLED7	Focusing 90W TURBO LED light head, bicolor		4060434007095

Code	Series	Description	LIST €	EAN
DLED7-BI-UV	DLED7	Fokusing 80W ultra-violet LED light head, 365-400nm tunable, for max. contrast ration. UV radiation! Wear eye and skin protection.		4060434023361
DLED7-D	DLED7	Focusing 90W TURBO LED light head, daylight		4060434007101
DLED7-IR-BI	DLED7	Fokusing 80W infrared LED light head, 860-960nm tunable, for max. contrast ratio		4060434023385
DLED7-IR860	DLED7	Fokusing 80W infrared LED light head, 860nm, for cameras with night-shot function		4060434023354
DLED7-T	DLED7	Focusing 90W TURBO LED light head, tungsten		4060434007118
DLED7-UV365	DLED7	DLED7 ultra-violet LED light head, 365nm, UV- radiation! wear eye & skin protection		4060434021244
DLED7SE-BI-A	DLED7	Focusing 90W TURBO LED light head, bicolor incl. power supply, studio edition (90- 264 V AC, Australian cable)		4060434007125
DLED7SE-BI-DMX-A	DLED7	Focusing 90W TURBO LED light head, bicolor incl. DMX power supply with digital display for Kelvin values, studio edition (90- 264 V AC, Australian cable)		4060434007132
DLED7SE-BI-DMX-E	DLED7	Focusing 90W TURBO LED light head, bicolor incl. DMX power supply with digital display for Kelvin values, studio edition (90- 264 V AC, European cable)		4060434007149
DLED7SE-BI-DMX-G	DLED7	Focusing 90W TURBO LED light head, bicolor incl. DMX power supply with digital display for Kelvin values, studio edition (90- 264 V AC, Great Britain cable)		4060434007156
DLED7SE-BI-DMX-J	DLED7	Focusing 90W TURBO LED light head, bicolor incl. DMX power supply with digital display for Kelvin values, studio edition (90- 264 V AC, Japan cable)		4060434007163
DLED7SE-BI-DMX-U	DLED7	Focusing 90W TURBO LED light head, bicolor incl. DMX power supply with digital display for Kelvin values, studio edition (90- 264 V AC, U.S. cable)		4060434007170
DLED7SE-BI-E	DLED7	Focusing 90W TURBO LED light head, bicolor incl. power supply, studio edition (90- 264 V AC, European cable)		4060434007187
DLED7SE-BI-G	DLED7	Focusing 90W TURBO LED light head, bicolor incl. power supply, studio edition (90- 264 V AC, Great Britain cable)		4060434007194
DLED7SE-BI-J	DLED7	Focusing 90W TURBO LED light head, bicolor incl. power supply, studio edition (90- 264 V AC, Japan cable)		4060434007200
DLED7SE-BI-PO-A	DLED7	Focusing 90W TURBO LED light head, bicolor incl. power supply, studio edition, pole-operated (90- 264 V AC, Australian cable)		4060434007217
DLED7SE-BI-PO-DMX-A	DLED7	Focusing 90W TURBO LED light head, bicolor incl. DMX power supply with digital display for Kelvin values, studio edition, pole-operated (90- 264 V AC, Australian cable)		4060434007224
DLED7SE-BI-PO-DMX-E	DLED7	Focusing 90W TURBO LED light head, bicolor incl. DMX power supply with digital display for Kelvin values, studio edition, pole-operated (90- 264 V AC, European cable)		4060434007231
DLED7SE-BI-PO-DMX-G	DLED7	Focusing 90W TURBO LED light head, bicolor incl. DMX power supply with digital display for Kelvin values, studio edition, pole-operated (90- 264 V AC, Great Britain cable)		4060434007248
DLED7SE-BI-PO-DMX-J	DLED7	Focusing 90W TURBO LED light head, bicolor incl. DMX power supply with digital display for Kelvin values, studio edition, pole-operated (90- 264 V AC, Japan cable)		4060434007255
DLED7SE-BI-PO-DMX-U	DLED7	Focusing 90W TURBO LED light head, bicolor incl. DMX power supply with digital display for Kelvin values, studio edition, pole-operated (90- 264 V AC, U.S. cable)		4060434007262
DLED7SE-BI-PO-E	DLED7	Focusing 90W TURBO LED light head, bicolor incl. power supply, studio edition, pole-operated (90- 264 V AC, European cable)		4060434007279
DLED7SE-BI-PO-G	DLED7	Focusing 90W TURBO LED light head, bicolor incl. power supply, studio edition, pole-operated (90- 264 V AC, Great Britain cable)		4060434007286
DLED7SE-BI-PO-J	DLED7	Focusing 90W TURBO LED light head, bicolor incl. power supply, studio edition, pole-operated (90- 264 V AC, Japan cable)		4060434007293
DLED7SE-BI-PO-U	DLED7	Focusing 90W TURBO LED light head, bicolor incl. power supply, studio edition, pole-operated (90- 264 V AC, U.S. cable)		4060434007309
DLED7SE-BI-U	DLED7	Focusing 90W TURBO LED light head, bicolor incl. power supply, studio edition (90- 264 V AC, U.S. cable)		4060434007316
DLED7SE-D-A	DLED7	Focusing 90W TURBO LED light head daylight incl. power supply, studio edition (90- 264 VAC, Australian cable)		4060434007323
DLED7SE-D-DMX-A	DLED7	Focusing 90W TURBO LED light head, daylight incl. DMX power supply, studio edition (90- 264 V AC, Australian cable)		4060434007330
DLED7SE-D-DMX-E	DLED7	Focusing 90W TURBO LED light head, daylight incl. DMX power supply, studio edition (90- 264 V AC, European cable)		4060434007347
DLED7SE-D-DMX-G	DLED7	Focusing 90W TURBO LED light head, daylight incl. DMX power supply, studio edition (90- 264 V AC, Great Britain cable)		4060434007354

All specifications are subject to change without prior notification.

23



dedolight products • alphabetical order • 08/2019

Code	Series	Description	LIST €	EAN
DLED7SE-D-DMX-J	DLED7	Focusing 90W TURBO LED light head, daylight incl. DMX power supply, studio edition (90- 264 V AC, Japan cable)		4060434007361
DLED7SE-D-DMX-U	DLED7	Focusing 90W TURBO LED light head, daylight incl. DMX power supply, studio edition (90- 264 V AC, U.S. cable)		4060434007378
DLED7SE-D-E	DLED7	Focusing 90W TURBO LED light head daylight incl. power supply, studio edition (90- 264 VAC, European cable)		4060434007385
DLED7SE-D-G	DLED7	Focusing 90W TURBO LED light head daylight incl. power supply, studio edition (90- 264 VAC, Great Britain cable)		4060434007392
DLED7SE-D-J	DLED7	Focusing 90W TURBO LED light head daylight incl. power supply, studio edition (90- 264 VAC, Japan cable)		4060434007408
DLED7SE-D-PO-A	DLED7	Focusing 90W TURBO LED light head daylight incl. power supply, studio edition, pole-operated (90- 264 VAC, Australian cable)		4060434007415
DLED7SE-D-PO-DMX-A	DLED7	Focusing 90W TURBO LED light head, daylight incl. DMX power supply, studio edition, pole-operated (90- 264 V AC, Australian cable)		4060434007422
DLED7SE-D-PO-DMX-E	DLED7	Focusing 90W TURBO LED light head, daylight incl. DMX power supply, studio edition, pole-operated (90- 264 V AC, European cable)		4060434007439
DLED7SE-D-PO-DMX-G	DLED7	Focusing 90W TURBO LED light head, daylight incl. DMX power supply, studio edition, pole-operated (90- 264 V AC, Great Britain cable)		4060434007446
DLED7SE-D-PO-DMX-J	DLED7	Focusing 90W TURBO LED light head, daylight incl. DMX power supply, studio edition, pole-operated (90- 264 V AC, Japan cable)		4060434007453
DLED7SE-D-PO-DMX-U	DLED7	Focusing 90W TURBO LED light head, daylight incl. DMX power supply, studio edition, pole-operated (90- 264 V AC, U.S. cable)		4060434007460
DLED7SE-D-PO-E	DLED7	Focusing 90W TURBO LED light head daylight incl. power supply, studio edition, pole-operated (90- 264 VAC, European cable)		4060434007477
DLED7SE-D-PO-G	DLED7	Focusing 90W TURBO LED light head daylight incl. power supply, studio edition, pole-operated (90- 264 VAC, Great Britain cable)		4060434007484
DLED7SE-D-PO-J	DLED7	Focusing 90W TURBO LED light head daylight incl. power supply, studio edition, pole-operated (90- 264 VAC, Japan cable)		4060434007491
DLED7SE-D-PO-U	DLED7	Focusing 90W TURBO LED light head daylight incl. power supply, studio edition, pole-operated (90- 264 VAC, U.S. cable)		4060434007507
DLED7SE-D-U	DLED7	Focusing 90W TURBO LED light head daylight incl. power supply, studio edition (90- 264 VAC, U.S. cable)		4060434007514
DLED7SE-T-A	DLED7	Focusing 90W TURBO LED light head tungsten incl. power supply, studio edition (90- 264 VAC, Australian cable)		4060434007521
DLED7SE-T-DMX-A	DLED7	Focusing 90W TURBO LED light head, tungsten incl. DMX power supply, studio edition (90- 264 V AC, Australian cable)		4060434007538
DLED7SE-T-DMX-E	DLED7	Focusing 90W TURBO LED light head, tungsten incl. DMX power supply, studio edition (90- 264 V AC, European cable)		4060434007545
DLED7SE-T-DMX-G	DLED7	Focusing 90W TURBO LED light head, tungsten incl. DMX power supply, studio edition (90- 264 V AC, Great Britain cable)		4060434007552
DLED7SE-T-DMX-J	DLED7	Focusing 90W TURBO LED light head, tungsten incl. DMX power supply, studio edition (90- 264 V AC, Japan cable)		4060434007569
DLED7SE-T-DMX-U	DLED7	Focusing 90W TURBO LED light head, tungsten incl. DMX power supply, studio edition (90- 264 V AC, U.S. cable)		4060434007576
DLED7SE-T-E	DLED7	Focusing 90W TURBO LED light head tungsten incl. power supply, studio edition (90- 264 V AC, European cable)		4060434007583
DLED7SE-T-G	DLED7	Focusing 90W TURBO LED light head tungsten incl. power supply, studio edition (90- 264 V AC, Great Britain cable)		4060434007590
DLED7SE-T-J	DLED7	Focusing 90W TURBO LED light head tungsten incl. power supply, studio edition (90- 264 V AC, Japan cable)		4060434007606
DLED7SE-T-PO-A	DLED7	Focusing 90W TURBO LED light head tungsten incl. power supply, studio edition, pole-operated (90- 264 VAC, Australian cable)		4060434007613
DLED7SE-T-PO-DMX-A	DLED7	Focusing 90W TURBO LED light head, tungsten incl. DMX power supply, studio edition, pole-operated (90- 264 V AC, Australian cable)		4060434007620

Code	Series	Description	LIST €	EAN
DLED7SE-T-PO-DMX-E	DLED7	Focusing 90W TURBO LED light head, tungsten incl. DMX power supply, studio edition, pole-operated (90- 264 V AC, European cable)		4060434007637
DLED7SE-T-PO-DMX-G	DLED7	Focusing 90W TURBO LED light head, tungsten incl. DMX power supply, studio edition, pole-operated (90- 264 V AC, Great Britain cable)		4060434007644
DLED7SE-T-PO-DMX-J	DLED7	Focusing 90W TURBO LED light head, tungsten incl. DMX power supply, studio edition, pole-operated (90- 264 V AC, Japan cable)		4060434007651
DLED7SE-T-PO-DMX-U	DLED7	Focusing 90W TURBO LED light head, tungsten incl. DMX power supply, studio edition, pole-operated (90- 264 V AC, U.S. cable)		4060434007668
DLED7SE-T-PO-E	DLED7	Focusing 90W TURBO LED light head tungsten incl. power supply, studio edition, pole-operated (90- 264 V AC, European cable)		4060434007675
DLED7SE-T-PO-G	DLED7	Focusing 90W TURBO LED light head tungsten incl. power supply, studio edition, pole-operated (90- 264 V AC, Great Britain cable)		4060434007682
DLED7SE-T-PO-J	DLED7	Focusing 90W TURBO LED light head tungsten incl. power supply, studio edition, pole-operated (90- 264 V AC, Japan cable)		4060434007699
DLED7SE-T-PO-U	DLED7	Focusing 90W TURBO LED light head tungsten incl. power supply, studio edition, pole-operated (90- 264 V AC, U.S connector)		4060434007705
DLED7SE-T-U	DLED7	Focusing 90W TURBO LED light head tungsten incl. power supply, studio edition (90- 264 V AC, U.S connector)		4060434007712
DLED9-BI	DLED9	Focusing LED light head, bicolor		4060434007729
DLED9-D	DLED9	Focusing LED light head, daylight		4060434007736
DLED9-T	DLED9	Focusing LED light head, tungsten		4060434007743
DLED9-UV365	DLED9	DLED9 special LED light head- UV 365 nm wavelength technology, „black-light“ - slightly UV-A radiation		4060434007750
DLED9-UV400	DLED9	DLED9 special LED light head- UV 400 nm wavelength technology, „black-light“ - slightly UV-A radiation		4060434007767
DLED9SE-BI-A	DLED9	Focusing LED light head, bicolor incl. power supply, studio edition (90- 264 V AC, Australian cable)		4060434007774
DLED9SE-BI-DMX-A	DLED9	Focusing LED light head, bicolor incl. DMX power supply with digital display for Kelvin values, studio edition (90- 264 V AC, Australian cable)		4060434007781
DLED9SE-BI-DMX-E	DLED9	Focusing LED light head, bicolor incl. DMX power supply with digital display for Kelvin values, studio edition (90- 264 V AC, European cable)		4060434007798
DLED9SE-BI-DMX-G	DLED9	Focusing LED light head, bicolor incl. DMX power supply with digital display for Kelvin values, studio edition (90- 264 V AC, Great Britain cable)		4060434007804
DLED9SE-BI-DMX-J	DLED9	Focusing LED light head, bicolor incl. DMX power supply with digital display for Kelvin values, studio edition (90- 264 V AC, Japan cable)		4060434007811
DLED9SE-BI-DMX-U	DLED9	Focusing LED light head, bicolor incl. DMX power supply with digital display for Kelvin values, studio edition (90- 264 V AC, U.S. cable)		4060434007828
DLED9SE-BI-E	DLED9	Focusing LED light head, bicolor incl. power supply, studio edition (90- 264 V AC, European cable)		4060434007835
DLED9SE-BI-G	DLED9	Focusing LED light head, bicolor incl. power supply, studio edition (90- 264 V AC, Great Britain cable)		4060434007842
DLED9SE-BI-J	DLED9	Focusing LED light head, bicolor incl. power supply, studio edition (90- 264 V AC, Japan cable)		4060434007859
DLED9SE-BI-PO-A	DLED9	Focusing LED light head, bicolor incl. power supply, studio edition, pole-operated (90- 264 V AC, Australian cable)		4060434007866
DLED9SE-BI-PO-DMX-A	DLED9	Focusing LED light head, bicolor incl. DMX power supply incl. Kelvin Display, studio edition, pole-operated (90- 264 V AC, Australian cable)		4060434007873
DLED9SE-BI-PO-DMX-E	DLED9	Focusing LED light head, bicolor incl. DMX power supply incl. Kelvin Display, studio edition, pole-operated (90- 264 V AC, European cable)		4060434007880

All specifications are subject to change without prior notification.



Code	Series	Description	LIST €	EAN
DLED9SE-BI-PO-DMX-G	DLED9	Focusing LED light head, bicolor incl. DMX power supply incl. Kelvin Display, studio edition, pole-operated (90- 264 V AC, Great Britain cable)		4060434007897
DLED9SE-BI-PO-DMX-J	DLED9	Focusing LED light head, bicolor incl. DMX power supply incl. Kelvin Display, studio edition, pole-operated (90- 264 V AC, Japan cable)		4060434007903
DLED9SE-BI-PO-DMX-U	DLED9	Focusing LED light head, bicolor incl. DMX power supply incl. Kelvin Display, studio edition, pole-operated (90- 264 V AC, U.S. cable)		4060434007910
DLED9SE-BI-PO-E	DLED9	Focusing LED light head, bicolor incl. power supply, studio edition, pole-operated (90- 264 V AC, European cable)		4060434007927
DLED9SE-BI-PO-G	DLED9	Focusing LED light head, bicolor incl. power supply, studio edition, pole-operated (90- 264 V AC, Great Britain cable)		4060434007934
DLED9SE-BI-PO-J	DLED9	Focusing LED light head, bicolor incl. power supply, studio edition, pole-operated (90- 264 V AC, Japan cable)		4060434007941
DLED9SE-BI-PO-U	DLED9	Focusing LED light head, bicolor incl. power supply, studio edition, pole-operated (90- 264 V AC, U.S. cable)		4060434007958
DLED9SE-BI-U	DLED9	Focusing LED light head, bicolor incl. power supply, studio edition (90- 264 V AC, U.S. cable)		4060434007965
DLED9SE-D-A	DLED9	Focusing LED light head daylight incl. power supply, studio edition (90- 264 VAC, Australian cable)		4060434007972
DLED9SE-D-DMX-A	DLED9	Focusing LED light head, daylight incl. DMX power supply, studio edition (90- 264 V AC, Australian cable)		4060434007989
DLED9SE-D-DMX-E	DLED9	Focusing LED light head, daylight incl. DMX power supply, studio edition (90- 264 V AC, European cable)		4060434007996
DLED9SE-D-DMX-G	DLED9	Focusing LED light head, daylight incl. DMX power supply, studio edition (90- 264 V AC, Great Britain cable)		4060434008009
DLED9SE-D-DMX-J	DLED9	Focusing LED light head, daylight incl. DMX power supply, studio edition (90- 264 V AC, Japan cable)		4060434008016
DLED9SE-D-DMX-U	DLED9	Focusing LED light head, daylight incl. DMX power supply, studio edition (90- 264 V AC, U.S. cable)		4060434008023
DLED9SE-D-DMX16-A	DLED9	Special version, built on order only. Delivery times on request. Focusing LED light head, daylight incl. 8/16 Bit switchable DMX power supply, studio edition (90- 264 V AC, Australian cable)		4060434008030
DLED9SE-D-DMX16-E	DLED9	Special version, built on order only. Delivery times on request. Focusing LED light head, daylight incl. 8/16 Bit switchable DMX power supply, studio edition (90- 264 V AC, European cable)		4060434008047
DLED9SE-D-DMX16-G	DLED9	Special version, built on order only. Delivery times on request. Focusing LED light head, daylight incl. 8/16 Bit switchable DMX power supply, studio edition (90- 264 V AC, Great Britain cable)		4060434008054
DLED9SE-D-DMX16-J	DLED9	Special version, built on order only. Delivery times on request. Focusing LED light head, daylight incl. 8/16 Bit switchable DMX power supply, studio edition (90- 264 V AC, Japan cable)		4060434008061
DLED9SE-D-DMX16-U	DLED9	Special version, built on order only. Delivery times on request. Focusing LED light head, daylight incl. 8/16 Bit switchable DMX power supply, studio edition (90- 264 V AC, U.S. cable)		4060434008078
DLED9SE-D-E	DLED9	Focusing LED light head daylight incl. power supply, studio edition (90- 264 VAC, European cable)		4060434008085
DLED9SE-D-G	DLED9	Focusing LED light head daylight incl. power supply, studio edition (90- 264 VAC, Great Britain cable)		4060434008092
DLED9SE-D-J	DLED9	Focusing LED light head daylight incl. power supply, studio edition (90- 264 VAC, Japan cable)		4060434008108
DLED9SE-D-PO-A	DLED9	Focusing LED light head, daylight incl. power supply, studio edition, pole-operated (90- 264 V AC, Australian cable)		4060434008115
DLED9SE-D-PO-DMX-A	DLED9	Focusing LED light head, daylight incl. DMX power supply, studio edition, pole-operated (90- 264 V AC, Australian cable)		4060434008122

Code	Series	Description	LIST €	EAN
DLED9SE-D-PO-DMX-E	DLED9	Focusing LED light head, daylight incl. DMX power supply, studio edition, pole-operated (90- 264 V AC, European cable)		4060434008139
DLED9SE-D-PO-DMX-G	DLED9	Focusing LED light head, daylight incl. DMX power supply, studio edition, pole-operated (90- 264 V AC, Great Britain cable)		4060434008146
DLED9SE-D-PO-DMX-J	DLED9	Focusing LED light head, daylight incl. DMX power supply, studio edition, pole-operated (90- 264 V AC, Japan cable)		4060434008153
DLED9SE-D-PO-DMX-U	DLED9	Focusing LED light head, daylight incl. DMX power supply, studio edition, pole-operated (90- 264 V AC, U.S. cable)		4060434008160
DLED9SE-D-PO-DMX16-A	DLED9	Special version, built on order only. Delivery times on request. Focusing LED light head, daylight incl. 8/16 Bit switchable DMX power supply, studio edition, pole-operated (90- 264 V AC, Australian cable)		4060434008177
DLED9SE-D-PO-DMX16-E	DLED9	Special version, built on order only. Delivery times on request. Focusing LED light head, daylight incl. 8/16 Bit switchable DMX power supply, studio edition, pole-operated (90- 264 V AC, European cable)		4060434008184
DLED9SE-D-PO-DMX16-G	DLED9	Special version, built on order only. Delivery times on request. Focusing LED light head, daylight incl. 8/16 Bit switchable DMX power supply, studio edition, pole-operated (90- 264 V AC, Great Britain cable)		4060434008191
DLED9SE-D-PO-DMX16-J	DLED9	Special version, built on order only. Delivery times on request. Focusing LED light head, daylight incl. 8/16 Bit switchable DMX power supply, studio edition, pole-operated (90- 264 V AC, Japan cable)		4060434008207
DLED9SE-D-PO-DMX16-U	DLED9	Special version, built on order only. Delivery times on request. Focusing LED light head, daylight incl. 8/16 Bit switchable DMX power supply, studio edition, pole-operated (90- 264 V AC, U.S. cable)		4060434008214
DLED9SE-D-PO-E	DLED9	Focusing LED light head, daylight incl. power supply, studio edition, pole-operated (90- 264 V AC, European cable)		4060434008221
DLED9SE-D-PO-G	DLED9	Focusing LED light head, daylight incl. power supply, studio edition, pole-operated (90- 264 V AC, Great Britain cable)		4060434008238
DLED9SE-D-PO-J	DLED9	Focusing LED light head, daylight incl. power supply, studio edition, pole-operated (90- 264 V AC, Japan cable)		4060434008245
DLED9SE-D-PO-U	DLED9	Focusing LED light head, daylight incl. power supply, studio edition, pole-operated (90- 264 V AC, U.S. cable)		4060434008252
DLED9SE-D-U	DLED9	Focusing LED light head daylight incl. power supply, studio edition (90- 264 VAC, U.S. cable)		4060434008269
DLED9SE-T-A	DLED9	Focusing LED light head tungsten incl. power supply, studio edition (90- 264 VAC, Australian cable)		4060434008276
DLED9SE-T-DMX-A	DLED9	Focusing LED light head, tungsten incl. DMX power supply, studio edition (90- 264 V AC, Australian cable)		4060434008283
DLED9SE-T-DMX-E	DLED9	Focusing LED light head, tungsten incl. DMX power supply, studio edition (90- 264 V AC, European cable)		4060434008290
DLED9SE-T-DMX-G	DLED9	Focusing LED light head, tungsten incl. DMX power supply, studio edition (90- 264 V AC, Great Britain cable)		4060434008306
DLED9SE-T-DMX-J	DLED9	Focusing LED light head, tungsten incl. DMX power supply, studio edition (90- 264 V AC, Japan cable)		4060434008313
DLED9SE-T-DMX-U	DLED9	Focusing LED light head, tungsten incl. DMX power supply, studio edition (90- 264 V AC, U.S. cable)		4060434008320
DLED9SE-T-DMX16-A	DLED9	Special version, built on order only. Delivery times on request. Focusing LED light head, tungsten incl. 8/16 Bit switchable DMX power supply, studio edition (90- 264 V AC, Australian cable)		4060434008337
DLED9SE-T-DMX16-E	DLED9	Special version, built on order only. Delivery times on request. Focusing LED light head, tungsten incl. 8/16 Bit switchable DMX power supply, studio edition (90- 264 V AC, European cable)		4060434008344

All specifications are subject to change without prior notification.

Code	Series	Description	LIST €	EAN
DLED9SE-T-DMX16-G	DLED9	Special version, built on order only. Delivery times on request. Focusing LED light head, tungsten incl. 8/16 Bit switchable DMX power supply, studio edition (90- 264 V AC, Great Britain cable)		4060434008351
DLED9SE-T-DMX16-J	DLED9	Special version, built on order only. Delivery times on request. Focusing LED light head, tungsten incl. 8/16 Bit switchable DMX power supply, studio edition (90- 264 V AC, Japan cable)		4060434008368
DLED9SE-T-DMX16-U	DLED9	Special version, built on order only. Delivery times on request. Focusing LED light head, tungsten incl. 8/16 Bit switchable DMX power supply, studio edition (90- 264 V AC, U.S. cable)		4060434008375
DLED9SE-T-E	DLED9	Focusing LED light head tungsten incl. power supply, studio edition (90- 264 V AC, European cable)		4060434008382
DLED9SE-T-G	DLED9	Focusing LED light head tungsten incl. power supply, studio edition (90- 264 V AC, Great Britain cable)		4060434008399
DLED9SE-T-J	DLED9	Focusing LED light head tungsten incl. power supply, studio edition (90- 264 V AC, Japan cable)		4060434008405
DLED9SE-T-PO-A	DLED9	Focusing LED light head, tungsten incl. power supply, studio edition, pole-operated (90- 264 V AC, Australian cable)		4060434008412
DLED9SE-T-PO-DMX-A	DLED9	Focusing LED light head, tungsten incl. DMX power supply, studio edition, pole-operated (90- 264 V AC, Australian cable)		4060434008429
DLED9SE-T-PO-DMX-E	DLED9	Focusing LED light head, tungsten incl. DMX power supply, studio edition, pole-operated (90- 264 V AC, European cable)		4060434008436
DLED9SE-T-PO-DMX-G	DLED9	Focusing LED light head, tungsten incl. DMX power supply, studio edition, pole-operated (90- 264 V AC, Great Britain cable)		4060434008443
DLED9SE-T-PO-DMX-J	DLED9	Focusing LED light head, tungsten incl. DMX power supply, studio edition, pole-operated (90- 264 V AC, Japan cable)		4060434008450
DLED9SE-T-PO-DMX-U	DLED9	Focusing LED light head, tungsten incl. DMX power supply, studio edition, pole-operated (90- 264 V AC, U.S. cable)		4060434008467
DLED9SE-T-PO-DMX16-A	DLED9	Special version, built on order only. Delivery times on request. Focusing LED light head, tungsten incl. 8/16 Bit switchable DMX power supply, studio edition, pole-operated (90- 264 V AC, Australian cable)		4060434008474
DLED9SE-T-PO-DMX16-E	DLED9	Special version, built on order only. Delivery times on request. Focusing LED light head, tungsten incl. 8/16 Bit switchable DMX power supply, studio edition, pole-operated (90- 264 V AC, European cable)		4060434008481
DLED9SE-T-PO-DMX16-G	DLED9	Special version, built on order only. Delivery times on request. Focusing LED light head, tungsten incl. 8/16 Bit switchable DMX power supply, studio edition, pole-operated (90- 264 V AC, Great Britain cable)		4060434008498
DLED9SE-T-PO-DMX16-J	DLED9	Special version, built on order only. Delivery times on request. Focusing LED light head, tungsten incl. 8/16 Bit switchable DMX power supply, studio edition, pole-operated (90- 264 V AC, Japan cable)		4060434008504
DLED9SE-T-PO-DMX16-U	DLED9	Special version, built on order only. Delivery times on request. Focusing LED light head, tungsten incl. 8/16 Bit switchable DMX power supply, studio edition, pole-operated (90- 264 V AC, U.S. cable)		4060434008511
DLED9SE-T-PO-E	DLED9	Focusing LED light head, tungsten incl. power supply, studio edition, pole-operated (90- 264 V AC, European cable)		4060434008528
DLED9SE-T-PO-G	DLED9	Focusing LED light head, tungsten incl. power supply, studio edition, pole-operated (90- 264 V AC, Great Britain cable)		4060434008535
DLED9SE-T-PO-J	DLED9	Focusing LED light head, tungsten incl. power supply, studio edition, pole-operated (90- 264 V AC, Japan cable)		4060434008542
DLED9SE-T-PO-U	DLED9	Focusing LED light head, tungsten incl. power supply, studio edition, pole-operated (90- 264 V AC, U.S. cable)		4060434008559
DLED9SE-T-U	DLED9	Focusing LED light head tungsten incl. power supply, studio edition (90- 264 V AC, U.S. connector)		4060434008566

Code	Series	Description	LIST €	EAN
DLEDRAMA-BI	Ledrama	dedolight soft LED panel, bicolor. (A / E / G / J / U. 90- 264 V AC). Separate mains power cable required. Please specify power connector of „DCAB3A“ (optional: „DCAB3A-SW“) cable)		4060434008573
DLEDRAMA-BI-PO	Ledrama	dedolight soft LED panel, bicolor, pole operated. (A / E / G / J / U. 90- 264 V AC). Separate mains power cable required. Please specify power connector of „DCAB3A“ (optional: „DCAB3A-SW“) cable)		4060434008580
DLEDRAMA-D	Ledrama	dedolight soft LED panel, daylight. (A / E / G / J / U. 90- 264 V AC). Separate mains power cable required. Please specify power connector of „DCAB3A“ (optional: „DCAB3A-SW“) cable)		4060434008597
DLEDRAMA-D-PO	Ledrama	dedolight soft LED panel, daylight, pole operated. (A / E / G / J / U. 90- 264 V AC). Separate mains power cable required. Please specify power connector of „DCAB3A“ (optional: „DCAB3A-SW“) cable)		4060434008603
DLEDRAMAL-BI	Ledrama	dedolight soft LED panel, bicolor, large size. (A / E / G / J / U. 90- 264 V AC). Separate mains power cable required. Please specify power connector of „DCAB3A“ (optional: „DCAB3A-SW“) cable)		4060434008610
DLEDRAMAL-D	Ledrama	dedolight soft LED panel, daylight, large size. (A / E / G / J / U. 90- 264 V AC). Separate mains power cable required. Please specify power connector of „DCAB3A“ (optional: „DCAB3A-SW“) cable)		4060434008634
DLEDRAMAS-BI	Ledrama	dedolight soft LED panel, bicolor, small size. (A / E / G / J / U. 90- 264 V AC). Separate mains power cable required. Please specify power connector of „DCAB3A“ (optional: „DCAB3A-SW“) cable)		4060434008658
DLEDRAMAS-BI-PO	Ledrama	dedolight soft LED panel, bicolor, small size, pole operated. (A / E / G / J / U. 90- 264 V AC). Separate mains power cable required. Please specify power connector of „DCAB3A“ (optional: „DCAB3A-SW“) cable)		4060434008665
DLEDRAMAS-D	Ledrama	dedolight soft LED panel, daylight, small size. (A / E / G / J / U. 90- 264 V AC). Separate mains power cable required. Please specify power connector of „DCAB3A“ (optional: „DCAB3A-SW“) cable)		4060434008672
DLEDRAMAS-D-PO	Ledrama	dedolight soft LED panel, daylight, small size, pole operated. (A / E / G / J / U. 90- 264 V AC). Separate mains power cable required. Please specify power connector of „DCAB3A“ (optional: „DCAB3A-SW“) cable)		4060434008689
DLFA	Effect	Flexible arm with magnet and 16mm stud support. For EFLECT baby		4060434021251
DLGA160	Lightstream	Articulating arm with 16mm stud on each end.		4060434020582
DLGA200	Ledzilla	Articulating arm, 200 mm, square top, male shoe or 1/4“ male to camera		4060434008696
DLGA240	Lightstream	Articulating arm with 16mm stud on each end.		4060434022296
DLGA300	Ledzilla	Articulating arm, 300 mm, square top, male shoe or 1/4“ male to camera		4060434008702
DLGA750	Effect	Articulating arm for EFLECT large reflectors		4060434022302
DLGRIDL	dedoflex	Grid for large soft box		4060434021268
DLGRIDM	dedoflex	Grid (40°), fits dedoflex medium soft box		4060434008719
DLGRIDS	dedoflex	Grid (40°), fits dedoflex small soft box		4060434008726
DLGRIDXS	dedoflex	Grid (40°), fits dedoflex mini soft box		4060434008733
DLH1000S-A	Serie 1200	Soft light head, 1000 W / 240 V AC, tungsten with 3 m (9.8') cable. Australian cable		4060434008740
DLH1000S-E	Serie 1200	Soft light head, 1000 W / 230 V AC, tungsten with 3 m (9.8') cable. European cable		4060434008757
DLH1000S-G	Serie 1200	Soft light head, 1000 W / 240 V AC, tungsten with 3 m (9.8') cable. Great Britain cable		4060434008764
DLH1000S-J	Serie 1200	Soft light head, 1000 W / 100 V AC, tungsten with 3 m (9.8') cable. Japan cable		4060434008771
DLH1000S-U	Serie 1200	Soft light head, 1000 W / 120 V AC, tungsten with 3 m (9.8') cable. U.S. cable		4060434008788
DLH1000SPPLUS-A	Serie 1200	Soft light head, 1000 W / 240 V AC, tungsten, large mount, with 3 m (9.8') cable. Australian cable		4060434008795
DLH1000SPPLUS-E	Serie 1200	Soft light head, 1000 W / 230 V AC, tungsten, large mount, with 3 m (9.8') cable. European cable		4060434008801
DLH1000SPPLUS-G	Serie 1200	Soft light head, 1000 W / 240 V AC, tungsten, large mount, with 3 m (9.8') cable. Great Britain cable		4060434008818
DLH1000SPPLUS-J	Serie 1200	Soft light head, 1000 W / 100 V AC, tungsten, large mount, with 3 m (9.8') cable. Japan cable		4060434008825

All specifications are subject to change without prior notification.

29

Code	Series	Description	LIST €	EAN
DLH1000SPLUS-U	Serie 1200	Soft light head, 1000 W / 120 V AC, tungsten, large mount, with 3 m (9.8') cable. U.S. cable		4060434008832
DLH1000T	Serie 1200	Light head 1000 W tungsten (A / E / G / J / U. 100- 240 V AC). Separate mains power cable required (please specify power connector of „DCAB3A-SW“ cable)		4060434008849
DLH1000T-DMX	Serie 1200	Light head 1000 W tungsten, build in DMX control (A / E / G / J / U. 100- 240 V AC). Separate mains power cable required (please specify power connector of „DCAB3A-SW“ cable)		4060434008856
DLH1000TPO	Serie 1200	Light head 1000 W tungsten, pole operated (A / E / G / J / U. 100- 240 V AC). Separate mains power cable required (please specify power connector of „DCAB3A-SW“ cable)		4060434008863
DLH1000TPO-DMX	Serie 1200	Light head 1000 W tungsten, build in DMX control, pole operated (A / E / G / J / U. 100- 240 V AC). Separate mains power cable required (please specify power connector of „DCAB3A-SW“ cable)		4060434008870
DLH1200D	Serie 200	Light head 1200 W daylight		4060434008887
DLH1200D-PO	Serie 1200	Light head 1200 W daylight, pole operated		4060434008894
DLH1x1200SD	Panaura	Soft light head for one lamp 1200 W daylight, incl. UV protection glass. Fits Panaura 7 soft box (DLPA7)		4060434008900
DLH1x150S	Classic	Soft light head, 100 W / 150 W tungsten, low voltage		4060434008917
DLH200DT	Serie 200	Light head, 200 W daylight/tungsten		4060434022883
DLH200SDT	Serie 200	Soft light head, 200 W daylight/tungsten		4060434008924
DLH4	Classic	Light head, 100 W / 150 W tungsten, low voltage		4060434008948
DLH400DT	Serie 400	Light head, 400/575 W daylight/tungsten		4060434008955
DLH400SDT	Serie 400	Soft light head, 400/575 W daylight/tungsten		4060434008962
DLH4x150S	Classic	Soft light head, 4 x 100 W / 150 W tungsten DLH4x150S, DT4x150, DPOW4x150-2 and DPOW4x150-8 => NEW SPEACON connectors instead of AMPHENOL 4x150 W soft light models, bought before January 2011 are NOT compatible with new connectors!		4060434008986
DLH650-MO	Serie 650	Special version, built on order only. Delivery times on request. Motorized yoke for 650 Watt light head, separate DMX control box incl. PSU. 650 Watt light head not included (DLH650 / DLH650-DMX).		4060434008993
DLH652T	Serie 650	New light head model, 650 W tungsten (A / E / G / J / U. 100- 240 V AC). Separate mains power cable required (please specify power connector of „DCAB3A-SW“ cable)		4060434009006
DLH652T-DMX	Serie 650	New light head model, 650 W tungsten, DMX-control (A / E / G / J / U. 100- 240 V AC). Separate mains power cable required (please specify power connector of „DCAB3A-SW“ cable)		4060434009013
DLH652T-MO	Serie 650	Special version, built on order only. Delivery times on request. Motorized yoke for 650 Watt light head, separate DMX control box incl. PSU. 650 Watt light head not included (DLH652T / DLH652T-DMX).		4060434009020
DLH652T-PO	Serie 650	New light head model, 650 W tungsten, pole operated (A / E / G / J / U. 100- 240 V AC). Separate mains power cable required (please specify power connector of „DCAB3A-SW“ cable)		4060434009037
DLH652T-PO-DMX	Serie 650	New light head model, 650 W tungsten, DMX-control, pole operate (A / E / G / J / U. 100 - 240 V AC). Separate mains power cable required (please specify power connector of „DCAB3A-SW“ cable)		4060434009044
DLHAND	Classic	dedolight handle		4060434009051
DLHM4-100	Classic	Light head, 12 V / 100 W tungsten, with built-in transformer and 4 m (13.1') AC power cable, 230 V AC. European cable.		4060434009068
DLHM4-300A	Classic	Light head, 24 V / 150 W tungsten, with built-in transformer and 4 m (13.1') AC power cable, 240 V AC. Australian cable.		4060434009075
DLHM4-300DMX-A	Classic	Light head, 24 V / 150 W tungsten, with built-in transformer, DMX control and 4 m (13.1') AC power cable, cable, 240 V AC. Australian cable.		4060434009082

Code	Series	Description	LIST €	EAN
DLHM4-300DMX-E	Classic	Light head, 24 V / 150 W tungsten, with built-in transformer, DMX control and 4 m (13.1') AC power cable, 230 V AC. European cable.		4060434009099
DLHM4-300DMX-G	Classic	Light head, 24 V / 150 W tungsten, with built-in transformer, DMX control and 4 m (13.1') AC power cable, 240 V AC. Great Britain cable.		4060434009105
DLHM4-300DMX-J	Classic	Light head, 24 V / 150 W tungsten, with built-in transformer, DMX control and 3 m (9.8') AC power cable, 100 V AC. Japan cable.		4060434009112
DLHM4-300DMX-U	Classic	Light head, 24 V / 150 W tungsten, with built-in transformer, DMX control and 3 m (9.8') AC power cable, 120 V AC. U.S. cable.		4060434009129
DLHM4-300E	Classic	Light head, 24 V / 150 W tungsten, with built-in transformer and 4 m (13.1') AC power cable, 230 V AC. European cable.		4060434009136
DLHM4-300G	Classic	Light head, 24 V / 150 W tungsten, with built-in transformer and 4 m (13.1') AC power cable, 240 V AC. Great Britain cable.		4060434009143
DLHM4-300J	Classic	Light head, 24 V / 150 W tungsten, with built-in transformer and 3 m (9.8') AC power cable, 100 V AC, Japan cable.		4060434009150
DLHM4-300SE-A	Classic	Light head, 24 V / 150 W tungsten, Studio Edition, built-in transformer, external dimmable and 4 m (13.1') AC power cable, 240 V AC, Australian cable.		4060434009167
DLHM4-300SE-E	Classic	Light head, 24 V / 150 W tungsten, Studio Edition, built-in transformer, external dimmable and 4 m (13.1') AC power cable, 230 V AC, European cable.		4060434009174
DLHM4-300SE-G	Classic	Light head, 24 V / 150 W tungsten, Studio Edition, built-in transformer, external dimmable and 4 m (13.1') AC power cable, 240 V AC, Great Britain cable.		4060434009181
DLHM4-300SE-J	Classic	Light head, 24 V / 150 W tungsten, Studio Edition, with built-in transformer, 3 m (9.8') AC power cable, 100 V AC, Japan cable.		4060434009198
DLHM4-300SE-U	Classic	Light head, 24 V / 150 W tungsten, Studio Edition, with built-in transformer, Studio Edition, 3 m (9.8') AC power cable, 120 V AC, U.S. cable.		4060434009204
DLHM4-300U	Classic	Light head, 24 V / 150 W tungsten, with built-in transformer and 3 m (9.8') AC power cable, 120 V AC. U.S. cable.		4060434009211
DLHPA7-EXT	Panaura	Panaura 7 extension arm for angled position operation		4060434009228
DLHPA7x2DT	Panaura	Soft light head for two lamps 400/575 W daylight or tungsten, incl. UV protection glass		4060434009235
DLHPA7x2T	Panaura	Soft light head for two lamps 1000 watts, tungsten, with 3 m (9.8') cable (A / E / G / J / U. 100- 240 V AC, please specify power connector)		4060434009242
DLOBML-BC	Ledzilla	7.2 V Canon battery shoe for BP-9xx battery series		4060434009259
DLOBML-BC2	Ledzilla	7.2 V Canon battery shoe for Canon (Video) Battery BP 808/809/819		4060434009266
DLOBML-BI	Ledzilla	Ledzilla bicolor, Focusable onboard LED light with		4060434009273
DLOBML-BI-BB	Ledzilla	Ledzilla focusable onboard blue/blue LED light, adjustable between 450nm and 470nm wavelength. 6-18V DC input.		4060434021749
DLOBML-BI-BC	Ledzilla	Ledzilla focusable onboard blue / cyan LED light, adjustable between 470nm and 505nm wavelength with flip-down short pass filter. 6-18V DC input.		4060434023156
DLOBML-BI-BG	Ledzilla	Ledzilla focusable onboard blue/green LED light, adjustable between 450nm and 520nm wavelength. 6-18V DC input.		4060434021756
DLOBML-BI-DBD	Ledzilla	„Front-end“ for Ledzilla BICOLOR with 4-leaf barn door. No light head.		4060434022630
DLOBML-BI-GA	Ledzilla	Ledzilla focusable onboard green/amber LED light, adjustable between 520nm and 600nm wavelength. 6-18V DC input.		4060434023163
DLOBML-BI-IR	Ledzilla	Ledzilla focusable onboard IR-A LED light, adjustable between 860nm and 960nm wavelength. 6-18V DC input.		4060434021763
DLOBML-BI-POL	Ledzilla	Ledzilla bicolor, focusable onboard LED light with flip-down POL filter. 6-18V DC input.		4060434021770
DLOBML-BI-UV	Ledzilla	Ledzilla focusable onboard UV LED light, adjustable between 365nm and 400nm wavelength. 6-18V DC input.		4060434021787
DLOBML-BIWA	Ledzilla	Ledzilla bicolor with 16:9 filter and two barn door leaves attached. Separate battery shoe or mains power supply DLPS-12 required.		4060434009297
DLOBML-BP	Ledzilla	7.2 V Panasonic battery shoe for CGA battery series		4060434009303
DLOBML-BP2	Ledzilla	7.2 V Panasonic battery shoe for VBG6		4060434009310
DLOBML-BP3	Ledzilla	7.2 V Panasonic battery shoe for VW-VBG 070/130/260 and CGA-DU 07/14/21 battery		4060434009327
DLOBML-BP4	Ledzilla	7.2 V Panasonic battery shoe for VW-VDB 58 battery		4060434009334

All specifications are subject to change without prior notification.

Code	Series	Description	LIST €	EAN
DLOBML-BS	Ledzilla	7.2 V Sony battery shoe for NP-F / Panasonic VW-VBD1		4060434009341
DLOBML-BSU	Ledzilla	12 V Sony battery shoe for BP-U		4060434009358
DLOBML-BSV	Ledzilla	7,2 V Sony battery shoe for NP-FV batteries		4060434009365
DLOBML-DMX	Ledzilla	Special version- built only on request. Ledzilla daylight LED light head for DLOBML-DMX-CB.		4060434009372
DLOBML-DMX-CB	Ledzilla	Special version- built only on request. DMX control box for DLOBML-DMX light head.		4060434009389
DLOBML-IR860	Ledzilla	iREDZILLA, infrared LED light head, 860 nm (6- 18 V DC) for cameras with night-shot mode.		4060434009396
DLOBML-IR960	Ledzilla	iREDZILLA, infrared LED light head, 960 nm (6- 18 V DC) for surveillance cameras		4060434009402
DLOBML-LT20	Ledzilla	Soft tube, 20 cm / 8" long		4060434009419
DLOBML-P	Ledzilla	Soft pouch for LED lights		4060434009426
DLOBML-PBC1	Ledzilla	Canon photo battery shoe for LP-E6		4060434009433
DLOBML-PBN1	Ledzilla	Nikon photo battery shoe for EN-EL3E		4060434009440
DLOBML-PBN2	Ledzilla	Nikon photo battery shoe for EN-EL15		4060434009457
DLOBML-PBP1	Ledzilla	7,2V Panasonic photo battery shoe for DMW-BLF19E batteries		4060434009464
DLOBML-SBX12	Ledzilla	Soft box, 12 cm / 4.7" wide		4060434009471
DLOBML-SBX12-CTO	Ledzilla	Front diffuser orange		4060434009488
DLOBML-SBX12-WD	Ledzilla	Front diffuser standard, white.		4060434009495
DLOBML-TCF	Ledzilla	Tungsten conversion filter for filter slot of Ledzilla front-end accessories		4060434009501
DLOBML-UV365	Ledzilla	Fluoreszilla, LED light head with 365nm wavelength technology, „black-light“ (6- 18 V DC) - slightly UV-A radiation		4060434009518
DLOBML-UV400	Ledzilla	Fluoreszilla, LED light head with 400nm wavelength technology, „black-light“ (6- 18 V DC) - slightly UV-A radiation		4060434009525
DLOBML-WD15	Ledzilla	white dome, 15 x 15 cm / 5.9 x 5.9 inches		4060434009532
DLOBML2	Ledzilla	Ledzilla2, daylight. Focusable onboard LED light with 16:9 filter and two barn door leaves. 6-18V DC input. Separate battery shoe or mains power supply DLPS-12 required.		4060434009549
DLPA3	Panaura	dedolight Panaura 3, compact, for 8 hole DLH200SDT only. Complete Panaura dome with all diffusers.		4060434009563
DLPA3G	Panaura	Grid (40°), fits dedoflex Panaura 3		4060434009570
DLPA5	Panaura	dedolight Panaura 5, fits: DLH400SDT, DLH1000SPUS, DLH4x150S. Complete Panaura dome with all diffusers.		4060434009587
DLPA5G	Panaura	Grid (40°), fits dedolight Panaura 5		4060434009617
DLPA7	Panaura	dedolight Panaura 7 textile reflector, fits: DLHPA7x2DT, DLHPA7x2T. Complete Panaura 7 dome with all diffusers.		4060434009624
DLPA7G	Panaura	Grid 40°, fits Panaura 7		4060434009655
DLPS-12	Classic	AC power supply (100- 240 V) with 12 V DC, 18W output, incl. EU/USA/UK/AUS input connector set. For Ledzilla LED light heads		4060434009662
DLPS-24	Classic	AC power supply (100- 240 V) with 24 V DC output, 18W, incl. EU/USA/UK/AUS input connector set. For DP3.1 and DP400SHA module		4060434009679
DLPS12-185	dedolight LED	Power supply (100- 240 V AC) with 12 V DC output, 185 W, 30 cm DC-cable with XLR-3 connector, requires mains cable DCAB3A-SW-E (A, G, J, U)		4060434009686
DLPS12-30	DLED2	AC power supply 12V / 30W / 2.5A, incl. EU/USA/UK/AUS input connector set. For DLED2 and DT2(-BI)-BAT ballasts		4060434009693
DLPS12-60	DLED3	Mains power supply for DT3(-BI)-BAT and DT4(-BI)-BAT incl. EU/USA/UK/AUS input connector set.		4060434009709
DLPS30-185	Ledrama	Power supply 30 V / 185 W for Ledrama small LED panels		4060434009716
DLPS30-300	Ledrama	Power supply 30 V / 300 W for Ledrama LED panels		4060434009723
DLPS30-300+	Ledrama	Power supply 30 V / 300 W for Ledrama LED panels, water resistant (IP65)		4060434009730

Code	Series	Description	LIST €	EAN
DLPS36-100	DLED7	AC power supply with female D-TAP output connector, 36V / 100W / 2,8A for DT7/9(-BI)-BAT-AB ballasts. 100-240 V AC, please specify AC connector		4060434009747
DLPUV		Short pass filter for DLED4/7-UV365		4060434023378
DLR-LOCK	Lightstream	Sliding lock for DLR-ARM, to attach and lock Lightstream reflectors. Works with DLGA160 arm.		4060434020988
DLR-MCB	Lightstream	Control box for motorized sliding locks. 2 outputs. Comes with DLBCA2-V belt clip, DDCC-DTAPS cable and DLPS-12.		4060434020995
DLR-MCB6-DMX	Efect	Control box for motorized sliding locks. 6 outputs. Incl. DLPS-12 power supply.		4060434023095
DLR-MLOCK	Lightstream	Motorized sliding lock, to attach and lock Lightstream reflectors. Works with DLGA160 arm.		4060434021008
DLR1-100x100	Lightstream	100x100cm Lightstream reflector. Spread index 1		4060434022890
DLR1-25x25	Lightstream	25x25cm Lightstream reflector. Spread Index 1		4060434020650
DLR1-30x40	Lightstream	30x40cm Lightstream reflector. Spread Index 1		4060434020667
DLR1-40x60	Lightstream	40x60cm Lightstream reflector. Spread Index 1		4060434020674
DLR1-50x50	Lightstream	50x50cm Lightstream reflector. Spread Index 1		4060434020681
DLR1-50x70	Lightstream	50x70cm Lightstream reflector. Spread Index 1		4060434020698
DLR1-7x10	Lightstream	7x10cm Lightstream reflector. Spread Index 1		4060434020704
DLR2-25x25	Lightstream	25x25cm Lightstream reflector. Spread Index 2		4060434020742
DLR2-30x40	Lightstream	30x40cm Lightstream reflector. Spread Index 2		4060434020759
DLR2-40x60	Lightstream	40x60cm Lightstream reflector. Spread Index 2		4060434020766
DLR2-50x50	Lightstream	50x50cm Lightstream reflector. Spread Index 2		4060434020773
DLR2-50x70	Lightstream	50x70cm Lightstream reflector. Spread Index 2		4060434020780
DLR2-7x10	Lightstream	7x10cm Lightstream reflector. Spread Index 2		4060434020797
DLR3-25x25	Lightstream	25x25cm Lightstream reflector. Spread Index 3		4060434020834
DLR3-30x40	Lightstream	30x40cm Lightstream reflector. Spread Index 3		4060434020841
DLR3-40x60	Lightstream	40x60cm Lightstream reflector. Spread Index 3		4060434020858
DLR3-50x50	Lightstream	50x50cm Lightstream reflector. Spread Index 3		4060434020865
DLR3-50x70	Lightstream	50x70cm Lightstream reflector. Spread Index 3		4060434020872
DLR3-7x10	Lightstream	7x10cm Lightstream reflector. Spread Index 3		4060434020889
DLR4-25x25	Lightstream	25x25cm Lightstream reflector. Spread Index 4		4060434020926
DLR4-30x40	Lightstream	30x40cm Lightstream reflector. Spread Index 4		4060434020933
DLR4-40x60	Lightstream	40x60cm Lightstream reflector. Spread Index 4		4060434020940
DLR4-50x50	Lightstream	50x50cm Lightstream reflector. Spread Index 4		4060434020957
DLR4-50x70	Lightstream	50x70cm Lightstream reflector. Spread Index 4		4060434020964
DLR4-7x10	Lightstream	7x10cm Lightstream reflector. Spread Index 4		4060434020971
DLRAP3-BI	Ledraptor	LEDRAPTOR 3 LED soft light, 250W bicolor, with speedring for Panaura 3 dome.		4060434021602
DLRAP3-P	Ledraptor	Pouch for Ledraptor 3		4060434022319
DLRAP5-BI	Ledraptor	LEDRAPTOR 5 LED soft light, 2x LED with 500W bicolor, with speedring for Panaura 5 dome.		4060434021800
DLRAP5-P	Ledraptor	Pouch for Ledraptor 5		4060434022326
DLRAP7-BI	Ledraptor	LEDRAPTOR 7 LED soft light, 4x LED with 1000W bicolor, with speedring for Panaura 7 dome.		4060434021824
DLRAP7-P	Ledraptor	Pouch for Ledraptor 7		4060434022333
DLRM-CBBI	Ledrama	Ledrama control box, bicolor, with 8/16 bit DMX switch		4060434021848
DLRM-CBBI-5V	Ledrama	Ledrama control box, bicolor, with 8/16 bit DMX switch and external 5V input		4060434021855
DLRM-CBD	Ledrama	Ledrama control box, daylight, with 8/16 bit DMX switch		4060434021862
DLRM-CBD-5V	Ledrama	Ledrama control box, daylight, with 8/16 bit DMX switch and external 5V input		4060434021879
DLRM-DIFF	Ledrama	xyz diffuser for Ledrama medium incl. set of brackets (DLRM-BRK)		4060434023286
DLRM-GRIDM	Ledrama	Grid for (medium) LEDRAMA soft box		4060434009761

All specifications are subject to change without prior notification.

Code	Series	Description	LIST €	EAN
DLRM-HONM	Ledrama	Honeycomb for (medium) LEDRAMA LED panels. DLRM-BRK required		4060434009778
DLRM-HONS	Ledrama	Honeycomb for small LEDRAMA LED panels. DLRM-BRK required		4060434009785
DLRM-SBXM	Ledrama	Soft box for (medium) LEDRAMA LED panels, incl. spreading optical attachment.		4060434009792
DLRM-SOA	Ledrama	Spreading optical attachment for Ledrama medium incl. set of brackets (DLRM-BRK)		4060434023125
DLRM816-BI	Ledrama	dedolight soft LED panel, bicolor, 8/16 bit switchable electronics. (A / E / G / J / U. 90-264 V AC). Separate mains power cable required. Please specify power connector of „DCAB3A“ (optional: „DCAB3A-SW“) cable)		4060434022647
DLRM816-BI-PO	Ledrama	dedolight soft LED panel, pole operated, bicolor, 8/16 bit switchable electronics. (A / E / G / J / U. 90- 264 V AC). Separate mains power cable required. Please specify power connector of „DCAB3A“ (optional: „DCAB3A-SW“) cable)		4060434022654
DLRM816-D	Ledrama	dedolight soft LED panel, daylight, 8/16 bit switchable electronics. (A / E / G / J / U. 90-264 V AC). Separate mains power cable required. Please specify power connector of „DCAB3A“ (optional: „DCAB3A-SW“) cable)		4060434022661
DLRM816-D-PO	Ledrama	dedolight soft LED panel, pole operated, daylight, 8/16 bit switchable electronics. (A / E / G / J / U. 90- 264 V AC). Separate mains power cable required. Please specify power connector of „DCAB3A“ (optional: „DCAB3A-SW“) cable)		4060434022678
DLRMIP-BI	Ledrama	dedolight soft LED panel, rainproof, bicolor. (A / E / G / J / U. 90- 264 V AC). Separate mains power cable required. Please specify power connector of „DCAB3A“ (optional: „DCAB3A-SW“) cable)		4060434022906
DLRMIP-BI-PO	Ledrama	dedolight soft LED panel, rainproof, bicolor, pole operated. (A / E / G / J / U. 90- 264 V AC). Separate mains power cable required. Please specify power connector of „DCAB3A“ (optional: „DCAB3A-SW“) cable)		4060434022913
DLRMIP-D	Ledrama	dedolight soft LED panel, rainproof, daylight. (A / E / G / J / U. 90- 264 V AC). Separate mains power cable required. Please specify power connector of „DCAB3A“ (optional: „DCAB3A-SW“) cable)		4060434022920
DLRMIP-D-PO	Ledrama	dedolight soft LED panel, rainproof, daylight, pole operated. (A / E / G / J / U. 90- 264 V AC). Separate mains power cable required. Please specify power connector of „DCAB3A“ (optional: „DCAB3A-SW“) cable)		4060434022937
DLRMIP816-BI	Ledrama	dedolight soft LED panel, 8/16 bit switchable electronics, rainproof, bicolor. (A / E / G / J / U. 90- 264 V AC). Separate mains power cable required. Please specify power connector of „DCAB3A“ (optional: „DCAB3A-SW“) cable)		4060434022685
DLRMIP816-BI-PO	Ledrama	dedolight soft LED panel, 8/16 bit switchable electronics, rainproof, bicolor, pole operated. (A / E / G / J / U. 90- 264 V AC). Separate mains power cable required. Please specify power connector of „DCAB3A“ (optional: „DCAB3A-SW“) cable)		4060434022692
DLRMIP816-D	Ledrama	dedolight soft LED panel, 8/16 bit switchable electronics, rainproof, daylight. (A / E / G / J / U. 90- 264 V AC). Separate mains power cable required. Please specify power connector of „DCAB3A“ (optional: „DCAB3A-SW“) cable)		4060434022708
DLRMIP816-D-PO	Ledrama	dedolight soft LED panel, 8/16 bit switchable electronics, rainproof, daylight, pole operated. (A / E / G / J / U. 90- 264 V AC). Separate mains power cable required. Please specify power connector of „DCAB3A“ (optional: „DCAB3A-SW“) cable)		4060434022715
DLRMIPL-BI	Ledrama	dedolight soft LED panel, rainproof, bicolor, large size. (A / E / G / J / U. 90- 264 V AC). Separate mains power cable required. Please specify power connector of „DCAB3A“ (optional: „DCAB3A-SW“) cable)		4060434022944
DLRMIPL-D	Ledrama	dedolight soft LED panel, rainproof, daylight, large size. (A / E / G / J / U. 90- 264 V AC). Separate mains power cable required. Please specify power connector of „DCAB3A“ (optional: „DCAB3A-SW“) cable)		4060434022951
DLRMIPS-BI	Ledrama	dedolight soft LED panel, rainproof, bicolor, small size. (A / E / G / J / U. 90- 264 V AC). Separate mains power cable required. Please specify power connector of „DCAB3A“ (optional: „DCAB3A-SW“) cable)		4060434022968
DLRMIPS-BI-PO	Ledrama	dedolight soft LED panel, rainproof, bicolor, small size, pole operated. (A / E / G / J / U. 90- 264 V AC). Separate mains power cable required. Please specify power connector of „DCAB3A“ (optional: „DCAB3A-SW“) cable)		4060434022975

Code	Series	Description	LIST €	EAN
DLRMIPS-D	Ledrama	dedolight soft LED panel, rainproof, daylight, small size. (A / E / G / J / U. 90- 264 V AC). Separate mains power cable required. Please specify power connector of „DCAB3A“ (optional: „DCAB3A-SW“) cable)		4060434022982
DLRMIPS-D-PO	Ledrama	dedolight soft LED panel, rainproof, daylight, small size, pole operated. (A / E / G / J / U. 90- 264 V AC). Separate mains power cable required. Please specify power connector of „DCAB3A“ (optional: „DCAB3A-SW“) cable)		4060434022999
DLRP10	Lightstream	Pouch for 4x 7x10cm reflector.		4060434021015
DLRP100	Lightstream	Bag for one 100x100cm reflector.		4060434021893
DLRP25	Lightstream	Pouch for 6x 25x25cm reflector.		4060434021022
DLRP50	Lightstream	Pouch for 6x 50x50cm reflector.		4060434021039
DLRPKT-BI	Ledrama	dedolight soft LED panel, bicolor, pocket size, 6-18 V. No power option included. Options: NPF battery, camera battery cable, AC power supply DLPS12-30		4060434009808
DLRPKT-SBX	Ledrama	Soft box for Ledrama Pocket LED panel		4060434022340
DLSDC12	CLASSIC	DMX-mixer, 12-channel with 3-pin and 5-pin DMX sockets. Built-in DIP switches to address all 512 DMX channels (incl. power supply 100-240 V AC / 9 V DC and 9 V battery slot)		4060434009815
DLSDC16	CLASSIC	DMX-mixer, 16-channel 5-pin DMX socket. Built-in DIP switches to address all 512 DMX channels (incl. power supply 100-240 V AC / 9 V DC and 9 V battery slot)		4060434021275
DLSR60	DLED2	Speed ring for DLED2 soft box, fits DLED2 and DLED3 accessory slot		4060434009822
DLSR67	DLED3	Speedring for mini soft box to fit DLED2/3 LED lights		4060434021923
DLSR70	dedoflex	Speed ring for dedoflex mini soft box (Classic Series)		4060434009839
DLSR8	Panaura	Speed ring for dedoflex medium domes and Panaura 5, light head accessory diameter = 119 mm, outer diameter = 148 mm (Series 400)		4060434009846
DLTCH	dedoflex	dedoflex holder, compact		4060434009853
DLTFH	dedoflex	dedoflex holder, small		4060434009860
DLTLH	dedoflex	dedoflex holder, large		4060434009877
DLWA1200R	Serie 1200	Wide angle attachment with rotating barn door leaves for Series 1200		4060434009884
DLWA400R	Serie 400	Wide angle attachment with rotating barn door leaves for Series 400		4060434009891
DLWAR	Serie 200	Wide angle attachment with rotating barn door leaves for Classic Series and Series 200		4060434009907
DLWASR	DLED2	Wide angle attachment with rotating barn door leaves for DLED2 and DLED3 Series		4060434023101
DMFC29	dedolight Mountings	dedolight mounting, flexible coupler with 16mm stud on both ends. Length 29cm (11.4 inch)		4060434023255
DMFC40	dedolight Mountings	dedolight mounting, flexible coupler with 16mm stud on both ends. Length 40cm (15.8 inch)		4060434023262
DMTSB420-SR	dedolight Mountings	Tripple stud boom with sliding receptacle. Length 42 cm.		4060434023989
DP1.1	Classic	Imager projection attachment with 85 mm lens		4060434009914
DP1.1-0	Classic	Imager projection attachment w/o lens		4060434009921
DP1200CON	Serie 1200	Condenser Series 1200 for use with lenses 150 mm, 185 mm or 230 mm		4060434009938
DP1200CON-WA	Serie 1200	Wide angle condenser Series 1200 for use with lenses 70 mm, 100 mm or 150 mm		4060434009945
DP1200FS-WA	Serie 1200	Framing shutter assembly for DP1200CON-WA		4060434009952
DP1200KFS	Serie1200	Complete imager with framing-shutter-blade module and 150mm projection lens. Fits SERIES 1200 and DLED12 / DLED30 focusing light heads.		4060434009969
DP1200KFS-WA	Serie1200	Complete wide-angle imager with framing-shutter-blade module and 70mm projection lens. Fits SERIES 1200 and DLED12 / DLED30 focusing light heads.		4060434009976
DP1200KU	Serie1200	Complete imager with universal module and 150mm projection lens. Fits SERIES 1200 and DLED12 / DLED30 focusing light heads.		4060434009983
DP1200KU-WA	Serie1200	Complete wide-angle imager with universal module and 70mm projection lens. Fits SERIES 1200 and DLED12 / DLED30 focusing light heads.		4060434009990
DP1200SHA-WA	Serie 1200	Slide holder attachment with adjustable image plane for DP1200CON-WA, incl. 24 V DC power supply and set of adapter connectors. (E / E + / U)		4060434010002

All specifications are subject to change without prior notification.

35

Code	Series	Description	LIST €	EAN
DP1200U-WA	Serie 1200	Universal receptacle for DP1200CON-WA		4060434010019
DP1S	DLED2	Universal projection attachment/imager for DLED2 and DLED3 LED light heads. Incl. DPL60M lens and DPGHS.		4060434010026
DP1S-0	DLED2	Universal projection attachment/imager for DLED2 and DLED3 LED light heads, incl. DPGHS. Please order projection lens separately. (DPL30M / DPL50M / DPL60M / DPL85M)		4060434010033
DP1S-A	DLED2	Asymmetric universal projection attachment/imager for DLED2 and DLED3 LED light heads. Incl. DPL60M lens and DPGHS.		4060434010040
DP1S-A0	DLED2	Asymmetric universal projection attachment/imager for DLED2 and DLED3 LED light heads. Please order projection lens separately. (DPL30M / DPL50M / DPL60M / DPL85M)		4060434010057
DP2.1	Classic	Imager projection attachment with built-in framing shutters and 85 mm lens		4060434010064
DP2.1-0	Classic	Same as DP2.1 but w/o lens		4060434010071
DP2S	DLED2	Projection attachment with built-in framing shutter blades for DLED2 and DLED3 LED light heads. Incl. DPL60M lens.		4060434010088
DP2S-0	DLED2	Projection attachment with built-in framing shutter blades for DLED2 and DLED3 LED light heads. Please order projection lens separately (DPL30M / DPL50M / DPL60M / DPL85M)		4060434010095
DP2S-A	DLED2	Asymmetric projection attachment with built-in framing shutter blades for DLED2 and DLED3 LED light heads. Incl. DPL60M lens.		4060434010101
DP2S-A0	DLED2	Asymmetric projection attachment with built-in framing shutter blades for DLED2 and DLED3 LED light heads. Please order projection lens separately (DPL30M / DPL50M / DPL60M / DPL85M)		4060434010118
DP3.1	Classic	Imager for 35mm slide and steel gobo (size ‚A‘) projection attachment with 85 mm lens incl. 24 V DC power supply and set of adapter connectors. (A / E / G / J / U)		4060434010125
DP3.1-0	Classic	Same as DP3.1 but w/o lens incl. 24 V DC power supply and set of adapter connectors. (A / E / G / J / U)		4060434010132
DP400-100	Serie 400	Imager projection lens, 100 mm, f 1.6		4060434010149
DP400-150	Serie 400	Imager projection lens, 150 mm, f 2.2		4060434010156
DP400-185	Serie 400	Imager projection lens, 185 mm, f 3.5 (fits DPEYESET)		4060434010163
DP400-230	Serie 400	Imager projection lens, 230 mm, f 2.0		4060434010170
DP400-70	Serie 400	Imager projection lens, 70 mm, f 1.5		4060434010187
DP4002GR	Serie 400	Gobo rotator for two steel gobos size ‚A‘ incl. 3- 12 V DC power supply and set of adapter connectors. (A / E / G / J / U)		4060434010194
DP400CON	Serie 400	Condenser Series 400 for use with lenses 100, 150, 185 or 230 mm		4060434010200
DP400CON-WA	Serie 400	Wide angle condenser Series 400 for use with lens 70, 100 or 150 mm		4060434010217
DP400FS	Serie 400	Framing shutter assembly		4060434010224
DP400G	Serie 400	Steel gobo, size ‚A‘		4060434010231
DP400GC	Serie 400	Custom steel gobo, size ‚A‘		4060434010248
DP400GG	Serie 400	High resolution glass gobo, size ‚A‘		4060434010255
DP400GGC	Serie 400	Custom high resolution glass gobo, size ‚A‘		4060434010262
DP400GGH	Serie 400	Gobo holder, for size ‚A‘ glass gobos		4060434010279
DP400GH	Serie 400	Gobo holder, for size ‚A‘ steel gobos		4060434010286
DP400IR2	Serie 400	Series 400 Iris assembly		4060434023279
DP400KFS	Serie 400	Imager projection attachment, complete with framing shutter assembly and 185mm lens		4060434010309
DP400KFS-WA	Serie 400	Imager wide-angle projection attachment, complete with framing shutter assembly and 100mm lens		4060434010316
DP400KU	Serie 400	Imager projection attachment, complete with universal receptacle assembly, gobo holder, gobo set and 185mm lens		4060434010323

Code	Series	Description	LIST €	EAN
DP400KU-WA	Serie 400	Imager wide-angle projection attachment, gobo holder, gobo set, complete with universal receptacle assembly and 100mm lens		4060434010330
DP400LH	Serie 400	Projection lens holder		4060434010354
DP400SC	Serie400	Slide Custom (Series 400/402) Normal slide (6x6) from customer send to us, we insert it into the frame		4060434010361
DP400SCD	Serie400	Slide Custom, distorted (Series 400/402) Customer send us normal slide or data files of the motive. We are calculating distortion, make print-out to a slide motive and insert this into a 6x6 frame.		4060434010378
DP400SF	Serie400	dedolight Projection-Attachment Slide Frame without glass (Series 400/402)		4060434010385
DP400SHA	Serie 400	Slide holder attachment with adjustable image plane, incl. 24 V DC power supply and set of adapter connectors. (E / E + / U)		4060434010392
DP400U	Serie 400	Universal receptacle assembly		4060434010408
DPACP	Classic	Imager accessory pouch (gobos, scrims etc.)		4060434010415
DPACP400	Serie 400	Pouch for Series 400 gobos / framing shutter blades		4060434010422
DPB70	Lightstream	1200 W parallel beam light with parabolic reflector. 70 cm diameter. Requires DPOW1200D cable, DEB1200D ballast, special 1200 W G22 lamp.		4060434010439
DPB70FH	Lightstream	Filter holder for DPB70 light head		4060434023002
DPB70HON	Lightstream	Honeycomb for DPB70 light head		4060434021930
DPBA-10HON	Lightstream	Honeycomb for DPBA-710 and DPBA-610 intensifier		4060434022371
DPBA-14	Lightstream	Parallel beam intensifier for Series 400/402 and DLED9 light heads. Less than 4° beam angle in flood position. (old code: DPBA400)		4060434010446
DPBA-1419	Lightstream	Parallel beam intensifier for DLED9, DLED10, DLH400DT and DLH652T. May be used with DPBA-19HON honeycomb		4060434023132
DPBA-14HON	Lightstream	Honeycomb for DPBA-14 intensifier. (old code: DPBA400HON)		4060434010453
DPBA-18	Lightstream	Parallel beam intensifier for DLH1200D and DLH1000T. May be used with DPBA-14HON honeycomb		4060434021282
DPBA-1821	Lightstream	Parallel beam intensifier for DLH1200D and DLH1000T. May be used with DPBA-21HON honeycomb		4060434022722
DPBA-19HON	Lightstream	Honeycomb for DPBA-1419 intensifier		4060434023149
DPBA-21HON	Lightstream	Honeycomb for DPBA-1821 and DPBA-L1821 intensifier		4060434022739
DPBA-610	Lightstream	Parallel beam intensifier for DLED2 and DLED3		4060434022357
DPBA-7	Lightstream	Parallel beam intensifier for Series 200 and DLH4 light heads. Less than 4° beam angle in flood position. (old code: DPBA)		4060434010460
DPBA-710	Lightstream	Parallel beam intensifier for DLED4, DLED7, DLH4 and DLH200DT		4060434022364
DPBA-714	Lightstream	Parallel Beam intensifier for Classic sized light heads, 14cm diameter. Fits: DLED7-BI, DLED4-D/T-BI, DLH4, DLH200DT. May be used with DPBA-7HON honeycomb		4060434021299
DPBA-7HON	Lightstream	Honeycomb for DPBA-7 intensifier. (old code: DPBAHON)		4060434010477
DPBA-BI6	Lightstream	Parallel Beam intensifier LED, 6cm diameter. Fits: DLED2-BI, DLED3-BI, DLED3-D. May be used with DPBA-7HON honeycomb		4060434021305
DPBA-BI7	Lightstream	Parallel Beam intensifier, LED bicolor, 7cm diameter Fits: DLED4-BI (DLED7-BI till SN# 1649 only)		4060434010484
DPBA-L18	Lightstream	Parallel Beam intensifier LED monochrome, 18cm diameter. Fits: DLED12-D, DLED30-D. May be used with DPBA-14HON honeycomb		4060434021312
DPBA-L1821	Lightstream	Parallel Beam intensifier LED monochrome, 21cm diameter. Fits: DLED12-D, DLED30-D. May be used with DPBA-21HON honeycomb		4060434022746
DPBA-L6	Lightstream	Parallel Beam intensifier LED monochrome, 6cm diameter. Fits: DLED2-D. May be used with DPBA-7HON honeycomb		4060434021329
DPBA-L7	Lightstream	Parallel Beam intensifier LED monochrome, 7cm diameter Fits: DLED4-D, DLED4-T, DLED7-D, DLED7-T		4060434010491
DPBA-P10	Lightstream	Pouch for parallel beam intensifiers with 10cm outer diameter (DPBA-710)		4060434022388

All specifications are subject to change without prior notification.



Code	Series	Description	LIST €	EAN
DPBA-P14	Lightstream	Pouch for parallel beam intensifiers with 14cm outer diameter (DPBA-14,-714)		4060434022395
DPBA-P1419	Lightstream	Pouch for parallel beam intensifier with 19cm outer diameter (DPBA-1419)		4060434024030
DPBA-P18	Lightstream	Pouch for parallel beam intensifiers with 18cm outer diameter (DPBA-18,-L18)		4060434022401
DPBA-P1821	Lightstream	Pouch for parallel beam intensifier with 21cm outer diameter (DPBA-(L)1821)		4060434024047
DPBA-P7	Lightstream	Pouch for parallel beam intensifiers with 7cm outer diameter (DPBA-L6,-BI6,-7,-L7,-BI7)		4060434022418
DPEYEP	Classic	Pouch for DPEYESET		4060434010507
DPEYESET	Classic	Eye filter attachment (fits all Classic Series imager lenses (except 30mm) & DP400-150 and DP400-185 lenses)		4060434010514
DPG	Classic	Steel gobo (size ,M')		4060434010538
DPGC	Classic	Custom steel gobo (size ,M')		4060434010545
DPGG	Classic	High resolution glass gobo (size ,M')		4060434010552
DPGGC	Classic	Custom high resolution glass gobo (size ,M')		4060434010569
DPGGH	Classic	Glass gobo holder (size ,M')		4060434010576
DPGH	Classic	Steel gobo holder (size ,M')		4060434010583
DPGHS	DLED2	Holder for steel gobos (dedolight „S-size“)		4060434010590
DPIR	Classic	Imager iris		4060434010637
DPIR-A	Classic	Imager animation iris		4060434010644
DPIRS	DLED2	Iris for DP1S imagers		4060434010651
DPL150.1M	Classic	150mm lens for DP1.1, DP2.1, DP3.1, f.2.2		4060434010668
DPL185M	Classic	Imager lens, 185 mm, f 3.5		4060434010675
DPL30M	Classic	30mm projection lens for DP1.1, DP2.1, DP1S and DP2S imagers, f 1.8		4060434010682
DPL50M	Classic	50mm projection lens for DP1.1, DP2.1, DP1S and DP2S imagers, f 2.8		4060434010699
DPL60M	Classic	Imager lens, 60 mm, f 2.8		4060434010705
DPL85M	Classic	Imager lens, 85 mm, f 2.8		4060434010712
DPLS	Classic	Light shield ring		4060434010729
DPLS1200	Serie 1200	Light shield ring (Series 1200 / DLED12 / DLED30)		4060434010736
DPLS400	Serie 400	Light shield ring (Series 400)		4060434010743
DPLSS	DLED2	Light shield ring for DLED2 and DLED3 light heads		4060434021336
DPLZ120M	Classic	Imager zoom lens, 70-120 mm, f 3.5		4060434010750
DPLZ150M	Classic	Imager zoom lens, 85-150 mm, f 3.5		4060434010767
DPOW10	DLED10	Cable, light head to ballast, 7 m (23')		4060434021343
DPOW1200D	Serie 1200	Cable, light head to ballast, 7m (23')		4060434010774
DPOW20	Ledraptor	Cable, light head to ballast, 7 m (23')		4060434022425
DPOW200DT	Serie 200	Cable, light head to ballast, 7 m (23')		4060434010781
DPOW3	Classic	Cable/extension, light head to power supply, 8 m (26.2')		4060434010798
DPOW30	DLED30	Cable, light head to ballast, 7 m (23')		4060434022531
DPOW3XLR-SPEAK	Ledrama	Battery cable from 28V DC battery (3pin XLR) to LEDRAMA LED panels (Neutrik SpeakON). Old code: DPOWRAMA-BAT		4060434010804
DPOW400DT	Serie 400	Cable, light head to ballast, 7 m (23')		4060434010811
DPOW4x150-2	Classic	Cable, light head to power supply, 2 m (6.6'). Fits LEDRAPTOR LED and DLH4x150S tungsten soft light heads		4060434010828
DPOW4x150-8	Classic	Cable, light head to power supply, 8 m (26.2'). Fits LEDRAPTOR LED and DLH4x150S tungsten soft light heads		4060434010835
DPOW5XLR-10	DLED4	10m extension cable for DLED4 and DLED9 light heads old code: DLEDPOW10		4060434010842
DPOW5XLR-3	DLED4	3m extension cable for DLED4 and DLED9 light heads old code: DLEDPOW3		4060434010859
DPOW6LEM-10	DLED3	10m extension cable for DT3-(BI)-BAT ballast.		4060434021350
DPOW6LEM-3	DLED3	3m extension cable for DT3-(BI)-BAT ballast.		4060434023019

Code	Series	Description	LIST €	EAN
DPOW6XLR-10	dedolight LED	Extension cable 6-pin XLR, 10m, for DLED7 light heads		4060434010866
DPOW6XLR-3	dedolight LED	Extension cable 6-pin XLR, 3m, for DLED7 light heads		4060434010873
DPOWDMX10	Classic	DMX cable, 10 m (32.8')		4060434010880
DPOWDMX3	Classic	DMX cable, 3 m (9.8')		4060434010897
DPSCD	Classic	Slide Custom, distorted (Classic/Series 200) Customer send us normal slide or data files of the motive. We are calculating distortion, make print-out to a slide motive and insert this into our special frame.		4060434010903
DPSF	Classic	dedolight Projection-Attachment Slide Frame without glass (Classic/Series 200)		4060434010910
DPSFD	Classic	dedolight Projection-Attachment Slide Frame SPECIAL without glass for distorted motives (Classic/Series 200)		4060434010927
DPSH	Classic	Slide holder (use only with DHF heat filter)		4060434010934
DPX	Classic	Imager extension tube		4060434010941
DSAF80	DLED2	Safety cable 3 mm with carabine, 80 cm length		4060434021367
DSBSL	dedoflex	dedoflex soft box, large. 119 x 79 x 50 cm (46.9 x 31.1 x 19.7 inches). Fits DLH400SDT, DLH1000SPLUS		4060434021374
DSBSM	dedoflex	dedoflex soft box, medium 81 x 61 x 43 cm (32 x 24 x 17"), fits: DLH200SDT, DLH400SDT, DLH1x150S, DLH4x150S, DLH1000S, DLH1000SPLUS		4060434010958
DSBSM-FD-CTB1/2	dedoflex	Front diffuser for soft box medium, half blue		4060434010965
DSBSM-ID-CTB1/2	dedoflex	Inner diffuser for soft box medium, half blue		4060434010972
DSBSS	dedoflex	dedoflex soft box, small 56 x 41 x 33 cm (22 x 16 x 13"), fits: DLH200SDT, DLH1x150S		4060434010989
DSBSS-FD-CTB	dedoflex	Front diffuser for soft box small, full blue		4060434010996
DSBSS-FD-CTB1/2	dedoflex	Front diffuser for soft box small, half blue		4060434011009
DSBSXS	dedoflex	dedoflex mini soft box 30 x 30 x 23 cm (12 x 12 x 9"), fits DLH1x150S / DLH4, DLHM4-300 (requires DLSR70)		4060434011016
DSBSXS-FD-CTB	dedoflex	Front diffuser for mini soft box, full blue.		4060434011023
DSBSXS-FD-CTB1/2	dedoflex	Front diffuser for mini soft box, half blue		4060434011030
DSBSXS-ID-CTB1/2	dedoflex	Inner diffuser for mini soft box, half blue		4060434011047
DSC1	Classic	Soft case, small (new model 2017)		4060434011078
DSC1000S	Classic	Soft case ,Senior', fits DLH1000S with medium dome and DST (new model)		4060434011085
DSC150S	Classic	Soft case ,Baby', fits DLH1x150S / DT24-1		4060434011092
DSC2	Classic	Soft case, medium (new model 2016)		4060434011108
DSC2W	Classic	Soft case, medium with transport wheels		4060434011115
DSC3	Classic	Soft case, small (for DLED10 / LEDRAPTOR 3 kits)		4060434022760
DSC400	Serie 400	Soft case (DLH402DT, ballast)		4060434011122
DSCD1/2	Classic	Half scrim, double		4060434011139
DSCD1/2-1200	Serie 1200	Half scrim, double (Series 1200)		4060434021381
DSCD1/2-400	Serie 400	Half scrim, double (Series 400)		4060434011146
DSCFD	Classic	Full scrim, double (~1.2 stops)		4060434011153
DSCFD1200	Serie 1200	Full scrim, double (~1.2 stops) (Series 1200)		4060434021404
DSCFD400	Serie 400	Full scrim, double (~1.2 stops) (Series 400)		4060434011160
DSCFS	Classic	Full scrim, single (3/4 stops)		4060434011177
DSCFS1200	Serie 1200	Full scrim, single (3/4 stops) (Series 1200)		4060434021428
DSCFS400	Serie 400	Full scrim, single (3/4 stops) (Series 400)		4060434011184
DSCG	Classic	Graduated scrim		4060434011191
DSCG400	Serie 400	Graduated scrim (Series 400)		4060434011207
DSCGP	Classic	Gobo / scrim / gel pouch		4060434011214
DSCGP400	Serie 400	Scrim / filter holder / gel pouch (Series 400)		4060434011221

All specifications are subject to change without prior notification.

Code	Series	Description	LIST €	EAN
DSCLED2x2	DLED4	Soft case for 2x Felloni / 2x DLED4		4060434011252
DSCM	Classic	Soft case, mono		4060434011269
DSCM2	Classic	Soft case, mono, large.		4060434011276
DSCP	Classic	Scrim pouch		4060434011283
DSCP400	Serie 400	Scrim holder pouch (Series 400)		4060434011290
DSCPA5	Panaura	Soft case for Panaura 5 kits		4060434011306
DSCPA7W	Panaura	Soft case for Panaura 7		4060434011313
DSCQ1	DLED9	Soft case (DLED9)		4060434011320
DSCS	Classic	Soft case, single, for three DLED2 or Z-180 LED fixtures		4060434011337
DSCS1/2	Classic	Half scrim, single		4060434011344
DSCS1/2-1200	Serie 1200	Half scrim, single (Series 1200)		4060434021466
DSCS1/2-400	Serie 400	Half scrim, single (Series 400)		4060434011351
DSCST	Classic	Soft case for three stands Series 400		4060434011368
DSCST4	Classic	Soft bag for four DST stands		4060434011375
DSCSTM3	Classic	Soft bag for three DSTM stands		4060434011382
DSCXLW	Classic	Soft case, large with transport wheels		4060434011399
DST	Classic	dedolight stand		4060434011405
DST1200	Serie 1200	dedolight stand, black steel with 28 mm (1-1/8") receptor and 16 mm (5/8") removable stud		4060434011412
DST1200S	Serie 1200	dedolight stand, black aluminium with 28 mm (1-1/8") receptor and 16 mm (5/8") removable stud		4060434011429
DST400	Serie 400	dedolight stackable stand (Series 400)		4060434011436
DST400S	Serie 400	dedolight stackable stand, small (Series 400, fits DSCPA5 transport case)		4060434011443
DSTFX	Classic	Flexible stand extension (510 mm)		4060434011450
DSTFX29	Classic	Flexible stand extension (290 mm)		4060434023347
DSTFX40	Classic	Flexible stand extension (400 mm)		4060434011467
DSTFXS	Classic	Flexible stand extension (210 mm)		4060434011474
DSTM	Classic	dedolight stand, micro		4060434011481
DSTS	Classic	dedolight stand, small. Available only in combination with K200-3 kit.		4060434011498
DT10	DLED10	Power supply for DLED10-D (A / E / G / J / U. 90- 264 V AC). DPOW10 cable required. Mains power cable included (please specify connector of „DCAB3A-SW“ power cable)		4060434021480
DT10-BI	DLED10	Power supply for DLED10-BI (A / E / G / J / U. 90- 264 V AC). DPOW10 cable required. Mains power cable included (please specify connector of „DCAB3A-SW“ power cable)		4060434021497
DT2-BAT	DLED2	DC dimmable ballast for DLED2Y-D/-T and DLED2YHSM-D/-T light heads to use with 12V or 24V batteries. DDCC cable or DLPS12-30 AC power supply required		4060434011504
DT2-BAT-IR	DLED2	DC dimmable ballast for DLED2Y-IR860/-IR960 light heads to use with 12V or 24V batteries. DDCC cable or DLPS12-30 AC power supply required		4060434011511
DT2-BI-BAT	DLED2	DC dimmable ballast for DLED2Y-BI and DLED2YHSM-BI light heads to use with 12V or 24V batteries. DDCC cable or DLPS12-30 AC power supply required		4060434011528
DT2-BI-BAT-DMX	DLED2	DC dimmable ballast for DLED2Y-BI and DLED2YHSM-BI light heads to use with 12V or 24V batteries and with DMX control for continuous change of color temperature from daylight to tungsten. DDCC cable or DLPS12-30 AC power supply required		4060434011535
DT20-BI	Ledraptor	Power supply for DLRAP5 LED soft light. (A / E / G / J / U. 90- 264 V AC). DPOW20 cable required. Mains power cable included (please specify connector of „DCAB3A-SW“ power cable)		4060434022432
DT24-1A	Classic	Power supply 1 x 24 V / 150 W, 240 V AC, Australian cable.		4060434011542
DT24-1E	Classic	Power supply 1 x 24 V / 150 W, 230 V AC, European cable.		4060434011559

Code	Series	Description	LIST €	EAN
DT24-1E-DMX	Classic	Power supply 1 x 24 V / 150 W with DMX control (230 / 240 V AC, European cable) for DLH4 or DLH1x150S light heads.		4060434011566
DT24-1G	Classic	Power supply 1 x 24 V / 150 W, 240 V AC, Great Britain cable.		4060434011573
DT24-1J	Classic	Power supply 1 x 24 V / 150 W, 100 V AC, Japan cable.		4060434011580
DT24-1U	Classic	Power supply 1 x 24 V / 150 W, 120 V AC, U.S. cable.		4060434011597
DT3-BAT	DLED3	DC dimmable ballast for DLED3-D /-T TURBO LED light heads to use with batteries. Input 11- 18V DC. DDCC cable or DLPS12-60 AC power supply required		4060434011603
DT3-BI-BAT	DLED3	DC dimmable ballast for DLED3-BI TURBO LED bicolor light heads to use with batteries. Input 11- 18V DC. DDCC cable or DLPS12-60 AC power supply required		4060434011610
DT3-BI-DMX-A	DLED3	Power supply with DMX control and digital display for Kelvin values for DLED3-BI TURBO LED bicolor light heads. (100- 240 V AC, Australian Cable)		4060434023200
DT3-BI-DMX-E	DLED3	Power supply with DMX control and digital display for Kelvin values for DLED3-BI TURBO LED bicolor light heads. (100- 240 V AC, European Cable)		4060434023118
DT3-BI-DMX-G	DLED3	Power supply with DMX control and digital display for Kelvin values for DLED3-BI TURBO LED bicolor light heads. (100- 240 V AC, Great Britain Cable)		4060434023217
DT3-BI-DMX-J	DLED3	Power supply with DMX control and digital display for Kelvin values for DLED3-BI TURBO LED bicolor light heads. (100- 240 V AC, Japan Cable)		4060434023224
DT3-BI-DMX-U	DLED3	Power supply with DMX control and digital display for Kelvin values for DLED3-BI TURBO LED bicolor light heads. (100- 240 V AC, U.S. Cable)		4060434023231
DT30	DLED30	Power supply for DLED30-D (A / E / G / J / U. 90- 264 V AC). DPOW30 cable required. Mains power cable included (please specify connector of „DCAB3A-SW“ power cable)		4060434022548
DT4-A	DLED4	Power supply for DLED4-D /-T /-IR860 /-UV365 /-UV400 (90- 264 V AC, Australian cable.)		4060434011627
DT4-BAT	DLED4	DC dimmable ballast for DLED4-D /-T to use with 12V or 24V batteries (10,2- 18V DC). DDCC cable or DLPS12-60 AC power supply required		4060434011634
DT4-BI-A	DLED4	Power supply with digital display for Kelvin values for DLED4-BI (90- 264 V AC, Australian cable)		4060434011641
DT4-BI-BAT	DLED4	DC dimmable ballast for DLED4-BI to use with 12V or 24V batteries (10,2- 18V DC). DDCC cable or DLPS12-60 AC power supply required		4060434011658
DT4-BI-DMX-A	DLED4	Power supply with DMX control and digital display for Kelvin values for DLED4-BI (90- 264 V AC, Australian cable)		4060434011665
DT4-BI-DMX-E	DLED4	Power supply with DMX control and digital display for Kelvin values for DLED4-BI (90- 264 V AC, European cable)		4060434011672
DT4-BI-DMX-G	DLED4	Power supply with DMX control and digital display for Kelvin values for DLED4-BI (90- 264 V AC, Great Britain cable)		4060434011689
DT4-BI-DMX-J	DLED4	Power supply with DMX control and digital display for Kelvin values for DLED4-BI (90- 264 V AC, Japan cable)		4060434011696
DT4-BI-DMX-U	DLED4	Power supply with DMX control and digital display for Kelvin values for DLED4-BI (90- 264 V AC, U.S. cable)		4060434011702
DT4-BI-E	DLED4	Power supply with digital display for Kelvin values for DLED4-BI (90- 264 V AC, European cable)		4060434011719
DT4-BI-G	DLED4	Power supply with digital display for Kelvin values for DLED4-BI (90- 264 V AC, Great Britain cable)		4060434011726
DT4-BI-J	DLED4	Power supply with digital display for Kelvin values for DLED4-BI (90- 264 V AC, Japan cable)		4060434011733
DT4-BI-U	DLED4	Power supply with digital display for Kelvin values for DLED4-BI (90- 264 V AC, U.S. cable)		4060434011740
DT4-DMX-A	DLED4	Power supply with DMX control for DLED4-D /-T (90- 264 V AC, Australian cable)		4060434011757
DT4-DMX-E	DLED4	Power supply with DMX control for DLED4-D /-T (90- 264 V AC, European cable)		4060434011764
DT4-DMX-G	DLED4	Power supply with DMX control for DLED4-D /-T (90- 264 V AC, Great Britain cable)		4060434011771

All specifications are subject to change without prior notification.

Code	Series	Description	LIST €	EAN
DT4-DMX-J	DLED4	Power supply with DMX control for DLED4-D /-T (90- 264 V AC, Japan cable)		4060434011788
DT4-DMX-U	DLED4	Power supply with DMX control for DLED4-D /-T (90- 264 V AC, U.S. cable)		4060434011795
DT4-DMX16-A	DLED4	Special version, built on order only. Delivery times on request. Power supply with 8/16 Bit switchable DMX control for DLED4-D /-T (90- 264 V AC, Australian cable)		4060434011801
DT4-DMX16-E	DLED4	Special version, built on order only. Delivery times on request. Power supply with 8/16 Bit switchable DMX control for DLED4-D /-T (90- 264 V AC, European cable)		4060434011818
DT4-DMX16-G	DLED4	Special version, built on order only. Delivery times on request. Power supply with 8/16 Bit switchable DMX control for DLED4-D /-T (90- 264 V AC, Great Britain cable)		4060434011825
DT4-DMX16-J	DLED4	Special version, built on order only. Delivery times on request. Power supply with 8/16 Bit switchable DMX control for DLED4-D /-T (90- 264 V AC, Japan cable)		4060434011832
DT4-DMX16-U	DLED4	Special version, built on order only. Delivery times on request. Power supply with 8/16 Bit switchable DMX control for DLED4-D /-T (90- 264 V AC, U.S. cable)		4060434011849
DT4-E	DLED4	Power supply for DLED4-D /-T /-IR860 /-UV365 /-UV400 (90- 264 V AC, European cable)		4060434011856
DT4-G	DLED4	Power supply for DLED4-D /-T /-IR860 /-UV365 /-UV400 (90- 264 V AC, Great Britain cable)		4060434011863
DT4-J	DLED4	Power supply for DLED4-D /-T /-IR860 /-UV365 /-UV400 (90- 264 V AC, Japan cable)		4060434011870
DT4-U	DLED4	Power supply for DLED4-D /-T /-IR860 /-UV400 (90- 264 V AC, U.S. cable)		4060434011887
DT4-UV365-A	DLED4	Ballast for DLED4-UV365 LED light heads (90- 264 V AC, Australian cable)		4060434011894
DT4-UV365-E	DLED4	Ballast for DLED4-UV365 LED light heads (90- 264 V AC, European cable)		4060434011900
DT4-UV365-G	DLED4	Ballast for DLED4-UV365 LED light heads (90- 264 V AC, Great Britain cable)		4060434011917
DT4-UV365-J	DLED4	Ballast for DLED4-UV365 LED light heads (90- 264 V AC, Japan cable)		4060434011924
DT4-UV365-U	DLED4	Ballast for DLED4-UV365 LED light heads (90- 264 V AC, U.S. cable)		4060434011931
DT40-BI	Ledraptor	Power supply for DLRAP7 LED soft light. (A / E / G / J / U. 90- 264 V AC). 2x DPOW20 cable required. Mains power cable included (please specify connector of „DCAB3A-SW“ power cable)		4060434022449
DT4SE-A	DLED4	Special version, built on order only. Delivery times on request. Power supply for DLED4-D /-T for external dimming console (200- 240 V AC, Australian cable)		4060434011948
DT4SE-E	DLED4	Special version, built on order only. Delivery times on request. Power supply for DLED4-D /-T for external dimming console (200- 240 V AC, European cable)		4060434011955
DT4SE-G	DLED4	Special version, built on order only. Delivery times on request. Power supply for DLED4-D /-T for external dimming console (200- 240 V AC, Great Britain cable)		4060434011962
DT4SE-J	DLED4	Special version, built on order only. Delivery times on request. Power supply for DLED4-D /-T for external dimming console (90- 135 V AC, Japan cable)		4060434011979
DT4SE-U	DLED4	Special version, built on order only. Delivery times on request. Power supply for DLED4-D /-T for external dimming console (90- 135 V AC, U.S. cable)		4060434011986
DT4x150A	Classic	Power supply / control unit for DLH4x150S (240 V AC, Australian cable) Note! DLH4x150S, DT4x150, DPOW4x150-2 and DPOW4x150-8 => NEW SPEACON connectors instead of AMPHENOL 4x150 W soft light models, bought before January 2011 are NOT compatible with new connectors!		4060434011993

Code	Series	Description	LIST €	EAN
DT4x150E	Classic	Power supply / control unit for DLH4x150S (230 V AC, European cable) Note! DLH4x150S, DT4x150, DPOW4x150-2 and DPOW4x150-8 => NEW SPEACON connectors instead of AMPHENOL 4x150 W soft light models, bought before January 2011 are NOT compatible with new connectors!		4060434012006
DT4x150G	Classic	Power supply / control unit for DLH4x150S (240 V AC, Great Britain cable) Note! DLH4x150S, DT4x150, DPOW4x150-2 and DPOW4x150-8 => NEW SPEACON connectors instead of AMPHENOL 4x150 W soft light models, bought before January 2011 are NOT compatible with new connectors!		4060434012013
DT4x150J	Classic	Power supply / control unit for DLH4x150S (100 V AC, Japan cable) Note! DLH4x150S, DT4x150, DPOW4x150-2 and DPOW4x150-8 => NEW SPEACON connectors instead of AMPHENOL 4x150 W soft light models, bought before January 2011 are NOT compatible with new connectors!		4060434012020
DT4x150U	Classic	Power supply / control unit for DLH4x150S (120 V AC, U.S. cable) Note! DLH4x150S, DT4x150, DPOW4x150-2 and DPOW4x150-8 => NEW SPEACON connectors instead of AMPHENOL 4x150 W soft light models, bought before January 2011 are NOT compatible with new connectors!		4060434012037
DT7-A	DLED7	Power supply for DLED7-D /-TTURBO light heads (90- 264 V AC, Australian cable)		4060434012044
DT7-BAT-AB	DLED7	DC dimmable ballast for DLED7-D /-TTURBO LED light heads to use with batteries. Input 11- 36V DC. D-TAP input cable.		4060434012051
DT7-BI-A	DLED7	Power supply with digital display for Kelvin values for DLED7-BI TURBO light heads (90- 264 V AC, Australian cable)		4060434012068
DT7-BI-BAT-AB	DLED7	DC dimmable ballast for DLED7-BI TURBO LED light heads to use with batteries. Input 11- 36V DC. D-TAP input cable.		4060434012075
DT7-BI-DMX-A	DLED7	Power supply with DMX control and digital display for Kelvin values for DLED7-BI TURBO light heads (90- 264 V AC, Australian cable)		4060434012082
DT7-BI-DMX-E	DLED7	Power supply with DMX control and digital display for Kelvin values for DLED7-BI TURBO light heads (90- 264 V AC, European cable)		4060434012099
DT7-BI-DMX-G	DLED7	Power supply with DMX control and digital display for Kelvin values for DLED7-BI TURBO light heads (90- 264 V AC, Japan cable)		4060434012105
DT7-BI-DMX-J	DLED7	Power supply with DMX control and digital display for Kelvin values for DLED7-BI TURBO light heads (90- 264 V AC, Great Britain cable)		4060434012112
DT7-BI-DMX-U	DLED7	Power supply with DMX control and digital display for Kelvin values for DLED7-BI TURBO light heads (90- 264 V AC, U.S. cable)		4060434012129
DT7-BI-E	DLED7	Power supply with digital display for Kelvin values for DLED7-BI TURBO light heads (90- 264 V AC, European cable)		4060434012136
DT7-BI-G	DLED7	Power supply with digital display for Kelvin values for DLED7-BI TURBO light heads (90- 264 V AC, Great Britain cable)		4060434012143
DT7-BI-J	DLED7	Power supply with digital display for Kelvin values for DLED7-BI TURBO light heads (90- 264 V AC, Japan cable)		4060434012150
DT7-BI-U	DLED7	Power supply with digital display for Kelvin values for DLED7-BI TURBO light heads (90- 264 V AC, U.S. cable)		4060434012167

All specifications are subject to change without prior notification.

Code	Series	Description	LIST €	EAN
DT7-DMX-A	DLED7	Power supply with DMX control for DLED7-D /-TTURBO light heads (90- 264 V AC, Australian cable)		4060434012174
DT7-DMX-E	DLED7	Power supply with DMX control for DLED7-D /-TTURBO light heads (90- 264 V AC, European cable)		4060434012181
DT7-DMX-G	DLED7	Power supply with DMX control for DLED7-D /-TTURBO light heads (90- 264 V AC, Great Britain cable)		4060434012198
DT7-DMX-J	DLED7	Power supply with DMX control for DLED7-D /-TTURBO light heads (90- 264 V AC, Japan cable)		4060434012204
DT7-DMX-U	DLED7	Power supply with DMX control for DLED7-D /-TTURBO light heads (90- 264 V AC, U.S. cable)		4060434012211
DT7-E	DLED7	Power supply for DLED7-D /-TTURBO light heads (90- 264 V AC, European cable)		4060434012228
DT7-G	DLED7	Power supply for DLED7-D /-TTURBO light heads (90- 264 V AC, Great Britain cable)		4060434012235
DT7-J	DLED7	Power supply for DLED7-D /-TTURBO light heads (90- 264 V AC, Japan cable)		4060434012242
DT7-U	DLED7	Power supply for DLED7-D /-TTURBO light heads (90- 264 V AC, U.S. cable)		4060434012259
DT9-A	DLED9	Power supply for DLED9-D /-T /-UV365 /-UV400 (90- 264 V AC, Australian cable)		4060434012266
DT9-BAT-AB	DLED9	DC dimmable ballast for DLED9-D /-T to use with batteries. Input 11- 36V DC. DDTAP cable or DLPS36-100 AC power supply required		4060434012273
DT9-BI-A	DLED9	Power supply with digital display for Kelvin values for DLED9-BI (90- 264 V AC, Australian cable)		4060434012280
DT9-BI-BAT-AB	DLED9	DC dimmable ballast with Kelvin display for DLED9-BI light heads. Input 11- 36V DC. DDTAP cable or DLPS36-100 AC power supply required		4060434012297
DT9-BI-DMX-A	DLED9	Power supply with DMX control and digital display for Kelvin values for DLED9-BI (90- 264 V AC, Australian cable)		4060434012303
DT9-BI-DMX-E	DLED9	Power supply with DMX control and digital display for Kelvin values for DLED9-BI (90- 264 V AC, European cable)		4060434012310
DT9-BI-DMX-G	DLED9	Power supply with DMX control and digital display for Kelvin values for DLED9-BI (90- 264 V AC, Great Britain cable)		4060434012327
DT9-BI-DMX-J	DLED9	Power supply with DMX control and digital display for Kelvin values for DLED9-BI (90- 264 V AC, Japan cable)		4060434012334
DT9-BI-DMX-U	DLED9	Power supply with DMX control and digital display for Kelvin values for DLED9-BI (90- 264 V AC, U.S. cable)		4060434012341
DT9-BI-E	DLED9	Power supply with digital display for Kelvin values for DLED9-BI (90- 264 V AC, European cable)		4060434012358
DT9-BI-G	DLED9	Power supply with digital display for Kelvin values for DLED9-BI (90- 264 V AC, Great Britain cable)		4060434012365
DT9-BI-J	DLED9	Power supply with digital display for Kelvin values for DLED9-BI (90- 264 V AC, Japan cable)		4060434012372
DT9-BI-U	DLED9	Power supply with digital display for Kelvin values for DLED9-BI (90- 264 V AC, U.S. cable)		4060434012389
DT9-DMX-A	DLED9	Power supply with DMX control for DLED9-D /-T (90- 264 V AC, Australian cable)		4060434012396
DT9-DMX-E	DLED9	Power supply with DMX control for DLED9-D /-T (90- 264 V AC, European cable)		4060434012402
DT9-DMX-G	DLED9	Power supply with DMX control for DLED9-D /-T (90- 264 V AC, Great Britain cable)		4060434012419
DT9-DMX-J	DLED9	Power supply with DMX control for DLED9-D /-T (90- 264 V AC, Japan cable)		4060434012426
DT9-DMX-U	DLED9	Power supply with DMX control for DLED9-D /-T (90- 264 V AC, U.S. cable)		4060434012433

Code	Series	Description	LIST €	EAN
DT9-DMX16-A	DLED9	Special version, built on order only. Delivery times on request. Power supply with 8/16 Bit switchable DMX control for DLED9-D /-T (90- 264 V AC, Australian cable)		4060434012440
DT9-DMX16-E	DLED9	Special version, built on order only. Delivery times on request. Power supply with 8/16 Bit switchable DMX control for DLED9-D /-T (90- 264 V AC, European cable)		4060434012457
DT9-DMX16-G	DLED9	Special version, built on order only. Delivery times on request. Power supply with 8/16 Bit switchable DMX control for DLED9-D /-T (90- 264 V AC, Great Britain cable)		4060434012464
DT9-DMX16-J	DLED9	Special version, built on order only. Delivery times on request. Power supply with 8/16 Bit switchable DMX control for DLED9-D /-T (90- 264 V AC, Japan cable)		4060434012471
DT9-DMX16-U	DLED9	Special version, built on order only. Delivery times on request. Power supply with 8/16 Bit switchable DMX control for DLED9-D /-T (90- 264 V AC, U.S. cable)		4060434012488
DT9-E	DLED9	Power supply for DLED9-D /-T /-UV365 /-UV400 (90- 264 V AC, European cable)		4060434012495
DT9-G	DLED9	Power supply for DLED9-D /-T /-UV365 /-UV400 (90- 264 V AC, Great Britain cable)		4060434012501
DT9-J	DLED9	Power supply for DLED9-D /-T /-UV365 /-UV400 (90- 264 V AC, Japan cable)		4060434012518
DT9-U	DLED9	Power supply for DLED9-D /-T /-UV365 /-UV400 (90- 264 V AC, U.S. cable)		4060434012525
DTCF	Classic	Dichroic tungsten conversion filter (Series 200), lightloss 1 stop		4060434012532
DTCF400	Serie 400	Dichroic tungsten conversion filter (Series 400), lightloss 1 stop		4060434012549
DTHC	Classic	Power supply holder incl. CLAMP-C, fits DT4(-BI), DT4(-BI)-BAT, DT9(-BI), DT9(-BI)-BAT, DLDIM2000 and DLDIM2000-DMX housings. Max. clamp opening 25,4mm (1")		4060434012556
DTHD	Classic	Power supply holder incl. CLAMP-D, fits DT4(-BI), DT4(-BI)-BAT, DT9(-BI), DT9(-BI)-BAT, DLDIM2000 and DLDIM2000-DMX housings. Max clamp opening 52mm (2")		4060434012563
DV3GA	Classic	Ø 7.5 cm / 3", suction cup with vacuum pump articulating arm, 200 mm		4060434012570
DV6B	Classic	Vacuum mount, 152 mm (6") diameter suction cup		4060434012587
DWAFX	Classic	Directional beam spreader with holder for Classic Series, Series 200, DLED4 and DLED7 Series accessory slot		4060434012594
DWAFX1200	Serie 1200	Directional beam spreader with holder for Series 1200 and DLED12 / DLED30 Series accessory slot		4060434012600
DWAFX400	Serie 400	Directional beam spreader with holder for Series 400 and DLED9 / DLED10 Series accessory slot		4060434012617
DWAFXS	Classic	Directional beam spreader with holder for DLED2 / DLED3 Series accessory slot		4060434012624
DXBAT4-3	Classic	Battery cable, 4-pin XLR (male) in and 3-pin XLR (female) output with in-line switch		4060434012631
DYN-DDBC-TU	Dynacore	Dual-Charger for 2x DS-U95 batteries		
DYN-DS-95SI	Dynacore	V-Lock Li-Ion Battery, 95 Wh / 14,8 V with integrated charger, D-TAP and USB output		
DYN-DS-U95B	Dynacore	Sony BPU Battery 14,4 V		
HTP1000S	Serie 1200	High temperature resistant pouch for DLH1000S and DLH1000SPLUS		4060434012648
HTP150S	Classic	High temperature resistant pouch for DLH1x150S		4060434012655
HTP200S	Classic	High temperature resistant pouch for DLH200SDT		4060434012662
HTP400S	Serie 400	High temperature resistant pouch for DLH400SDT		4060434012679
HTP4x150S	Classic	High temperature resistant pouch for DLH4x150S		4060434012686
SETDGF	Efect	5x Classic sized Efect gel filter, incl. DFH filter holder. Fits DLH4, DLH200DT, DLED4, DLED7 light heads		4060434024085
SETDGFL	Efect	5x Series 400 sized Efect gel filter, incl. DFH400 filter holder. Fits DLH400DT, DLH652T, DLED9, DLED10 light heads		4060434024092
SPS3-DAYCON	Classic	3-Light daylight conversion package: 2x DDCF, diffusers half blue and full blue		4060434017377

All specifications are subject to change without prior notification.

Code	Series	Description	LIST €	EAN
SPS5-DAYCON	Classic	5-Light daylight conversion package: 3x DDCF, diffusers half blue and full blue		4060434017483
SRAP5-BI	Ledraptor	LEDRAPTOR 5 LED soft light, bicolor, DT20-BI power supply, DPOW20 cable, Panaura 5 dome (Please specify power connector of „DCAB3A-SW“ cable).		4060434022074
STUD6L	Classic	Baby stud 16mm (5/8“) with hex. rod (150 mm length)		4060434017582
STUD6M	Classic	Baby stud 16mm (5/8“) with hex. rod (110 mm length)		4060434017599
STUD6S	Classic	Baby stud 16mm (5/8“) with hex. rod (65 mm length)		4060434017605
STUDL	Classic	Baby stud, 16mm (5/8“) with 1/4“ internal thread		4060434017612
STUDL90	Classic	Baby stud angle attachment, 16mm (5/8“) with hex. rod		4060434017629
STUDS	Classic	Stud, 16mm (5/8“) with 1/4“ internal thread		4060434017636

dedolight Kits

BLED2x1-BI-B-A	DLED4	3 Light Kit- BICOLOR AC (BASIC)- 2x DLED4-BI, 1x FELLONI3-BIHO LED panel with soft box and accessories AC only (90-264 V AC, Australian cable), comes with DBPSLED backpack	K	4060434000027
BLED2x1-BI-B-E	DLED4	3 Light Kit- BICOLOR AC (BASIC)- 2x DLED4-BI, 1x FELLONI3-BIHO LED panel with soft box and accessories AC only (90-264 V AC, European cable), comes with DBPSLED backpack	K	4060434000034
BLED2x1-BI-B-G	DLED4	3 Light Kit- BICOLOR AC (BASIC)- 2x DLED4-BI, 1x FELLONI3-BIHO LED panel with soft box and accessories AC only (90-264 V AC, Great Britain cable), comes with DBPSLED backpack	K	4060434000041
BLED2x1-BI-B-J	DLED4	3 Light Kit- BICOLOR AC (BASIC)- 2x DLED4-BI, 1x FELLONI3-BIHO LED panel with soft box and accessories AC only (90-264 V AC, Japan cable), comes with DBPSLED backpack	K	4060434000058
BLED2x1-BI-B-U	DLED4	3 Light Kit- BICOLOR AC (BASIC)- 2x DLED4-BI, 1x FELLONI3-BIHO LED panel with soft box and accessories AC only (90-264 V AC, U.S. cable), comes with DBPSLED backpack	K	4060434000065
BLED2x1-BI-S-A	DLED4	3 Light Kit- BICOLOR AC (STANDARD)- 2x DLED4-BI / 1x FELLONI3-BIHO LED panel with soft box, DP1.1 and accessories- AC (90-264 V AC, Australian cable), comes with DBPSLED backpack	K	4060434000072
BLED2x1-BI-S-E	DLED4	3 Light Kit- BICOLOR AC (STANDARD)- 2x DLED4-BI / 1x FELLONI3-BIHO LED panel with soft box, DP1.1 and accessories- AC (90-264 V AC, European cable), comes with DBPSLED backpack	K	4060434000089
BLED2x1-BI-S-G	DLED4	3 Light Kit- BICOLOR AC (STANDARD)- 2x DLED4-BI / 1x FELLONI3-BIHO LED panel with soft box, DP1.1 and accessories- AC (90-264 V AC, Great Britain cable), comes with DBPSLED backpack	K	4060434000096
BLED2x1-BI-S-J	DLED4	3 Light Kit- BICOLOR AC (STANDARD)- 2x DLED4-BI / 1x FELLONI3-BIHO LED panel with soft box, DP1.1 and accessories- AC (90-264 V AC, Japan cable), comes with DBPSLED backpack	K	4060434000102
BLED2x1-BI-S-U	DLED4	3 Light Kit- BICOLOR AC (STANDARD)- 2x DLED4-BI / 1x FELLONI3-BIHO LED panel with soft box, DP1.1 and accessories- AC (90-264 V AC, U.S. cable), comes with DBPSLED backpack	K	4060434000119
BLED2x1-D-B-A	DLED4	3 Light Kit- DAYLIGHT AC (BASIC)- 2x DLED4-D, 1x FELLONI3-DHO LED panel with soft box and accessories AC only (90-264 V AC, Australian cable), comes with DBPSLED backpack	K	4060434000126
BLED2x1-D-B-E	DLED4	3 Light Kit- DAYLIGHT AC (BASIC)- 2x DLED4-D, 1x FELLONI3-DHO LED panel with soft box and accessories AC only (90-264 V AC, European cable), comes with DBPSLED backpack	K	4060434000133
BLED2x1-D-B-G	DLED4	3 Light Kit- DAYLIGHT AC (BASIC)- 2x DLED4-D, 1x FELLONI3-DHO LED panel with soft box and accessories AC only (90-264 V AC, Great Britain cable), comes with DBPSLED backpack	K	4060434000140
BLED2x1-D-B-J	DLED4	3 Light Kit- DAYLIGHT AC (BASIC)- 2x DLED4-D, 1x FELLONI3-DHO LED panel with soft box and accessories AC only (90-264 V AC, Japan cable), comes with DBPSLED backpack	K	4060434000157

Code	Series	Description	LIST €	EAN
BLED2x1-D-B-U	DLED4	3 Light Kit- DAYLIGHT AC (BASIC)- 2x DLED4-D, 1x FELLONI3-DHO LED panel with soft box and accessories AC only (90-264 V AC, U.S. cable), comes with DBPSLED backpack	K	4060434000164
BLED2x1-D-S-A	DLED4	3 Light Kit- DAYLIGHT AC (STANDARD)- 2x DLED4-D/ 1x FELLONI3-DHO LED panel with soft box, DP1.1 and accessories- AC (90-264 V AC, Australian cable), comes with DBPSLED backpack	K	4060434000171
BLED2x1-D-S-E	DLED4	3 Light Kit- DAYLIGHT AC (STANDARD)- 2x DLED4-D/ 1x FELLONI3-DHO LED panel with soft box, DP1.1 and accessories- AC (90-264 V AC, European cable), comes with DBPSLED backpack	K	4060434000188
BLED2x1-D-S-G	DLED4	3 Light Kit- DAYLIGHT AC (STANDARD)- 2x DLED4-D/ 1x FELLONI3-DHO LED panel with soft box, DP1.1 and accessories- AC (90-264 V AC, Great Britain cable), comes with DBPSLED backpack	K	4060434000195
BLED2x1-D-S-J	DLED4	3 Light Kit- DAYLIGHT AC (STANDARD)- 2x DLED4-D/ 1x FELLONI3-DHO LED panel with soft box, DP1.1 and accessories- AC (90-264 V AC, Japan cable), comes with DBPSLED backpack	K	4060434000201
BLED2x1-D-S-U	DLED4	3 Light Kit- DAYLIGHT AC (STANDARD)- 2x DLED4-D/ 1x FELLONI3-DHO LED panel with soft box, DP1.1 and accessories- AC (90-264 V AC, U.S. cable), comes with DBPSLED backpack	K	4060434000218
BPS3-A	Classic	3-Light kit with backpack DBP (240 V AC, Australian cable)	K	4060434000225
BPS3-E	Classic	3-Light kit with backpack DBP (230 V AC, European cable)	K	4060434000232
BPS3-G	Classic	3-Light kit with backpack DBP (240 V AC, Great Britain cable)	K	4060434000249
BPS3-J	Classic	3-Light kit with backpack DBP (100 V AC, Japan cable)	K	4060434000256
BPS3-U	Classic	3-Light kit with backpack DBP (120 V AC, U.S. cable)	K	4060434000263
BPS4-A	Classic	4-Light kit with backpack DBP (240 V AC, Australian cable)	K	4060434000270
BPS4-E	Classic	4-Light kit with backpack DBP (230 V AC, European cable)	K	4060434000294
BPS4-G	Classic	4-Light kit with backpack DBP (240 V AC, Great Britain cable)	K	4060434000300
BPS4-J	Classic	4-Light kit with backpack DBP (100 V AC, Japan cable)	K	4060434000317
BPS4-U	Classic	4-Light kit with backpack DBP (120 V AC, U.S. cable)	K	4060434000324
BWLED2x1-BI-B-A	DLED4	3 Light Kit- BICOLOR AC (BASIC)- 2x DLED4-BI, 1x FELLONI3-BIHO LED panel with soft box and accessories AC only (90-264 V AC, Australian cable), comes with DBPSW backpack with transport wheels	K	4060434000331
BWLED2x1-BI-B-E	DLED4	3 Light Kit- BICOLOR AC (BASIC)- 2x DLED4-BI, 1x FELLONI3-BIHO LED panel with soft box and accessories AC only (90-264 V AC, European cable), comes with DBPSW backpack with transport wheels	K	4060434000348
BWLED2x1-BI-B-G	DLED4	3 Light Kit- BICOLOR AC (BASIC)- 2x DLED4-BI, 1x FELLONI3-BIHO LED panel with soft box and accessories AC only (90-264 V AC, Great Britain cable), comes with DBPSW backpack with transport wheels	K	4060434000355
BWLED2x1-BI-B-J	DLED4	3 Light Kit- BICOLOR AC (BASIC)- 2x DLED4-BI, 1x FELLONI3-BIHO LED panel with soft box and accessories AC only (90-264 V AC, Japan cable), comes with DBPSW backpack with transport wheels	K	4060434000362
BWLED2x1-BI-B-U	DLED4	3 Light Kit- BICOLOR AC (BASIC)- 2x DLED4-BI, 1x FELLONI3-BIHO LED panel with soft box and accessories AC only (90-264 V AC, U.S. cable), comes with DBPSW backpack with transport wheels	K	4060434000379

All specifications are subject to change without prior notification.

Code	Series	Description	LIST €	EAN
BWLED2x1-BI-S-A	DLED4	3 Light Kit- BICOLOR AC (STANDARD)- 2x DLED4-BI / 1x FELLONI3-BIHO LED panel with soft box, DP1.1 and accessories- AC (90-264 V AC, Australian cable), comes with DBPSW backpack with transport wheels	K	4060434000386
BWLED2x1-BI-S-E	DLED4	3 Light Kit- BICOLOR AC (STANDARD)- 2x DLED4-BI / 1x FELLONI3-BIHO LED panel with soft box, DP1.1 and accessories- AC (90-264 V AC, European cable), comes with DBPSW backpack with transport wheels	K	4060434000393
BWLED2x1-BI-S-G	DLED4	3 Light Kit- BICOLOR AC (STANDARD)- 2x DLED4-BI / 1x FELLONI3-BIHO LED panel with soft box, DP1.1 and accessories- AC (90-264 V AC, Great Britain cable), comes with DBPSW backpack with transport wheels	K	4060434000409
BWLED2x1-BI-S-J	DLED4	3 Light Kit- BICOLOR AC (STANDARD)- 2x DLED4-BI / 1x FELLONI3-BIHO LED panel with soft box, DP1.1 and accessories- AC (90-264 V AC, Japan cable), comes with DBPSW backpack with transport wheels	K	4060434000416
BWLED2x1-BI-S-U	DLED4	3 Light Kit- BICOLOR AC (STANDARD)- 2x DLED4-BI / 1x FELLONI3-BIHO LED panel with soft box, DP1.1 and accessories- AC (90-264 V AC, U.S. cable), comes with DBPSW backpack with transport wheels	K	4060434000423
BWLED2x1-D-B-A	DLED4	3 Light Kit- DAYLIGHT AC (BASIC)- 2x DLED4-D, 1x FELLONI3-BIHO LED panel with soft box and accessories AC only (90-264 V AC, Australian cable), comes with DBPSW backpack with transport wheels	K	4060434000430
BWLED2x1-D-B-E	DLED4	3 Light Kit- DAYLIGHT AC (BASIC)- 2x DLED4-D, 1x FELLONI3-BIHO LED panel with soft box and accessories AC only (90-264 V AC, European cable), comes with DBPSW backpack with transport wheels	K	4060434000447
BWLED2x1-D-B-G	DLED4	3 Light Kit- DAYLIGHT AC (BASIC)- 2x DLED4-D, 1x FELLONI3-DHO LED panel with soft box and accessories AC only (90-264 V AC, Great Britain cable), comes with DBPSW backpack with transport wheels	K	4060434000454
BWLED2x1-D-B-J	DLED4	3 Light Kit- DAYLIGHT AC (BASIC)- 2x DLED4-D, 1x FELLONI3-DHO LED panel with soft box and accessories AC only (90-264 V AC, Japan cable), comes with DBPSW backpack with transport wheels	K	4060434000461
BWLED2x1-D-B-U	DLED4	3 Light Kit- DAYLIGHT AC (BASIC)- 2x DLED4-D, 1x FELLONI3-DHO LED panel with soft box and accessories AC only (90-264 V AC, U.S. cable), comes with DBPSW backpack with transport wheels	K	4060434000478
BWLED2x1-D-S-A	DLED4	3 Light Kit- DAYLIGHT AC (STANDARD)- 2x DLED4-D/ 1x FELLONI3-DHO LED panel with soft box, DP1.1 and accessories- AC (90-264 V AC, Australian cable), comes with DBPSW backpack with transport wheels	K	4060434000485
BWLED2x1-D-S-E	DLED4	3 Light Kit- DAYLIGHT AC (STANDARD)- 2x DLED4-D/ 1x FELLONI3-DHO LED panel with soft box, DP1.1 and accessories- AC (90-264 V AC, European cable), comes with DBPSW backpack with transport wheels	K	4060434000492
BWLED2x1-D-S-G	DLED4	3 Light Kit- DAYLIGHT AC (STANDARD)- 2x DLED4-D/ 1x FELLONI3-DHO LED panel with soft box, DP1.1 and accessories- AC (90-264 V AC, Great Britain cable), comes with DBPSW backpack with transport wheels	K	4060434000508
BWLED2x1-D-S-J	DLED4	3 Light Kit- DAYLIGHT AC (STANDARD)- 2x DLED4-D/ 1x FELLONI3-DHO LED panel with soft box, DP1.1 and accessories- AC (90-264 V AC, Japan cable), comes with DBPSW backpack with transport wheels	K	4060434000515
BWLED2x1-D-S-U	DLED4	3 Light Kit- DAYLIGHT AC (STANDARD)- 2x DLED4-D/ 1x FELLONI3-DHO LED panel with soft box, DP1.1 and accessories- AC (90-264 V AC, U.S. cable), comes with DBPSW backpack with transport wheels	K	4060434000522
COOLSET	Dedocool	dedocool light kit, hard case (A / E / G / J / U. 110 – 240 V AC, please specify power connector)	K	4060434000614
DSCK	Classic	Scrim kit (includes all Classic Series scrims)	K	4060434011238
DSCK1200	Serie 1200	Scrim kit (includes all Series 1200 scrims)	K	4060434021442
DSCK400	Serie 400	Scrim kit (includes all Series 400 scrims)	K	4060434011245
K1000T-A	Serie 1200	1000W focusing tungsten kit. Contains DLH1000T light head, barn door and 2x 1000W lamps, single ended. Australian cable.	K	4060434012693
K1000T-E	Serie 1200	1000W focusing tungsten kit. Contains DLH1000T light head, barn door and 2x 1000W lamps, single ended. European cable.	K	4060434012709

Code	Series	Description	LIST €	EAN
K1000T-G	Serie 1200	1000W focusing tungsten kit. Contains DLH1000T light head, barn door and 2x 1000W lamps, single ended. Great-Britain vable	K	4060434012716
K1000T-J	Serie 1200	1000W focusing tungsten kit. Contains DLH1000T light head, barn door and 2x 1000W lamps, single ended. Japan cable.	K	4060434012723
K1000T-U	Serie 1200	1000W focusing tungsten kit. Contains DLH1000T light head, barn door and 2x 1000W lamps, single ended. U.S. cable.	K	4060434012730
K1200D	Serie 1200	1200W focusing daylight kit. Contains DLH1200D light head, DEB1200D ballast, ballst holder, cables, barn door and 2x 1200W lamps, single ended. Comes in two transport cases.	K	4060434012747
K200-1	Serie 200	Sundance' kit, 1 x 200DT daylight/tungsten, hard case ((A / E / G / J / U) 100- 255 V AC, please specify power connector of „DCAB3A“ cable)	K	4060434012754
K200-3	Serie 200	Sundance' kit, 2 x 200DT, 1 x 200S daylight/tungsten, small soft box, hard case ((A / E / G / J / U) 90- 264 V AC, please specify power connector of „DCAB3A“ cable)	K	4060434012761
K3x652T-A	Serie 650	New transport case for DLH652T light head models. Basic 3 x 650 W tungsten kit, hard case (240 V AC, Australian cable)	K	4060434012785
K3x652T-E	Serie 650	New transport case for DLH652T light head models. Basic 3 x 650 W tungsten kit, hard case (230 V AC, European cable)	K	4060434012792
K3x652T-G	Serie 650	New transport case for DLH652T light head models. Basic 3 x 650 W tungsten kit, hard case (240 V AC, Great Britain cable)	K	4060434012808
K3x652T-J	Serie 650	New transport case for DLH652T light head models. Basic 3 x 650 W tungsten kit, hard case (100 V AC, Japan cable)	K	4060434012815
K3x652T-U	Serie 650	New transport case for DLH652T light head models. Basic 3 x 650 W tungsten kit, hard case (120 V AC, U.S. cable)	K	4060434012822
K400DT-B	Serie 400	Standard 1 x 400/575 W daylight/tungsten kit, hard case ((A / E / G / J / U) 90- 264 V AC, please specify power connector of „DCAB3IEC“ cable)	K	4060434012839
K652T-A	Serie 650	Standard 650 W tungsten kit, hard case (240 V AC, Australian cable)	K	4060434012853
K652T-E	Serie 650	Standard 650 W tungsten kit, hard case (230 V AC, European cable)	K	4060434012860
K652T-G	Serie 650	Standard 650 W tungsten kit, hard case (240 V AC, Great Britain cable)	K	4060434012877
K652T-J	Serie 650	Standard 650 W tungsten kit, hard case (100 V AC, Japan cable)	K	4060434012884
K652T-U	Serie 650	Standard 650 W tungsten kit, hard case (120 V AC, U.S. cable)	K	4060434012891
KA1B	Classic	Basic 4 x 12 V / 100 W (DLH4) tungsten kit, 4 x DIMTA3 (230 V AC, European cable)	K	4060434012907
KA1M	Classic	Master 4 x 12 V / 100 W (DLH4) tungsten kit, 4 x DIMTA3 (230 V AC, European cable)	K	4060434012914
KA24-4B-A	Classic	Basic 4 x 24 V / 150 W (DLH4) tungsten kit, 4 x DT24-1A (240 V AC, Australian cable)	K	4060434012921
KA24-4B-E	Classic	Basic 4 x 24 V / 150 W (DLH4) tungsten kit, 4 x DT24-1E (230 V AC, European cable)	K	4060434012938
KA24-4B-G	Classic	Basic 4 x 24 V / 150 W (DLH4) tungsten kit, 4 x DT24-1G (240 V AC, Great Britain cable)	K	4060434012945
KA24-4B-J	Classic	Basic 4 x 24 V / 150 W (DLH4) tungsten kit, 4 x DT24-1J (100 V AC, Japan cable)	K	4060434012952
KA24-4B-U	Classic	Basic 4 x 24 V / 150 W (DLH4) tungsten kit, 4 x DT24-1U (120 V AC, U.S. cable)	K	4060434012969
KA24-4M-A	Classic	Master 4 x 24 V / 150 W (DLH4) tungsten kit, 4 x DT24-1A (240 V AC, Australian cable)	K	4060434012976
KA24-4M-E	Classic	Master 4 x 24 V / 150 W (DLH4) tungsten kit, 4 x DT24-1E (230 V AC, European cable)	K	4060434012983

All specifications are subject to change without prior notification.

Code	Series	Description	LIST €	EAN
KA24-4M-G	Classic	Master 4 x 24 V / 150 W (DLH4) tungsten kit, 4 x DT24-1G (240 V AC, Great Britain cable)	K	4060434012990
KA24-4M-J	Classic	Master 4 x 24 V / 150 W (DLH4) tungsten kit, 4 x DT24-1J (100 V AC, Japan cable)	K	4060434013003
KA24-4M-U	Classic	Master 4 x 24 V / 150 W (DLH4) tungsten kit, 4 x DT24-1U (120 V AC, U.S. cable)	K	4060434013010
KA24B-A	Classic	Basic 3 x 24 V / 150 W (DLH4) tungsten kit, 3 x DT24-1A (240 V AC, Australian cable)	K	4060434013027
KA24B-E	Classic	Basic 3 x 24 V / 150 W (DLH4) tungsten kit, 3 x DT24-1E (230 V AC, European cable)	K	4060434013034
KA24B-G	Classic	Basic 3 x 24 V / 150 W (DLH4) tungsten kit, 3 x DT24-1G (240 V AC, Australian cable)	K	4060434013041
KA24B-J	Classic	Basic 3 x 24 V / 150 W (DLH4) tungsten kit, 3 x DT24-1J (100 V AC, Japan cable)	K	4060434013058
KA24B-U	Classic	Basic 3 x 24 V / 150 W (DLH4) tungsten kit, 3 x DT24-1U (120 V AC, U.S. cable)	K	4060434013065
KA24M-A	Classic	Master 3 x 24 V / 150 W (DLH4) tungsten kit, 3 x DT24-1 (240 V AC, Australian cable)	K	4060434013072
KA24M-E	Classic	Master 3 x 24 V / 150 W (DLH4) tungsten kit, 3 x DT24-1E (230 V AC, European cable)	K	4060434013089
KA24M-G	Classic	Master 3 x 24 V / 150 W (DLH4) tungsten kit, 3 x DT24-1G (240 V AC, Great Britain cable)	K	4060434013096
KA24M-J	Classic	Master 3 x 24 V / 150 W (DLH4) tungsten kit, 3 x DT24-1J (100 V AC, Japan cable)	K	4060434013102
KA24M-U	Classic	Master 3 x 24 V / 150 W (DLH4) tungsten kit, 3 x DT24-1 (120 V AC, U.S. cable)	K	4060434013119
KAC24B-A	Classic	Basic 4 x 24 V / 150 W (DLHM4-300A) tungsten kit, (240 V AC, Australian cable)	K	4060434013126
KAC24B-E	Classic	Basic 4 x 24 V / 150 W (DLHM4-300E) tungsten kit, (230 V AC, European cable)	K	4060434013133
KAC24B-G	Classic	Basic 4 x 24 V / 150 W (DLHM4-300G) tungsten kit, (240 V AC, Great Britain cable)	K	4060434013140
KAC24B-J	Classic	Basic 4 x 24 V / 150 W (DLHM4-300J) tungsten kit, (100 V AC, Japan cable)	K	4060434013157
KAC24B-U	Classic	Basic 4 x 24 V / 150 W (DLHM4-300U) tungsten kit, (120 V AC, U.S. cable)	K	4060434013164
KAC24M-A	Classic	Master 4 x 24 V / 150 W (DLHM4-300A) tungsten kit, (240 V AC, Australian cable)	K	4060434013171
KAC24M-E	Classic	Master 4 x 24 V / 150 W (DLHM4-300E) tungsten kit, (230 V AC, European cable)	K	4060434013188
KAC24M-G	Classic	Master 4 x 24 V / 150 W (DLHM4-300G) tungsten kit, (240 V AC, Great Britain cable)	K	4060434013195
KAC24M-J	Classic	Master 4 x 24 V / 150 W (DLHM4-300J) tungsten kit, (100 V AC, Japan cable)	K	4060434013201
KAC24M-U	Classic	Master 4 x 24 V / 150 W (DLHM4-300U) tungsten kit, (120 V AC, U.S. cable)	K	4060434013218
KDP400KFS	Serie 400	Imager projection attachment kit (DP400 with framing shutter assembly), hard case	K	4060434013225
KDP400KIR	Serie 400	Imager projection attachment kit (DP400 with iris assembly), hard case	K	4060434024054
KDP400KU	Serie 400	Imager projection attachment kit (DP400 with universal receptacle assembly, gobo holder and gobo set), hard case	K	4060434013232
KDPSET1	Classic	Imager projection attachment kit with DP1.1 and DP2.1, several lenses and accessories, hard case	K	4060434013249
KLED2x1F-BI-S-A	DLED4	3 Light Kit- BICOLOR AC (STANDARD)- 2x DLED4-BI / 1x FELLONI3-BIHO LED panel with soft box, DP1.1 and accessories- AC (90-264 V AC, Australian cable), comes with DCHDKA2 transport case	K	4060434013256



Code	Series	Description	LIST €	EAN
KLED2x1F-BI-S-E	DLED4	3 Light Kit- BICOLOR AC (STANDARD)- 2x DLED4-BI / 1x FELLONI3-BIHO LED panel with soft box, DP1.1 and accessories- AC (90-264 V AC, European cable), comes with DCHDKA2 transport case	K	4060434013263
KLED2x1F-BI-S-G	DLED4	3 Light Kit- BICOLOR AC (STANDARD)- 2x DLED4-BI / 1x FELLONI3-BIHO LED panel with soft box, DP1.1 and accessories- AC (90-264 V AC, Great Britain cable), comes with DCHDKA2 transport case	K	4060434013270
KLED2x1F-BI-S-J	DLED4	3 Light Kit- BICOLOR AC (STANDARD)- 2x DLED4-BI / 1x FELLONI3-BIHO LED panel with soft box, DP1.1 and accessories- AC (90-264 V AC, Japan cable), comes with DCHDKA2 transport case	K	4060434013287
KLED2x1F-BI-S-U	DLED4	3 Light Kit- BICOLOR AC (STANDARD)- 2x DLED4-BI / 1x FELLONI3-BIHO LED panel with soft box, DP1.1 and accessories- AC (90-264 V AC, U.S. cable), comes with DCHDKA2 transport case	K	4060434013294
KLED2x1F-D-S-A	DLED4	3 Light Kit- DAYLIGHT AC (STANDARD)- 2x DLED4-D/ 1x FELLONI3-DHO LED panel with soft box, DP1.1 and accessories- AC (90-264 V AC, Australian cable), comes with DCHDKA2 transport case	K	4060434013300
KLED2x1F-D-S-E	DLED4	3 Light Kit- DAYLIGHT AC (STANDARD)- 2x DLED4-D/ 1x FELLONI3-DHO LED panel with soft box, DP1.1 and accessories- AC (90-264 V AC, European cable), comes with DCHDKA2 transport case	K	4060434013317
KLED2x1F-D-S-G	DLED4	3 Light Kit- DAYLIGHT AC (STANDARD)- 2x DLED4-D/ 1x FELLONI3-DHO LED panel with soft box, DP1.1 and accessories- AC (90-264 V AC, Great Britain cable), comes with DCHDKA2 transport case	K	4060434013324
KLED2x1F-D-S-J	DLED4	3 Light Kit- DAYLIGHT AC (STANDARD)- 2x DLED4-D/ 1x FELLONI3-DHO LED panel with soft box, DP1.1 and accessories- AC (90-264 V AC, Japan cable), comes with DCHDKA2 transport case	K	4060434013331
KLED2x1F-D-S-U	DLED4	3 Light Kit- DAYLIGHT AC (STANDARD)- 2x DLED4-D/ 1x FELLONI3-DHO LED panel with soft box, DP1.1 and accessories- AC (90-264 V AC, U.S. cable), comes with DCHDKA2 transport case	K	4060434013348
KLED3-BI-A	DLED4	3 Light DLED Kit- BICOLOR (STANDARD)- 3x DLED4-BI with soft box power supplies, DP1.1 and accessories- AC (90-264 V AC, Australian cable)	K	4060434013355
KLED3-BI-E	DLED4	3 Light DLED Kit- BICOLOR (STANDARD)- 3x DLED4-BI with soft box power supplies, DP1.1 and accessories- AC (90-264 V AC, European cable)	K	4060434013362
KLED3-BI-G	DLED4	3 Light DLED Kit- BICOLOR (STANDARD)- 3x DLED4-BI with soft box power supplies, DP1.1 and accessories- AC (90-264 V AC, Great Britain cable)	K	4060434013379
KLED3-BI-J	DLED4	3 Light DLED Kit- BICOLOR (STANDARD)- 3x DLED4-BI with soft box power supplies, DP1.1 and accessories- AC (90-264 V AC, Japan cable)	K	4060434013386
KLED3-BI-U	DLED4	3 Light DLED Kit- BICOLOR (STANDARD)- 3x DLED4-BI with soft box power supplies, DP1.1 and accessories- AC (90-264 V AC, U.S. cable)	K	4060434013393
KLED3-D-A	DLED4	3 Light DLED Kit- DAYLIGHT (STANDARD)- 3x DLED4-D with soft box power supplies, DP1.1 and accessories- AC (90-264 V AC, Australian cable)	K	4060434013409
KLED3-D-E	DLED4	3 Light DLED Kit- DAYLIGHT (STANDARD)- 3x DLED4-D with soft box power supplies, DP1.1 and accessories- AC (90-264 V AC, European cable)	K	4060434013416
KLED3-D-G	DLED4	3 Light DLED Kit- DAYLIGHT (STANDARD)- 3x DLED4-D with soft box power supplies, DP1.1 and accessories- AC (90-264 V AC, Great Britain cable)	K	4060434013423
KLED3-D-J	DLED4	3 Light DLED Kit- DAYLIGHT (STANDARD)- 3x DLED4-D with soft box power supplies, DP1.1 and accessories- AC (90-264 V AC, Japan cable)	K	4060434013430
KLED3-D-U	DLED4	3 Light DLED Kit- DAYLIGHT (STANDARD)- 3x DLED4-D with soft box power supplies, DP1.1 and accessories- AC (90-264 V AC, U.S. cable)	K	4060434013447
KLED4-BI-A	DLED4	4 Light DLED Kit- BICOLOR (STANDARD)- 4x DLED4-BI with soft box power supplies and accessories- AC (90-264 V AC, Australian cable), comes with DCHDKA1 hard case	K	4060434013454
KLED4-BI-E	DLED4	4 Light DLED Kit- BICOLOR (STANDARD)- 4x DLED4-BI with soft box power supplies and accessories- AC (90-264 V AC, European cable), comes with DCHDKA1 hard case	K	4060434013461
KLED4-BI-G	DLED4	4 Light DLED Kit- BICOLOR (STANDARD)- 4x DLED4-BI with soft box power supplies and accessories- AC (90-264 V AC, Great Britain cable), comes with DCHDKA1 hard case	K	4060434013478
KLED4-BI-J	DLED4	4 Light DLED Kit- BICOLOR (STANDARD)- 4x DLED4-BI with soft box power supplies and accessories- AC (90-264 V AC, Japan cable), comes with DCHDKA1 hard case	K	4060434013485

All specifications are subject to change without prior notification.

Code	Series	Description	LIST €	EAN
KLED4-BI-U	DLED4	4 Light DLED Kit- BICOLOR (STANDARD)- 4x DLED4-BI with soft box power supplies and accessories- AC (90-264 V AC, U.S. cable), comes with DCHDKA1 hard case	K	4060434013492
KLED4-D-A	DLED4	4 Light DLED Kit- DAYLIGHT (STANDARD)- 4x DLED4-D with soft box power supplies and accessories- AC (90-264 V AC, Australian cable), comes with DCHDKA1 hard case	K	4060434013508
KLED4-D-E	DLED4	4 Light DLED Kit- DAYLIGHT (STANDARD)- 4x DLED4-D with soft box power supplies and accessories- AC (90-264 V AC, European cable), comes with DCHDKA1 hard case	K	4060434013515
KLED4-D-G	DLED4	4 Light DLED Kit- DAYLIGHT (STANDARD)- 4x DLED4-D with soft box power supplies and accessories- AC (90-264 V AC, Great Britain cable), comes with DCHDKA1 hard case	K	4060434013522
KLED4-D-J	DLED4	4 Light DLED Kit- DAYLIGHT (STANDARD)- 4x DLED4-D with soft box power supplies and accessories- AC (90-264 V AC, Japan cable), comes with DCHDKA1 hard case	K	4060434013539
KLED4-D-U	DLED4	4 Light DLED Kit- DAYLIGHT (STANDARD)- 4x DLED4-D with soft box power supplies and accessories- AC (90-264 V AC, U.S. cable), comes with DCHDKA1 hard case	K	4060434013546
KLRMAX	Lightstream	Hard case with wheels, incl. reflectors (50x50cm, 25x25cm, 7x10cm), locks, mountings and cleaning kit.	K	4060434024061
KLT7-3-BI-A	DLED7	Hard case kit with 3x DLED7 bicolor LED lights, soft boxes, DP1.1 and accessories (Australien cable)	K	4060434013553
KLT7-3-BI-E	DLED7	Hard case kit with 3x DLED7 bicolor LED lights, soft boxes, DP1.1 and accessories (European cable)	K	4060434013560
KLT7-3-BI-G	DLED7	Hard case kit with 3x DLED7 bicolor LED lights, soft boxes, DP1.1 and accessories (Great Britain cable)	K	4060434013577
KLT7-3-BI-J	DLED7	Hard case kit with 3x DLED7 bicolor LED lights, soft boxes, DP1.1 and accessories (Japan cable)	K	4060434013584
KLT7-3-BI-U	DLED7	Hard case kit with 3x DLED7 bicolor LED lights, soft boxes, DP1.1 and accessories (U.S. cable)	K	4060434013591
KLT7-3-D-A	DLED7	Hard case kit with 3x DLED7 daylight LED lights, soft boxes, DP1.1 and accessories (Australien cable)	K	4060434013607
KLT7-3-D-E	DLED7	Hard case kit with 3x DLED7 daylight LED lights, soft boxes, DP1.1 and accessories (European cable)	K	4060434013614
KLT7-3-D-G	DLED7	Hard case kit with 3x DLED7 daylight LED lights, soft boxes, DP1.1 and accessories (Great Britain cable)	K	4060434013621
KLT7-3-D-J	DLED7	Hard case kit with 3x DLED7 daylight LED lights, soft boxes, DP1.1 and accessories (Japan cable)	K	4060434013638
KLT7-3-D-U	DLED7	Hard case kit with 3x DLED7 daylight LED lights, soft boxes, DP1.1 and accessories (U.S. cable)	K	4060434013645
KMULTI4	Ledzilla	4-Light multispectrum kit with 4 lights and accessories	K	4060434022197
KPB70	Lightstream	Parallel beam kit with light head, ballast, ballast holder, 2x lamp and transport case	K	4060434022456
KW400DT	Serie 400	1 x 400/575 W daylight/tungsten kit, hard case with handle and wheels ((A / E / G / J / U) 90- 264 V AC, please specify power connector of „DCAB3A“ cable)	K	4060434022777
S1B-A	Classic	Basic ‚Compact‘ kit, 2 x 24 V / 150 W (DLH4/DLHM4-300A), 1 x DLH1000S-A, 1 x DT24-1A (240 V AC, Australian cable)	K	4060434013676
S1B-E	Classic	Basic ‚Compact‘ kit, 2 x 24 V / 150 W (DLH4/DLHM4-300E), 1 x DLH1000S-E, 1 x DT24-1E (230 V AC, European cable)	K	4060434013683
S1B-G	Classic	Basic ‚Compact‘ kit, 2 x 24 V / 150 W (DLH4/DLHM4-300G), 1 x DLH1000S-G, 1 x DT24-1G (240 V AC, Great Britain cable)	K	4060434013690
S1B-J	Classic	Basic ‚Compact‘ kit, 2 x 24 V / 150 W (DLH4/DLHM4-300J), 1 x DLH1000S-J, 1 x DT24-1J (100 V AC, Japan cable)	K	4060434013706
S1B-U	Classic	Basic ‚Compact‘ kit, 2 x 24 V / 150 W (DLH4/DLHM4-300U), 1 x DLH1000S-U, 1 x DT24-1U (120 V AC, U.S. cable)	K	4060434013713
S1M-A	Classic	Master ‚Compact‘ kit, 2 x 24 V / 150 W (DLH4/DLHM4-300A), 1 x DLH1000S-A, 1 x DT24-1A (240 V AC, Australian cable)	K	4060434013720

Code	Series	Description	LIST €	EAN
S1M-E	Classic	Master ‚Compact‘ kit, 2 x 24 V / 150 W (DLH4/DLHM4-300E), 1 x DLH1000S-E, 1 x DT24-1E (230 V AC, European cable)	K	4060434013737
S1M-G	Classic	Master ‚Compact‘ kit, 2 x 24 V / 150 W (DLH4/DLHM4-300G), 1 x DLH1000S-G, 1 x DT24-1G (240 V AC, Great Britain cable)	K	4060434013744
S1M-J	Classic	Master ‚Compact‘ kit, 2 x 24 V / 150 W (DLH4/DLHM4-300J), 1 x DLH1000S-J, 1 x DT24-1J (100 V AC, Japan cable)	K	4060434013751
S1M-U	Classic	Master ‚Compact‘ kit, 2 x 24 V / 150 W (DLH4/DLHM4-300U), 1 x DLH1000S-U, 1 x DT24-1U (120 V AC, U.S. cable)	K	4060434013768
S200-3	Classic	Sundance‘ kit, 2 x DLH200DT, 1 x DLH200SDT daylight/tungsten, medium soft box, soft case ((A / E / G / J / U) 90- 264 V AC, please specify power connector)	K	4060434013775
S400DT	Serie 400	1 x 400/575 W daylight/tungsten kit, soft case ((A / E / G / J / U) 90- 264 V AC, please specify power connector of „DCAB3IEC“ cable)	K	4060434013799
S652T-A	Serie 400	1 x 650 W tungsten kit, soft case ((A / E / G / J / U) 90- 264 V AC, Australian cable)	K	4060434013812
S652T-E	Serie 400	1 x 650 W tungsten kit, soft case ((A / E / G / J / U) 90- 264 V AC, European cable)	K	4060434013829
S652T-G	Serie 400	1 x 650 W tungsten kit, soft case ((A / E / G / J / U) 90- 264 V AC, Great-Britain cable)	K	4060434013836
S652T-J	Serie 400	1 x 650 W tungsten kit, soft case ((A / E / G / J / U) 90- 264 V AC, Japan cable)	K	4060434013843
S652T-U	Serie 400	1 x 650 W tungsten kit, soft case ((A / E / G / J / U) 90- 264 V AC, U.S. cable)	K	4060434013850
SBABE-A	Classic	Baby‘ soft kit, 1 x 24 V / 150 W (DLH1x150S), 1 x DT24-1A (240 V AC, Australian cable)	K	4060434013867
SBABE-E	Classic	Baby‘ soft kit, 1 x 24 V / 150 W (DLH1x150S), 1 x DT24-1E (230 V AC, European cable)	K	4060434013874
SBABE-G	Classic	Baby‘ soft kit, 1 x 24 V / 150 W (DLH1x150S), 1 x DT24-1G (240 V AC, Great Britain cable)	K	4060434013881
SBABE-J	Classic	Baby‘ soft kit, 1 x 24 V / 150 W (DLH1x150S), 1 x DT24-1J (100 V AC, Japan cable)	K	4060434013898
SBABE-U	Classic	Baby‘ soft kit, 1 x 24 V / 150 W (DLH1x150S), 1 x DT24-1U (120 V AC, U.S. cable)	K	4060434013904
SCLEAN	Lightstream	Cleaning kit for dedolight Lightstream reflectors. Liquid, gloves, tissue and transport pouch	K	4060434022487
SDST4	Classic	Soft bag stand kit, including 4x DST stands. This stand kit completes all the SLED2x2-Kits.	K	4060434013911
SDSTM3	Classic	Soft bag kit, including 3x DSTM stands and 2x DSTFX40 flexible stand extensions. This stand kit completes all the SLEDM-Kits.	K	4060434013928
SEF-B	Efect	Soft case kit EFLECT baby, with 3 flexible reflectors.	K	4060434021503
SEFL-1	Efect	Soft case kit EFLECT LARGE- Mirror surfaces #1, gold and silver	K	4060434023811
SEFL-2	Efect	Soft case kit EFLECT LARGE- Mirror surfaces #2, gold and silver	K	4060434024078
SEFL-4	Efect	Soft case kit EFLECT LARGE- with all four reflector surfaces	K	4060434023828
SEP1000-DAYCON-A	Classic	Separate 1000 W option: In addition to SPS5 kit- 1 x DLH1000S-A soft light complete with soft box medium and extra blue diffusers for daylight conversion, soft case (240 V AC, Australian cable)	K	4060434013935
SEP1000-DAYCON-E	Classic	Separate 1000 W option: In addition to SPS5 kit- 1 x DLH1000S-E soft light complete with soft box medium and extra blue diffusers for daylight conversion, soft case (230 V AC, European cable)	K	4060434013942
SEP1000-DAYCON-G	Classic	Separate 1000 W option: In addition to SPS5 kit- 1 x DLH1000S-G soft light complete with soft box medium and extra blue diffusers for daylight conversion, soft case (240 V AC, Great Britain cable)	K	4060434013959

All specifications are subject to change without prior notification.

53



Code	Series	Description	LIST €	EAN
SEP1000-DAYCON-J	Classic	Separate 1000 W option: In addition to SPS5 kit- 1 x DLH1000S-J soft light complete with soft box medium and extra blue diffusers for daylight conversion, soft case (100 V AC, Japan cable)	K	4060434013966
SEP1000-DAYCON-U	Classic	Separate 1000 W option: In addition to SPS5 kit- 1 x DLH1000S-U soft light complete with soft box medium and extra blue diffusers for daylight conversion, soft case (120 V AC, U.S. cable)	K	4060434013973
SLED1-BI-B-A	DLED4	1 Light DLED Kit- BICOLOR (BASIC)- 1x DLED4-BI with battery power supply, battery and accessories DC only, comes with DSCM soft case. Australian cable. (old code: SLED1-BI-A)	K	4060434016066
SLED1-BI-B-E	DLED4	1 Light DLED Kit- BICOLOR (BASIC)- 1x DLED4-BI with battery power supply, battery and accessories DC only, comes with DSCM soft case. European cable. (old code: SLED1-BI-E)	K	4060434016073
SLED1-BI-B-G	DLED4	1 Light DLED Kit- BICOLOR (BASIC)- 1x DLED4-BI with battery power supply, battery and accessories DC only, comes with DSCM soft case. Great Britain cable. (old code: SLED1-BI-G)	K	4060434016080
SLED1-BI-B-J	DLED4	1 Light DLED Kit- BICOLOR (BASIC)- 1x DLED4-BI with battery power supply, battery and accessories DC only, comes with DSCM soft case. Japan cable. (old code: SLED1-BI-J)	K	4060434016097
SLED1-BI-B-U	DLED4	1 Light DLED Kit- BICOLOR (BASIC)- 1x DLED4-BI with battery power supply, battery and accessories DC only, comes with DSCM soft case. U.S. cable (old code: SLED1-BI-U)	K	4060434016103
SLED1-BI-M-A	DLED4	1 Light DLED Kit- BICOLOR (MASTER)- 1x DLED4-BI with soft box, battery power supply, battery and accessories DC only, comes with DSCM2 soft case. Australian cable.	K	4060434016110
SLED1-BI-M-E	DLED4	1 Light DLED Kit- BICOLOR (MASTER)- 1x DLED4-BI with soft box, battery power supply, battery and accessories DC only, comes with DSCM2 soft case. European cable.	K	4060434016127
SLED1-BI-M-G	DLED4	1 Light DLED Kit- BICOLOR (MASTER)- 1x DLED4-BI with soft box, battery power supply, battery and accessories DC only, comes with DSCM2 soft case. Great Britain cable.	K	4060434016134
SLED1-BI-M-J	DLED4	1 Light DLED Kit- BICOLOR (MASTER)- 1x DLED4-BI with soft box, battery power supply, battery and accessories DC only, comes with DSCM2 soft case. Japan cable.	K	4060434016141
SLED1-BI-M-U	DLED4	1 Light DLED Kit- BICOLOR (MASTER)- 1x DLED4-BI with soft box, battery power supply, battery and accessories DC only, comes with DSCM2 soft case. U.S. cable.	K	4060434016158
SLED1-D-B-A	DLED4	1 Light DLED Kit- DAYLIGHT (BASIC)- 1x DLED4-D with with battery power supply, battery and accessories DC only, comes with DSCM soft case. Australian cable. (old code: SLED1-D-A)	K	4060434016165
SLED1-D-B-E	DLED4	1 Light DLED Kit- DAYLIGHT (BASIC)- 1x DLED4-D with with battery power supply, battery and accessories DC only, comes with DSCM soft case. European cable. (old code: SLED1-D-E)	K	4060434016172
SLED1-D-B-G	DLED4	1 Light DLED Kit- DAYLIGHT (BASIC)- 1x DLED4-D with with battery power supply, battery and accessories DC only, comes with DSCM soft case. Great Britain cable. (old code: SLED1-D-G)	K	4060434016189
SLED1-D-B-J	DLED4	1 Light DLED Kit- DAYLIGHT (BASIC)- 1x DLED4-D with with battery power supply, battery and accessories DC only, comes with DSCM soft case. Japan cable. (old code: SLED1-D-J)	K	4060434016196

Code	Series	Description	LIST €	EAN
SLED1-D-B-U	DLED4	1 Light DLED Kit- DAYLIGHT (BASIC)- 1x DLED4-D with with battery power supply, battery and accessories DC only, comes with DSCM soft case. U.S. cable. (old code: SLED1-D-U)	K	4060434016202
SLED1-D-M-A	DLED4	1 Light DLED Kit- DAYLIGHT (MASTER)- 1x DLED4-D with soft box, battery power supply, battery and accessories DC only, comes with DSCM2 soft case. Australian cable.	K	4060434016219
SLED1-D-M-E	DLED4	1 Light DLED Kit- DAYLIGHT (MASTER)- 1x DLED4-D with soft box, battery power supply, battery and accessories DC only, comes with DSCM2 soft case. European cable.	K	4060434016226
SLED1-D-M-G	DLED4	1 Light DLED Kit- DAYLIGHT (MASTER)- 1x DLED4-D with soft box, battery power supply, battery and accessories DC only, comes with DSCM2 soft case. Great Britain cable.	K	4060434016233
SLED1-D-M-J	DLED4	1 Light DLED Kit- DAYLIGHT (MASTER)- 1x DLED4-D with soft box, battery power supply, battery and accessories DC only, comes with DSCM2 soft case. Japan cable.	K	4060434016240
SLED1-D-M-U	DLED4	1 Light DLED Kit- DAYLIGHT (MASTER)- 1x DLED4-D with soft box, battery power supply, battery and accessories DC only, comes with DSCM2 soft case. U.S. cable.	K	4060434016257
SLED10-BI	DLED10	Soft case kit with DLED10-BI bicolor, cable, ballast, ballast holder, light shield ring and barn door. (Please specify power connector of „DCAB3A-SW“ cable)	K	4060434022111
SLED10-D	DLED10	Soft case kit with DLED10-D daylight, cable, ballast, ballast holder, light shield ring and barn door. (Please specify power connector of „DCAB3A-SW“ cable)	K	4060434022128
SLED2x2-BI-B-A	DLED4	4 Light Kit- BICOLOR AC (BASIC)- 2x DLED4-BI, 2x FELLONI3-BIHO LED panel with soft box, DP1.1 and accessories AC only (90-264 V AC, Australian cable), comes with new soft case. Stand bag kit with 4x DST is included.	K	4060434016264
SLED2x2-BI-B-E	DLED4	4 Light Kit- BICOLOR AC (BASIC)- 2x DLED4-BI, 2x FELLONI3-BIHO LED panel with soft box, DP1.1 and accessories AC only (90-264 V AC, European cable), comes with new soft case. Stand bag kit with 4x DST is included.	K	4060434016271
SLED2x2-BI-B-G	DLED4	4 Light Kit- BICOLOR AC (BASIC)- 2x DLED4-BI, 2x FELLONI3-BIHO LED panel with soft box, DP1.1 and accessories AC only (90-264 V AC, Great Britain cable), comes with new soft case. Stand bag kit with 4x DST is included.	K	4060434016288
SLED2x2-BI-B-J	DLED4	4 Light Kit- BICOLOR AC (BASIC)- 2x DLED4-BI, 2x FELLONI3-BIHO LED panel with soft box, DP1.1 and accessories AC only (90-264 V AC, Japan cable), comes with new soft case. Stand bag kit with 4x DST is included.	K	4060434016295
SLED2x2-BI-B-U	DLED4	4 Light Kit- BICOLOR AC (BASIC)- 2x DLED4-BI, 2x FELLONI3-BIHO LED panel with soft box, DP1.1 and accessories AC only (90-264 V AC, U.S. cable), comes with new soft case. Stand bag kit with 4x DST is included.	K	4060434016301
SLED2x2-BI-M-A	DLED4	4 Light Kit- BICOLOR AC/DC (MASTER)- 2x DLED4-BI / 2x FELLONI3-BIHO LED panel with soft box, battery power supplies, batteries, DP1.1 and accessories- AC & DC (90-264 V AC, Australian cable), comes with new soft case. Stand bag kit with 4x DST is included.	K	4060434016318
SLED2x2-BI-M-E	DLED4	4 Light Kit- BICOLOR AC/DC (MASTER)- 2x DLED4-BI / 2x FELLONI3-BIHO LED panel with soft box, battery power supplies, batteries, DP1.1 and accessories- AC & DC (90-264 V AC, European cable), comes with new soft case. Stand bag kit with 4x DST is included.	K	4060434016325
SLED2x2-BI-M-G	DLED4	4 Light Kit- BICOLOR AC/DC (MASTER)- 2x DLED4-BI / 2x FELLONI3-BIHO LED panel with soft box, battery power supplies, batteries, DP1.1 and accessories- AC & DC (90-264 V AC, Great Britain cable), comes with new soft case. Stand bag kit with 4x DST is included.	K	4060434016332
SLED2x2-BI-M-J	DLED4	4 Light Kit- BICOLOR AC/DC (MASTER)- 2x DLED4-BI / 2x FELLONI3-BIHO LED panel with soft box, battery power supplies, batteries, DP1.1 and accessories- AC & DC (90-264 V AC, Japan cable), comes with new soft case. Stand bag kit with 4x DST is included.	K	4060434016349

All specifications are subject to change without prior notification.

55

Code	Series	Description	LIST €	EAN
SLED2x2-BI-M-U	DLED4	4 Light Kit- BICOLOR AC/DC (MASTER)- 2x DLED4-BI / 2x FELLONI3-BIHO LED panel with soft box, battery power supplies, batteries, DP1.1 and accessories- AC & DC (90-264 V AC, U.S. cable), comes with new soft case. Stand bag kit with 4x DST is included.	K	4060434016356
SLED2x2-D-B-A	DLED4	4 Light Kit- DAYLIGHT AC (BASIC)- 2x DLED4-D, 2x FELLONI3-DHO LED panel with soft box, DP1.1 and accessories AC only (90-264 V AC, Australian cable), comes with new soft case. Stand bag kit with 4x DST is included.	K	4060434016363
SLED2x2-D-B-E	DLED4	4 Light Kit- DAYLIGHT AC (BASIC)- 2x DLED4-D, 2x FELLONI3-DHO LED panel with soft box, DP1.1 and accessories AC only (90-264 V AC, European cable), comes with new soft case. Stand bag kit with 4x DST is included.	K	4060434016370
SLED2x2-D-B-G	DLED4	4 Light Kit- DAYLIGHT AC (BASIC)- 2x DLED4-D, 2x FELLONI3-DHO LED panel with soft box, DP1.1 and accessories AC only (90-264 V AC, Great Britain cable), comes with new soft case. Stand bag kit with 4x DST is included.	K	4060434016387
SLED2x2-D-B-J	DLED4	4 Light Kit- DAYLIGHT AC (BASIC)- 2x DLED4-D, 2x FELLONI3-DHO LED panel with soft box, DP1.1 and accessories AC only (90-264 V AC, Japan cable), comes with new soft case. Stand bag kit with 4x DST is included.	K	4060434016394
SLED2x2-D-B-U	DLED4	4 Light Kit- DAYLIGHT AC (BASIC)- 2x DLED4-D, 2x FELLONI3-DHO LED panel with soft box, DP1.1 and accessories AC only (90-264 V AC, U.S. cable), comes with new soft case. Stand bag kit with 4x DST is included.	K	4060434016400
SLED2x2-D-M-A	DLED4	4 Light Kit- DAYLIGHT AC/DC (MASTER)- 2x DLED4-D / 2x FELLONI3-DHO LED panel with soft box, battery power supplies, batteries, DP1.1 and accessories AC & DC (90-264 V AC, Australian cable), comes with new soft case. Stand bag kit with 4x DST is included.	K	4060434016417
SLED2x2-D-M-E	DLED4	4 Light Kit- DAYLIGHT AC/DC (MASTER)- 2x DLED4-D / 2x FELLONI3-DHO LED panel with soft box, battery power supplies, batteries, DP1.1 and accessories AC & DC (90-264 V AC, European cable), comes with new soft case. Stand bag kit with 4x DST is included.	K	4060434016424
SLED2x2-D-M-G	DLED4	4 Light Kit- DAYLIGHT AC/DC (MASTER)- 2x DLED4-D / 2x FELLONI3-DHO LED panel with soft box, battery power supplies, batteries, DP1.1 and accessories AC & DC (90-264 V AC, Great Britain cable), comes with new soft case. Stand bag kit with 4x DST is included.	K	4060434016431
SLED2x2-D-M-J	DLED4	4 Light Kit- DAYLIGHT AC/DC (MASTER)- 2x DLED4-D / 2x FELLONI3-DHO LED panel with soft box, battery power supplies, batteries, DP1.1 and accessories AC & DC (90-264 V AC, Japan cable), comes with new soft case. Stand bag kit with 4x DST is included.	K	4060434016448
SLED2x2-D-M-U	DLED4	4 Light Kit- DAYLIGHT AC/DC (MASTER)- 2x DLED4-D / 2x FELLONI3-DHO LED panel with soft box, battery power supplies, batteries, DP1.1 and accessories AC & DC (90-264 V AC, U.S. cable), comes with new soft case. Stand bag kit with 4x DST is included.	K	4060434016455
SLED3-BI-B-A	DLED4	3 Light DLED Kit- BICOLOR (BASIC)- 3x DLED4-BI with soft box and accessories AC only (90-264 V AC, Australian cable), comes with DSC1/1-200 soft case	K	4060434016462
SLED3-BI-B-E	DLED4	3 Light DLED Kit- BICOLOR (BASIC)- 3x DLED4-BI with soft box and accessories AC only (90-264 V AC, European cable), comes with DSC1/1-200 soft case	K	4060434016479
SLED3-BI-B-G	DLED4	3 Light DLED Kit- BICOLOR (BASIC)- 3x DLED4-BI with soft box and accessories AC only (90-264 V AC, Great Britain cable), comes with DSC1/1-200 soft case	K	4060434016486
SLED3-BI-B-J	DLED4	3 Light DLED Kit- BICOLOR (BASIC)- 3x DLED4-BI with soft box and accessories AC only (90-264 V AC, Japan cable), comes with DSC1/1-200 soft case	K	4060434016493
SLED3-BI-B-U	DLED4	3 Light DLED Kit- BICOLOR (BASIC)- 3x DLED4-BI with soft box and accessories AC only (90-264 V AC, U.S. cable), comes with DSC1/1-200 soft case	K	4060434016509
SLED3-BI-M-A	DLED4	3 Light DLED Kit- BICOLOR (MASTER)- 3x DLED4-BI with soft box, battery power supplies, batteries, DP1.1 and accessories AC & DC (90-264 V AC, Australian cable), comes with DSC2/2-200 soft case	K	4060434016516
SLED3-BI-M-E	DLED4	3 Light DLED Kit- BICOLOR (MASTER)- 3x DLED4-BI with soft box, battery power supplies, batteries, DP1.1 and accessories AC & DC (90-264 V AC, European cable), comes with DSC2/2-200 soft case	K	4060434016523



Code	Series	Description	LIST €	EAN
SLED3-BI-M-G	DLED4	3 Light DLED Kit- BICOLOR (MASTER)- 3x DLED4-BI with soft box, battery power supplies, batteries, DP1.1 and accessories AC & DC (90-264 V AC, Great Britain cable), comes with DSC2/2-200 soft case	K	4060434016530
SLED3-BI-M-J	DLED4	3 Light DLED Kit- BICOLOR (MASTER)- 3x DLED4-BI with soft box, battery power supplies, batteries, DP1.1 and accessories AC & DC (90-264 V AC, Japan cable), comes with DSC2/2-200 soft case	K	4060434016547
SLED3-BI-M-U	DLED4	3 Light DLED Kit- BICOLOR (MASTER)- 3x DLED4-BI with soft box, battery power supplies, batteries, DP1.1 and accessories AC & DC (90-264 V AC, U.S. cable), comes with DSC2/2-200 soft case	K	4060434016554
SLED3-D-B-A	DLED4	3 Light DLED Kit- DAYLIGHT (BASIC)- 3x DLED4-D with soft box and accessories AC only (90-264 V AC, Australian cable), comes with DSC1/1-200 soft case	K	4060434016561
SLED3-D-B-E	DLED4	3 Light DLED Kit- DAYLIGHT (BASIC)- 3x DLED4-D with soft box and accessories AC only (90-264 V AC, European cable), comes with DSC1/1-200 soft case	K	4060434016578
SLED3-D-B-G	DLED4	3 Light DLED Kit- DAYLIGHT (BASIC)- 3x DLED4-D with soft box and accessories AC only (90-264 V AC, Great Britain cable), comes with DSC1/1-200 soft case	K	4060434016585
SLED3-D-B-J	DLED4	3 Light DLED Kit- DAYLIGHT (BASIC)- 3x DLED4-D with soft box and accessories AC only (90-264 V AC, Japan cable), comes with DSC1/1-200 soft case	K	4060434016592
SLED3-D-B-U	DLED4	3 Light DLED Kit- DAYLIGHT (BASIC)- 3x DLED4-D with soft box and accessories AC only (90-264 V AC, U.S. cable), comes with DSC1/1-200 soft case	K	4060434016608
SLED3-D-M-A	DLED4	3 Light DLED Kit- DAYLIGHT (MASTER)- 3x DLED4-D with soft box, battery power supplies, batteries, DP1.1 and accessories AC & DC (90-264 V AC, Australian cable), comes with DSC2/2-200 soft case	K	4060434016615
SLED3-D-M-E	DLED4	3 Light DLED Kit- DAYLIGHT (MASTER)- 3x DLED4-D with soft box, battery power supplies, batteries, DP1.1 and accessories AC & DC (90-264 V AC, European cable), comes with DSC2/2-200 soft case	K	4060434016622
SLED3-D-M-G	DLED4	3 Light DLED Kit- DAYLIGHT (MASTER)- 3x DLED4-D with soft box, battery power supplies, batteries, DP1.1 and accessories AC & DC (90-264 V AC, Great Britain cable), comes with DSC2/2-200 soft case	K	4060434016639
SLED3-D-M-J	DLED4	3 Light DLED Kit- DAYLIGHT (MASTER)- 3x DLED4-D with soft box, battery power supplies, batteries, DP1.1 and accessories AC & DC (90-264 V AC, Japan cable), comes with DSC2/2-200 soft case	K	4060434016646
SLED3-D-M-U	DLED4	3 Light DLED Kit- DAYLIGHT (MASTER)- 3x DLED4-D with soft box, battery power supplies, batteries, DP1.1 and accessories AC & DC (90-264 V AC, U.S. cable), comes with DSC2/2-200 soft case	K	4060434016653
SLED4-BI-B-A	DLED4	4 Light DLED Kit- BICOLOR (BASIC)- 4x DLED4-BI with 2x soft box, DP1.1 and accessories AC only (90-264 V AC, Australian cable), comes with DSC2/2-200 soft case	K	4060434016660
SLED4-BI-B-E	DLED4	4 Light DLED Kit- BICOLOR (BASIC)- 4x DLED4-BI with 2x soft box, DP1.1 and accessories AC only (90-264 V AC, European cable), comes with DSC2/2-200 soft case	K	4060434016677
SLED4-BI-B-G	DLED4	4 Light DLED Kit- BICOLOR (BASIC)- 4x DLED4-BI with 2x soft box, DP1.1 and accessories AC only (90-264 V AC, Great Britain cable), comes with DSC2/2-200 soft case	K	4060434016684
SLED4-BI-B-J	DLED4	4 Light DLED Kit- BICOLOR (BASIC)- 4x DLED4-BI with 2x soft box, DP1.1 and accessories AC only (90-264 V AC, Japan cable), comes with DSC2/2-200 soft case	K	4060434016691
SLED4-BI-B-U	DLED4	4 Light DLED Kit- BICOLOR (BASIC)- 4x DLED4-BI with 2x soft box, DP1.1 and accessories AC only (90-264 V AC, U.S. cable), comes with DSC2/2-200 soft case	K	4060434016707
SLED4-BI-M-A	DLED4	4 Light DLED Kit- BICOLOR (MASTER)- 4x DLED4-BI with 2x soft box, battery power supplies, batteries, DP1.1 and accessories AC & DC (90-264 V AC, Australian cable), comes with DSCXLW soft case	K	4060434016714
SLED4-BI-M-E	DLED4	4 Light DLED Kit- BICOLOR (MASTER)- 4x DLED4-BI with 2x soft box, battery power supplies, batteries, DP1.1 and accessories AC & DC (90-264 V AC, European cable), comes with DSCXLW soft case	K	4060434016721
SLED4-BI-M-G	DLED4	4 Light DLED Kit- BICOLOR (MASTER)- 4x DLED4-BI with 2x soft box, battery power supplies, batteries, DP1.1 and accessories AC & DC (90-264 V AC, Great Britain), comes with DSCXLW soft case	K	4060434016738

All specifications are subject to change without prior notification.

Code	Series	Description	LIST €	EAN
SLED4-BI-M-J	DLED4	4 Light DLED Kit- BICOLOR (MASTER)- 4x DLED4-BI with 2x soft box, battery power supplies, batteries, DP1.1 and accessories AC & DC (90-264 V AC, Japan cable), comes with DSCXLW soft case	K	4060434016745
SLED4-BI-M-U	DLED4	4 Light DLED Kit- BICOLOR (MASTER)- 4x DLED4-BI with 2x soft box, battery power supplies, batteries, DP1.1 and accessories AC & DC (90-264 V AC, U.S. cable), comes with DSCXLW soft case	K	4060434016752
SLED4-D-B-A	DLED4	4 Light DLED Kit- DAYLIGHT (BASIC)- 4x DLED4-D with 2x soft box, DP1.1 and accessories AC only (90-264 V AC, Australian cable), comes with DSC2/2-200 soft case	K	4060434016769
SLED4-D-B-E	DLED4	4 Light DLED Kit- DAYLIGHT (BASIC)- 4x DLED4-D with 2x soft box, DP1.1 and accessories AC only (90-264 V AC, European cable), comes with DSC2/2-200 soft case	K	4060434016776
SLED4-D-B-G	DLED4	4 Light DLED Kit- DAYLIGHT (BASIC)- 4x DLED4-D with 2x soft box, DP1.1 and accessories AC only (90-264 V AC, Great Britain cable), comes with DSC2/2-200 soft case	K	4060434016783
SLED4-D-B-J	DLED4	4 Light DLED Kit- DAYLIGHT (BASIC)- 4x DLED4-D with 2x soft box, DP1.1 and accessories AC only (90-264 V AC, Japan cable), comes with DSC2/2-200 soft case	K	4060434016790
SLED4-D-B-U	DLED4	4 Light DLED Kit- DAYLIGHT (BASIC)- 4x DLED4-D with 2x soft box, DP1.1 and accessories AC only (90-264 V AC, U.S. cable), comes with DSC2/2-200 soft case	K	4060434016806
SLED4-D-M-A	DLED4	4 Light DLED Kit- DAYLIGHT (MASTER)- 4x DLED4-D with 2x soft box, battery power supplies, batteries, DP1.1 and accessories AC & DC (90-264 V AC, Australian cable), comes with DSCXLW soft case	K	4060434016813
SLED4-D-M-E	DLED4	4 Light DLED Kit- DAYLIGHT (MASTER)- 4x DLED4-D with 2x soft box, battery power supplies, batteries, DP1.1 and accessories AC & DC (90-264 V AC, European cable), comes with DSCXLW soft case	K	4060434016820
SLED4-D-M-G	DLED4	4 Light DLED Kit- DAYLIGHT (MASTER)- 4x DLED4-D with 2x soft box, battery power supplies, batteries, DP1.1 and accessories AC & DC (90-264 V AC, Great Britain cable), comes with DSCXLW soft case	K	4060434016837
SLED4-D-M-J	DLED4	4 Light DLED Kit- DAYLIGHT (MASTER)- 4x DLED4-D with 2x soft box, battery power supplies, batteries, DP1.1 and accessories AC & DC (90-264 V AC, Japan cable), comes with DSCXLW soft case	K	4060434016844
SLED4-D-M-U	DLED4	4 Light DLED Kit- DAYLIGHT (MASTER)- 4x DLED4-D with 2x soft box, battery power supplies, batteries, DP1.1 and accessories AC & DC (90-264 V AC, U.S. cable), comes with DSCXLW soft case	K	4060434016851
SLED9-BI-A	DLED9	1 Light DLED9 Kit- BICOLOR- 1x DLED9-BI with AC & DC power supplies and accessories. Comes in DSCQ1 soft case. AC & DC (90-264 V AC, Australian cable)	K	4060434016868
SLED9-BI-E	DLED9	1 Light DLED9 Kit- BICOLOR- 1x DLED9-BI with AC & DC power supplies and accessories. Comes in DSCQ1 soft case. AC & DC (90-264 V AC, European cable)	K	4060434016875
SLED9-BI-G	DLED9	1 Light DLED9 Kit- BICOLOR- 1x DLED9-BI with AC & DC power supplies and accessories. Comes in DSCQ1 soft case. AC & DC (90-264 V AC, Great-Britain cable)	K	4060434016882
SLED9-BI-J	DLED9	1 Light DLED9 Kit- BICOLOR- 1x DLED9-BI with AC & DC power supplies and accessories. Comes in DSCQ1 soft case. AC & DC (90-264 V AC, Japan cable)	K	4060434016899
SLED9-BI-U	DLED9	1 Light DLED9 Kit- BICOLOR- 1x DLED9-BI with AC & DC power supplies and accessories. Comes in DSCQ1 soft case. AC & DC (90-264 V AC, U.S. cable)	K	4060434016905
SLED9-D-A	DLED9	1 Light DLED9 Kit- DAYLIGHT- 1x DLED9-D with AC & DC power supplies and accessories. Comes in DSCQ1 soft case. AC & DC (90-264 V AC, Australian cable)	K	4060434016912
SLED9-D-E	DLED9	1 Light DLED9 Kit- DAYLIGHT- 1x DLED9-D with AC & DC power supplies and accessories. Comes in DSCQ1 soft case. AC & DC (90-264 V AC, European cable)	K	4060434016929
SLED9-D-G	DLED9	1 Light DLED9 Kit- DAYLIGHT- 1x DLED9-D with AC & DC power supplies and accessories. Comes in DSCQ1 soft case. AC & DC (90-264 V AC, Great-Britain cable)	K	4060434016936
SLED9-D-J	DLED9	1 Light DLED9 Kit- DAYLIGHT- 1x DLED9-D with AC & DC power supplies and accessories. Comes in DSCQ1 soft case. AC & DC (90-264 V AC, Japan cable)	K	4060434016943
SLED9-D-U	DLED9	1 Light DLED9 Kit- DAYLIGHT- 1x DLED9-D with AC & DC power supplies and accessories. Comes in DSCQ1 soft case. AC & DC (90-264 V AC, U.S. cable)	K	4060434016950



Code	Series	Description	LIST €	EAN
SLEDM3x0Z-BI	DLED2	3 Light Micro Kit- BICOLOR AC/DC- 3x DLED2-BI LED light heads, soft box, batteries, DP1S and accessories, comes with DSCS soft case (with extra belt clips to combine DSCS with SDSTM3 stand kit)	K	4060434016967
SLEDM3x0Z-D	DLED2	3 Light Micro Kit- DAYLIGHT AC/DC- 3x DLED2-D LED light heads, soft box, batteries, DP1S and accessories, comes with DSCS soft case (with extra belt clips to combine DSCS with SDSTM3 stand kit)	K	4060434016974
SLR25-6	Lightstream	Soft bag kit with 4 reflectors in 25x25 cm size. Kit consists out of: reflector #1 (2x) and #2, #3, #4, one of each. Four locking devices and four swiveling arms.	K	4060434021046
SLR50-6	Lightstream	Soft bag kit with 4 reflectors in 50x50 cm size. Kit consists out of: reflector #1 (2x) and #2, #3, #4, one of each. Four locking devices and four swiveling arms.	K	4060434021053
SLR7R-4	Lightstream	Soft bag kit with 4 reflectors in 7x10 cm size. Kit consists out of: reflector #1, #2, #3, #4, one of each. Two locking devices and two swiveling arms.	K	4060434021060
SLRMAX	Lightstream	The SLRMAX kit consists out of SLR7R-4, SLR25-6 and SLR50-6 kits, one of each and a cleaning kit (SCLEAN)	K	4060434021077
SLT3-3-BI-B	DLED3	Soft case kit including 3x DLED3 focusing bicolor LED light heads, 2x soft boxes, accessories and micro stands.	K	4060434023033
SLT3-3-BI-M	DLED3	Soft case kit including 3x DLED3 focusing bicolor LED light heads, 2x soft boxes, DP1S imager, accessories and micro stands. Separate battery case (3x DS-95SI) included.	K	4060434016981
SLT3-3-BI-M2	DLED3	Soft case kit including 3x DLED3 focusing bicolor LED light heads, 2x soft boxes, DP1S imager, accessories and micro stands. Separate battery case (3x DS-U95B / 2x dual charger) included.	K	4060434023187
SLT3-3-BI-S	DLED3	Soft case kit including 3x DLED3 focusing bicolor LED light heads, 2x soft boxes, DP1S imager, accessories and micro stands.	K	4060434016998
SLT3-3-D-B	DLED3	Soft case kit including 3x DLED3 focusing daylight LED light heads, 2x soft boxes, accessories and micro stands.	K	4060434023040
SLT3-3-D-M	DLED3	Soft case kit including 3x DLED3 focusing daylight LED light heads, 2x soft boxes, DP1S imager, accessories and micro stands. Separate battery case (3x DS-95SI) included.	K	4060434017001
SLT3-3-D-M2	DLED3	Soft case kit including 3x DLED3 focusing daylight LED light heads, 2x soft boxes, DP1S imager, accessories and micro stands. Separate battery case (3x DS-U95B / 2x dual charger) included.	K	4060434023194
SLT3-3-D-S	DLED3	Soft case kit including 3x DLED3 focusing daylight LED light heads, 2x soft boxes, DP1S imager, accessories and micro stands.	K	4060434017018
SM12	Classic	Mono' soft kit, 1 x 12 V / 100 W (DLH4) tungsten, 1 x DIMTA3 (230 V AC, European cable)	K	4060434017025
SM24-1-A	Classic	Mono' soft kit, 1 x 24 V / 150 W (DLH4) tungsten (240 V AC, Australian cable)	K	4060434017032
SM24-1-E	Classic	Mono' soft kit, 1 x 24 V / 150 W (DLH4) tungsten (230 V AC, European cable)	K	4060434017049
SM24-1-G	Classic	Mono' soft kit, 1 x 24 V / 150 W (DLH4) tungsten (240 V AC, Great Britain cable)	K	4060434017056
SM24-1-J	Classic	Mono' soft kit, 1 x 24 V / 150 W (DLH4) tungsten (100 V AC, Japan cable)	K	4060434017063
SM24-1-U	Classic	Mono' soft kit, 1 x 24 V / 150 W (DLH4) tungsten (120 V AC, U.S. cable)	K	4060434017070
SM24-300-A	Classic	Mono' soft kit, 1 x 24 V / 150 W (DLHM4-300A) tungsten (240 V AC, Australian cable)	K	4060434017087
SM24-300-E	Classic	Mono' soft kit, 1 x 24 V / 150 W (DLHM4-300E) tungsten (230 V AC, European cable)	K	4060434017094
SM24-300-G	Classic	Mono' soft kit, 1 x 24 V / 150 W (DLHM4-300G) tungsten (240 V AC, Great Britain cable)	K	4060434017100
SM24-300-J	Classic	Mono' soft kit, 1 x 24 V / 150 W (DLHM4-300J) tungsten (100 V AC, Japan cable)	K	4060434017117
SM24-300-U	Classic	Mono' soft kit, 1 x 24 V / 150 W (DLHM4-300U) tungsten (100 V AC, U.S. cable)	K	4060434017124

All specifications are subject to change without prior notification.

Code	Series	Description	LIST €	EAN
SM24P-A	Classic	Mono' soft kit, 1 x 24 V / 150 W (DLHM4-300A) tungsten with DP1.1 imager (240 V AC, Australian cable)	K	4060434017131
SM24P-E	Classic	Mono' soft kit, 1 x 24 V / 150 W (DLHM4-300E) tungsten with DP1.1 imager (230 V AC, European cable)	K	4060434017148
SM24P-G	Classic	Mono' soft kit, 1 x 24 V / 150 W (DLHM4-300G) tungsten with DP1.1 imager (240 V AC, Great Britain cable)	K	4060434017155
SM24P-J	Classic	Mono' soft kit, 1 x 24 V / 150 W (DLHM4-300J) tungsten with DP1.1 imager (100 V AC, Japan cable)	K	4060434017162
SM24P-U	Classic	Mono' soft kit, 1 x 24 V / 150 W (DLHM4-300U) tungsten with DP1.1 imager (120 V AC, U.S. cable)	K	4060434017179
SPA5DT	Panaura	Panaura 5 daylight/tungsten kit, 1 x 400/575 W, soft case ((A / E / G / J / U) 90- 264 V AC, please specify AC power connector of „DCAB3A“ cable)	K	4060434017186
SPA5DTT-A	Panaura	Panaura 5 daylight/tungsten kit, 1 x 400/575 W daylight/tungsten (90- 264 V AC), 1 X 1000 W tungsten (240 V AC), soft case, Australian cable)	K	4060434017193
SPA5DTT-E	Panaura	Panaura 5 daylight/tungsten kit, 1 x 400/575 W daylight/tungsten (90- 264 V AC), 1 X 1000 W tungsten (230 V AC), soft case, European cable)	K	4060434017209
SPA5DTT-G	Panaura	Panaura 5 daylight/tungsten kit, 1 x 400/575 W daylight/tungsten (90- 264 V AC), 1 X 1000 W tungsten (240 V AC), soft case, Great Britain cable)	K	4060434017216
SPA5DTT-J	Panaura	Panaura 5 daylight/tungsten kit, 1 x 400/575 W daylight/tungsten (90- 264 V AC), 1 X 1000 W tungsten (100 V AC), soft case, Japan cable)	K	4060434017223
SPA5DTT-U	Panaura	Panaura 5 daylight/tungsten kit, 1 x 400/575 W daylight/tungsten (90- 264 V AC), 1 X 1000 W tungsten (120 V AC), soft case, U.S. cable)	K	4060434017230
SPA5T-A	Panaura	Panaura 5 tungsten kit, 1 x 1000 W, soft case (240 V AC, Australian cable)	K	4060434017247
SPA5T-E	Panaura	Panaura 5 tungsten kit, 1 x 1000 W, soft case (230 V AC, European cable)	K	4060434017254
SPA5T-G	Panaura	Panaura 5 tungsten kit, 1 x 1000 W, soft case (240 V AC, Great Britain cable)	K	4060434017261
SPA5T-J	Panaura	Panaura 5 tungsten kit, 1 x 1000 W, soft case (100 V AC, Japan cable)	K	4060434017278
SPA5T-U	Panaura	Panaura 5 tungsten kit, 1 x 1000 W, soft case (120 V AC, U.S. cable)	K	4060434017285
SPA7-1200D	Panaura	Panaura 7 kit, 1x 1200 W (DLH1x1200SD) daylight ((A / E / G / J / U) 90- 264 V AC, please specify AC power connector of „DCAB3A“ cable)	K	4060434017292
SPA7x2DT	Panaura	Panaura 7 kit, 2x 400/575 W (DLHPA7x2DT) daylight/tungsten ((A / E / G / J / U) 90- 264 V AC, please specify AC power connector of „DCAB3IEC cable)	K	4060434017308
SPA7x2T-A	Panaura	Panaura 7 kit, 2x 1000 W (DLHPA7x2T) tungsten (240 V AC, Australian cable)	K	4060434017315
SPA7x2T-E	Panaura	Panaura 7 kit, 2x 1000 W (DLHPA7x2T) tungsten (230 V AC, European cable)	K	4060434017322
SPA7x2T-G	Panaura	Panaura 7 kit, 2x 1000 W (DLHPA7x2T) tungsten (240 V AC, Great Britain cable)	K	4060434017339
SPA7x2T-J	Panaura	Panaura 7 kit, 2x 1000 W (DLHPA7x2T) tungsten (100 V AC, Japan cable)	K	4060434017346
SPA7x2T-U	Panaura	Panaura 7 kit, 2x 1000 W (DLHPA7x2T) tungsten (120 V AC, U.S. cable)	K	4060434017353
SPS3-A	Classic	3-Light kit with soft case DSC1 (240 V AC, Australian cable)	K	4060434017360
SPS3-E	Classic	3-Light kit with soft case DSC1 (230 V AC, European)	K	4060434017384

Code	Series	Description	LIST €	EAN
SPS3-G	Classic	3-Light kit with soft case DSC1 (240 V AC, Great Britain cable)	K	4060434017391
SPS3-J	Classic	3-Light kit with soft case DSC1 (100 V AC, Japan cable)	K	4060434017407
SPS3-U	Classic	3-Light kit with soft case DSC1 (120 V AC, U.S. cable)	K	4060434017414
SPS4-A	Classic	4-Light kit with soft case DSC2 (240 V AC, Australian cable)	K	4060434017421
SPS4-E	Classic	4-Light kit with soft case DSC2 (230 V AC, European cable)	K	4060434017438
SPS4-G	Classic	4-Light kit with soft case DSC2 (240 V AC, Great Britain cable)	K	4060434017445
SPS4-J	Classic	4-Light kit with soft case DSC2 (100 V AC, Japan cable)	K	4060434017452
SPS4-U	Classic	4-Light kit with soft case DSC2 (120 V AC, U.S. cable)	K	4060434017469
SPS5-A	Classic	5-Light kit with soft case DSC2 (240 V AC, Australian cable)	K	4060434017476
SPS5-E	Classic	5-Light kit with soft case DSC2 (230 V AC, European cable)	K	4060434017490
SPS5-G	Classic	5-Light kit with soft case DSC2 (240 V AC, Great Britain cable)	K	4060434017506
SPS5-J	Classic	5-Light kit with soft case DSC2 (100 V AC, Japan cable)	K	4060434017513
SPS5-U	Classic	5-Light kit with soft case DSC2 (120 V AC, U.S. cable)	K	4060434017520
SRAP3PA3-BI	Ledraptor	LEDRAPTOR 3 LED soft light, 2x 220W bicolor, with speedring for Panaura 3 dome, stand and transport soft case (Please specify power connector of „DCAB3A-SW“ cable).	K	4060434022852
SRAP3PA5-BI	Ledraptor	LEDRAPTOR 3 LED soft light, 2x 220W bicolor, with speedring for Panaura 3 dome, stand and transport soft case (Please specify power connector of „DCAB3A-SW“ cable).	K	4060434022524
SSEN-A	Serie 1200	Senior' soft kit, 1 x 1000 W (DLH1000S-A) (240 V AC, Australian cable)	K	4060434017537
SSEN-E	Serie 1200	Senior' soft kit, 1 x 1000 W (DLH1000S-E) (230 V AC, European cable)	K	4060434017544
SSEN-G	Serie 1200	Senior' soft kit, 1 x 1000 W (DLH1000S-G) (240 V AC, Great Britain cable)	K	4060434017551
SSEN-J	Serie 1200	Senior' soft kit, 1 x 1000 W (DLH1000S-J) (100 V AC, Japan cable)	K	4060434017568
SSEN-U	Serie 1200	Senior' soft kit, 1 x 1000 W (DLH1000S-U) (120 V AC, U.S. cable)	K	4060434017575

dedolight Sets

DFX400SET	Serie400	Three structur glass filters with holders and pouch DFX400T6-R / DFX400T10-LB / DFX400T11-P	S	4060434001734
DFXSET	Classic	Three structur glass filters with holders and pouch DFXT6-R / DFXT10-LB / DFXT11-P	S	4060434001758
DGB	Classic	Gel filter set, full blue (fits Classic Series filter holder) (100 W max.)	S	4060434004735
DGB4008	Serie 400	Gel filter set, full blue (fits Series 400 barn door)	S	4060434004742
DGB8	Classic	Gel filter set, full blue (fits Classic Series barn door DBD8 or barn doors (with clips) in the same size or smaller). Gel size 19 x 22 cm	S	4060434004759
DGCOL	Classic	Gel filter set, color effect (fits Classic Series filter holder)	S	4060434004766
DGCOL4008	Serie 400	Gel filter set, color effect (fits Series 400 barn door)	S	4060434004773
DGCOL8	Classic	Gel filter set, color effect (fits Classic Series barn door DBD8 or barn doors (with clips) in the same size or smaller). Gel size 19 x 22 cm	S	4060434004780

All specifications are subject to change without prior notification.

Code	Series	Description	LIST €	EAN
DGMB	Classic	Gel filter set, mixed blue (fits Classic Series filter holder) (100 W max.)	S	4060434004797
DGMB4008	Serie 400	Gel filter set, mixed blur (fits Series 400 barn door)	S	4060434004803
DGMB8	Classic	Gel filter set, mixed blue (fits Classic Series barn door DBD8 or barn doors (with clips) in the same size or smaller). Gel size 19 x 22 cm	S	4060434004810
DGMD	Classic	Gel filter set, mixed diffusion (fits Classic Series filter holder)	S	4060434004827
DGMD400	Serie 400	Gel filter set, mixed diffusion (fits Series 400 filter holder)	S	4060434004834
DGMD4008	Serie 400	Gel filter set, mixed diffusion (fits Series 400 barn door)	S	4060434004841
DGMD8	Classic	Gel filter set, mixed diffusion (fits Classic Series barn door DBD8 or barn doors (with clips) in the same size or smaller). Gel size 19 x 22 cm	S	4060434004858
DGMO4008	Serie 400	Gel filter set, mixed orange (fits Series 400 barn door)	S	4060434004865
DGMO8	Classic	Gel filter set, mixed orange (fits Classic Series barn door DBD8 or barn doors (with clips) in the same size or smaller). Gel size 19 x 22 cm	S	4060434004872
DGND	Classic	Gel filter set, neutral density (fits Classic Series filter holder) (100 W max.)	S	4060434004889
DGND4008	Serie 400	Gel filter set, neutral density (fits Series 400 barn door)	S	4060434004896
DGND8	Classic	Gel filter set, neutral density (fits Classic Series barn door DBD8 or barn doors (with clips) in the same size or smaller). Gel size 19 x 22 cm	S	4060434004902
DGW	Classic	Gel filter set, warm tone (fits Classic Series filter holder)	S	4060434005039
DGW400	Serie 400	Gel filter set, warm tone (fits Series 400 filter holder)	S	4060434005046
DGW4008	Serie 400	Gel filter set, warm tone (fits Series 400 barn door)	S	4060434005053
DGW8	Classic	Gel filter set, warm tone (fits Classic Series barn door DBD8 or barn doors (with clips) in the same size or smaller). Gel size 19 x 22 cm	S	4060434005060
DLPA5-HTS4	Panaura	High temperature shields für Panaura5 domes, Set of 4 pieces	S	4060434009594
DLPA5-HTS8	Panaura	High temperature shields für Panaura5 domes, Set of 8 pieces	S	4060434009600
DLPA7-HTS3	Panaura	High temperature shields für Panaura7 domes, Set of 3 pieces	S	4060434009631
DLPA7-HTS8	Panaura	High temperature shields für Panaura7 domes, Set of 8 pieces	S	4060434009648
DLRM-BRK	Ledrama	Set of 4 mounting brackets for Ledrama honeycomb small or medium	S	4060434009754
DLRM-BRK2	Ledrama	Set of 4 mounting brackets for Ledrama soft box small or medium (model 2019)	S	4060434023972
DP1200KIR	Serie1200	Complete imager with iris module and 150mm projection lens. Fits SERIES 1200 and DLED12 / DLED30 focusing light heads.	S	4060434023996
DP1200KIR-WA	Serie1200	Complete wide-angle imager with iris module and 70mm projection lens. Fits SERIES 1200 and DLED12 / DLED30 focusing light heads.	S	4060434024009
DP400KIR	Serie 400	Imager projection attachment, complete with iris assembly and 185mm lens	S	4060434024016
DP400KIR-WA	Serie 400	Imager wide-angle projection attachment, complete with iris assembly and 100mm lens	S	4060434024023
DP400LFS	Serie 400	Framing shutter set	S	4060434010347
DPFS	Classic	Imager framing shutter blade set	S	4060434010521
DPGSET	Classic	Gobo set (six popular steel gobos, size ‚M‘)	S	4060434010606
DPGSET400	Serie 400	Gobo set (six popular steel gobos, size ‚A‘)	S	4060434010613
DPGSETS	DLED2	Gobo set for DP1S imagers	S	4060434010620
SETDLED10-BI	DLED10	DLED10 LED light head, bicolor, DT10-BI power supply, light shield ring, barn door and AC power cable (Please specify power connector of „DCAB3A-SW“ cable)	S	4060434021510
SETDLED10-D	DLED10	DLED10 LED light head, daylight, DT10 power supply, light shield ring, barn door and AC power cable (Please specify power connector of „DCAB3A-SW“ cable)	S	4060434021527
SETDLED12-BI-DMX	DLED12	DLED12 Studio LED light head, bicolor, with DMX control, barn door (Please specify power connector of „DCAB3A-SW“ cable)	S	4060434013980
SETDLED12-BI-PO-DMX	DLED12	DLED12 Studio LED light head, bicolor, for pole-operation and DMX control, barn door (Please specify power connector of „DCAB3A-SW“ cable)	S	4060434013997
SETDLED12-D-DMX	DLED12	DLED12 Studio LED light head, daylight, with DMX control, barn door (Please specify power connector of „DCAB3A-SW“ cable)	S	4060434014000
SETDLED12-D-PO-DMX	DLED12	DLED12 Studio LED light head, daylight, for pole-operation and DMX control, barn door (Please specify power connector of „DCAB3A-SW“ cable)	S	4060434014017

Code	Series	Description	LIST €	EAN
SETDLED12-T-DMX	DLED12	DLED12 Studio LED light head, tungsten, with DMX control, barn door (Please specify power connector of „DCAB3A-SW“ cable)	S	4060434014024
SETDLED12-T-PO-DMX	DLED12	DLED12 Studio LED light head, tungsten, for pole-operation and DMX control, barn door (Please specify power connector of „DCAB3A-SW“ cable)	S	4060434014031
SETDLED2-BI	DLED2	DLED2 LED light head with electronics, bicolor, NPF battery holder, barn door, DLPS12-30 power supply	S	4060434014048
SETDLED2-D	DLED2	DLED2 LED light head with electronics, daylight, NPF battery holder, barn door, DLPS12-30 power supply	S	4060434014055
SETDLED2HSM-BI	DLED2	DLED2 LED light head with electronics (shoe mount), bicolor, NPF battery holder, barn door, DLPS12-30 power supply	S	4060434014062
SETDLED2HSM-D	DLED2	DLED2 LED light head with electronics (shoe mount), daylight, NPF battery holder, barn door, DLPS12-30 power supply	S	4060434014079
SETDLED2Y-BI	DLED2	DLED2 LED light head, bicolor, DT2-BI-BAT power supply, 140cm light head cable, barn door, DLPS12-30 power supply	S	4060434014086
SETDLED2Y-D	DLED2	DLED2 LED light head, daylight, DT2-BAT power supply, 140cm light head cable, barn door, DLPS12-30 power supply	S	4060434014093
SETDLED2Y-IR860	DLED2	DLED2 infrared LED light head, 860nm, DT2-BAT power supply, barn door, DLPS12-30 power supply	S	4060434014109
SETDLED2Y-IR960	DLED2	DLED2 infrared LED light head, 960nm, DT2-BAT power supply, barn door, DLPS12-30 power supply	S	4060434014116
SETDLED2YHSM-BI	DLED2	DLED2 LED light head (shoe mount), bicolor, DT2-BI-BAT power supply, 140cm light head cable, barn door, DLPS12-30 power supply	S	4060434014123
SETDLED2YHSM-D	DLED2	DLED2 LED light head (shoe mount), daylight, DT2-BAT power supply, 140cm light head cable, barn door, DLPS12-30 power supply	S	4060434014130
SETDLED3-BI-BAT	DLED3	DLED3 Turbo LED light head, bicolor, DT3-BI-BAT, barn door, power supply DLPS12-60	S	4060434014147
SETDLED3-D-BAT	DLED3	DLED3 Turbo LED light head, daylight, DT3-BAT, barn door, power supply DLPS12-60	S	4060434014154
SETDLED3-T-BAT	DLED3	DLED3 Turbo LED light head, tungsten, DT3-BAT, barn door, power supply DLPS12-60	S	4060434014161
SETDLED30-D	DLED30	300 W focusing LED light head, daylight with separate DMX power supply, barn door and AC power cable (A / E / G / J / U. 90- 264 V AC / please specify connector of „DCAB3A-SW“ power cable)	S	4060434022012
SETDLED30-D-PO	DLED30	300 W focusing LED light head, daylight with separate DMX power supply, barn door and AC power cable (A / E / G / J / U. 90- 264 V AC / please specify connector of „DCAB3A-SW“ power cable)	S	4060434022845
SETDLED3HSM-BI-BAT	DLED3	DLED3 Turbo LED light head (camera shoe), bicolor, DT3-BI-BAT, barn door, power supply DLPS12-60	S	4060434014178
SETDLED3HSM-D-BAT	DLED3	DLED3 Turbo LED light head (camera shoe), daylight, DT3-BAT, barn door, power supply DLPS12-60	S	4060434014185
SETDLED3HSM-T-BAT	DLED3	DLED3 Turbo LED light head (camera shoe), tungsten, DT3-BAT, barn door, power supply DLPS12-60	S	4060434014192
SETDLED4-BI-A	DLED4	DLED4 LED light head, bicolor, DT4-BI power supply, light shield ring, barn door, Australian cable	S	4060434014208
SETDLED4-BI-BAT	DLED4	DLED4 LED light head, bicolor, DT4-BI-BAT power supply, light shield ring, barn door	S	4060434014215
SETDLED4-BI-E	DLED4	DLED4 LED light head, bicolor, DT4-BI power supply, light shield ring, barn door, European cable	S	4060434014222
SETDLED4-BI-G	DLED4	DLED4 LED light head, bicolor, DT4-BI power supply, light shield ring, barn door, Great-Britain cable	S	4060434014239
SETDLED4-BI-J	DLED4	DLED4 LED light head, bicolor, DT4-BI power supply, light shield ring, barn door, Japan cable	S	4060434014246
SETDLED4-BI-U	DLED4	DLED4 LED light head, bicolor, DT4-BI power supply, light shield ring, barn door, U.S. cable	S	4060434014253
SETDLED4-D-A	DLED4	DLED4 LED light head, daylight, DT4 power supply, light shield ring, barn door, Australian cable	S	4060434014260
SETDLED4-D-BAT	DLED4	DLED4 LED light head, daylight, DT4-BAT power supply, light shield ring, barn door	S	4060434014277
SETDLED4-D-E	DLED4	DLED4 LED light head, daylight, DT4 power supply, light shield ring, barn door, European cable	S	4060434014284

All specifications are subject to change without prior notification.

Code	Series	Description	LIST €	EAN
SETDLED4-D-G	DLED4	DLED4 LED light head, daylight, DT4 power supply, light shield ring, barn door, Great-Britain cable	S	4060434014291
SETDLED4-D-J	DLED4	DLED4 LED light head, daylight, DT4 power supply, light shield ring, barn door, Japan cable	S	4060434014307
SETDLED4-D-U	DLED4	DLED4 LED light head, daylight, DT4 power supply, light shield ring, barn door, U.S. cable	S	4060434014314
SETDLED4-IR860-A	DLED4	DLED4 infrared LED light head, 860nm, DT4 power supply, light shield ring, barn door, Australian cable	S	4060434014321
SETDLED4-IR860-E	DLED4	DLED4 infrared LED light head, 860nm, DT4 power supply, light shield ring, barn door, European cable	S	4060434014338
SETDLED4-IR860-G	DLED4	DLED4 infrared LED light head, 860nm, DT4 power supply, light shield ring, barn door, Great-Britain cable	S	4060434014345
SETDLED4-IR860-J	DLED4	DLED4 infrared LED light head, 860nm, DT4 power supply, light shield ring, barn door, Japan cable	S	4060434014352
SETDLED4-IR860-U	DLED4	DLED4 infrared LED light head, 860nm, DT4 power supply, light shield ring, barn door, U.S. cable	S	4060434014369
SETDLED4-T-A	DLED4	DLED4 LED light head, tungsten, DT4 power supply, light shield ring, barn door, Australian cable	S	4060434014376
SETDLED4-T-BAT	DLED4	DLED4 LED light head, tungsten, DT4-BAT power supply, light shield ring, barn door	S	4060434014383
SETDLED4-T-E	DLED4	DLED4 LED light head, tungsten, DT4 power supply, light shield ring, barn door, European cable	S	4060434014390
SETDLED4-T-G	DLED4	DLED4 LED light head, tungsten, DT4 power supply, light shield ring, barn door, Great-Britain cable	S	4060434014406
SETDLED4-T-J	DLED4	DLED4 LED light head, tungsten, DT4 power supply, light shield ring, barn door, Japan cable	S	4060434014413
SETDLED4-T-U	DLED4	DLED4 LED light head, tungsten, DT4 power supply, light shield ring, barn door, U.S. cable	S	4060434014420
SETDLED4-UV365-A	DLED4	DLED4 ultra-violet LED light head, 365nm, DT4 power supply, light shield ring, barn door, Australian cable	S	4060434014437
SETDLED4-UV365-E	DLED4	DLED4 ultra-violet LED light head, 365nm, DT4 power supply, light shield ring, barn door, European cable	S	4060434014444
SETDLED4-UV365-G	DLED4	DLED4 ultra-violet LED light head, 365nm, DT4 power supply, light shield ring, barn door, Great-Britain cable	S	4060434014451
SETDLED4-UV365-J	DLED4	DLED4 ultra-violet LED light head, 365nm, DT4 power supply, light shield ring, barn door, Japan cable	S	4060434014468
SETDLED4-UV365-U	DLED4	DLED4 ultra-violet LED light head, 365nm, DT4 power supply, light shield ring, barn door, U.S. cable	S	4060434014475
SETDLED4-UV400-A	DLED4	DLED4 ultra-violet LED light head, 400nm, DT4 power supply, light shield ring, barn door, Australian cable	S	4060434014482
SETDLED4-UV400-E	DLED4	DLED4 ultra-violet LED light head, 400nm, DT4 power supply, light shield ring, barn door, European cable	S	4060434014499
SETDLED4-UV400-G	DLED4	DLED4 ultra-violet LED light head, 400nm, DT4 power supply, light shield ring, barn door, Great-Britain cable	S	4060434014505
SETDLED4-UV400-J	DLED4	DLED4 ultra-violet LED light head, 400nm, DT4 power supply, light shield ring, barn door, Japan cable	S	4060434014512
SETDLED4-UV400-U	DLED4	DLED4 ultra-violet LED light head, 400nm, DT4 power supply, light shield ring, barn door, U.S. cable	S	4060434014529
SETDLED7-BI-A	DLED7	DLED7 Turbo LED light head, bicolor, DT7-BI power supply, light shield ring, barn door, Australian cable	S	4060434014536
SETDLED7-BI-BAT-AB	DLED7	DLED7 Turbo LED light head, bicolor, DT7-BI-BAT power supply, light shield ring, barn door	S	4060434014543
SETDLED7-BI-E	DLED7	DLED7 Turbo LED light head, bicolor, DT7-BI power supply, light shield ring, barn door, European cable	S	4060434014550
SETDLED7-BI-G	DLED7	DLED7 Turbo LED light head, bicolor, DT7-BI power supply, light shield ring, barn door, Great-Britain cable	S	4060434014567



Code	Series	Description	LIST €	EAN
SETDLED7-BI-J	DLED7	DLED7 Turbo LED light head, bicolor, DT7-BI power supply, light shield ring, barn door, Japan cable	S	4060434014574
SETDLED7-BI-U	DLED7	DLED7 Turbo LED light head, bicolor, DT7-BI power supply, light shield ring, barn door, U.S. cable	S	4060434014581
SETDLED7-D-A	DLED7	DLED7 Turbo LED light head, daylight, DT7 power supply, light shield ring, barn door, Australian cable	S	4060434014598
SETDLED7-D-BAT-AB	DLED7	DLED7 Turbo LED light head, daylight, DT7-BAT power supply, light shield ring, barn door	S	4060434014604
SETDLED7-D-E	DLED7	DLED7 Turbo LED light head, daylight, DT7 power supply, light shield ring, barn door, European cable	S	4060434014611
SETDLED7-D-G	DLED7	DLED7 Turbo LED light head, daylight, DT7 power supply, light shield ring, barn door, Great-Britain cable	S	4060434014628
SETDLED7-D-J	DLED7	DLED7 Turbo LED light head, daylight, DT7 power supply, light shield ring, barn door, Japan cable	S	4060434014635
SETDLED7-D-U	DLED7	DLED7 Turbo LED light head, daylight, DT7 power supply, light shield ring, barn door, U.S. cable	S	4060434014642
SETDLED7-T-A	DLED7	DLED7 Turbo LED light head, tungsten, DT7 power supply, light shield ring, barn door, Australian cable	S	4060434014659
SETDLED7-T-BAT-AB	DLED7	DLED7 Turbo LED light head, tungsten, DT7-BAT power supply, light shield ring, barn door	S	4060434014666
SETDLED7-T-E	DLED7	DLED7 Turbo LED light head, tungsten, DT7 power supply, light shield ring, barn door, European cable	S	4060434014673
SETDLED7-T-G	DLED7	DLED7 Turbo LED light head, tungsten, DT7 power supply, light shield ring, barn door, Great-Britain cable	S	4060434014680
SETDLED7-T-J	DLED7	DLED7 Turbo LED light head, tungsten, DT7 power supply, light shield ring, barn door, Japan cable	S	4060434014697
SETDLED7-T-U	DLED7	DLED7 Turbo LED light head, tungsten, DT7 power supply, light shield ring, barn door, U.S. cable	S	4060434014703
SETDLED7-UV365-A	DLED7	DLED7 ultra-violet LED light head, 365nm, DT7 power supply, light shield ring, barn door, Australian cable	S	4060434021534
SETDLED7-UV365-E	DLED7	DLED7 ultra-violet LED light head, 365nm, DT7 power supply, light shield ring, barn door, European cable	S	4060434021541
SETDLED7-UV365-G	DLED7	DLED7 ultra-violet LED light head, 365nm, DT7 power supply, light shield ring, barn door, Great-Britain cable	S	4060434021558
SETDLED7-UV365-J	DLED7	DLED7 ultra-violet LED light head, 365nm, DT7 power supply, light shield ring, barn door, Japan cable	S	4060434021565
SETDLED7-UV365-U	DLED7	DLED7 ultra-violet LED light head, 365nm, DT7 power supply, light shield ring, barn door, U.S. cable	S	4060434021572
SETDLED9-BI-A	DLED9	DLED9 LED light head, bicolor, DT9-BI power supply, light shield ring, barn door, Australian cable	S	4060434014710
SETDLED9-BI-BAT-AB	DLED9	DLED9 LED light head, bicolor, DT9-BI-BAT power supply, light shield ring, barn door	S	4060434014727
SETDLED9-BI-E	DLED9	DLED9 LED light head, bicolor, DT9-BI power supply, light shield ring, barn door, European cable	S	4060434014734
SETDLED9-BI-G	DLED9	DLED9 LED light head, bicolor, DT9-BI power supply, light shield ring, barn door, Great-Britain cable	S	4060434014741
SETDLED9-BI-J	DLED9	DLED9 LED light head, bicolor, DT9-BI power supply, light shield ring, barn door, Japan cable	S	4060434014758
SETDLED9-BI-U	DLED9	DLED9 LED light head, bicolor, DT9-BI power supply, light shield ring, barn door, U.S. cable	S	4060434014765
SETDLED9-D-A	DLED9	DLED9 LED light head, daylight, DT9 power supply, light shield ring, barn door, Australian cable	S	4060434014772
SETDLED9-D-BAT-AB	DLED9	DLED9 LED light head, daylight, DT9-BAT power supply, light shield ring, barn door	S	4060434014789
SETDLED9-D-E	DLED9	DLED9 LED light head, daylight, DT9 power supply, light shield ring, barn door, European cable	S	4060434014796
SETDLED9-D-G	DLED9	DLED9 LED light head, daylight, DT9 power supply, light shield ring, barn door, Great-Britain cable	S	4060434014802

All specifications are subject to change without prior notification.

Code	Series	Description	LIST €	EAN
SETDLED9-D-J	DLED9	DLED9 LED light head, daylight, DT9 power supply, light shield ring, barn door, Japan cable	S	4060434014819
SETDLED9-D-U	DLED9	DLED9 LED light head, daylight, DT9 power supply, light shield ring, barn door, U.S. cable	S	4060434014826
SETDLED9-T-A	DLED9	DLED9 LED light head, tungsten, DT9 power supply, light shield ring, barn door, Australian cable	S	4060434014833
SETDLED9-T-BAT	DLED9	DLED9 LED light head, tungsten, DT9-BAT power supply, light shield ring, barn door	S	4060434014840
SETDLED9-T-BAT-AB	DLED9	DLED9 LED light head, tungsten, DT9-BAT power supply, light shield ring, barn door	S	4060434023248
SETDLED9-T-E	DLED9	DLED9 LED light head, tungsten, DT9 power supply, light shield ring, barn door, European cable	S	4060434014857
SETDLED9-T-G	DLED9	DLED9 LED light head, tungsten, DT9 power supply, light shield ring, barn door, Great-Britain cable	S	4060434014864
SETDLED9-T-J	DLED9	DLED9 LED light head, tungsten, DT9 power supply, light shield ring, barn door, Japan cable	S	4060434014871
SETDLED9-T-U	DLED9	DLED9 LED light head, tungsten, DT9 power supply, light shield ring, barn door, U.S. cable	S	4060434014888
SETDLED9-UV365-A	DLED9	DLED9 ultra-violet LED light head, 365nm, DT9 power supply, light shield ring, barn door, Australian cable	S	4060434014895
SETDLED9-UV365-E	DLED9	DLED9 ultra-violet LED light head, 365nm, DT9 power supply, light shield ring, barn door, European cable	S	4060434014901
SETDLED9-UV365-G	DLED9	DLED9 ultra-violet LED light head, 365nm, DT9 power supply, light shield ring, barn door, Great-Britain cable	S	4060434014918
SETDLED9-UV365-J	DLED9	DLED9 ultra-violet LED light head, 365nm, DT9 power supply, light shield ring, barn door, Japan cable	S	4060434014925
SETDLED9-UV365-U	DLED9	DLED9 ultra-violet LED light head, 365nm, DT9 power supply, light shield ring, barn door, U.S. cable	S	4060434014932
SETDLED9-UV400-A	DLED9	DLED9 ultra-violet LED light head, 400nm, DT9 power supply, light shield ring, barn door, Australian cable	S	4060434014949
SETDLED9-UV400-E	DLED9	DLED9 ultra-violet LED light head, 400nm, DT9 power supply, light shield ring, barn door, European cable	S	4060434014956
SETDLED9-UV400-G	DLED9	DLED9 ultra-violet LED light head, 400nm, DT9 power supply, light shield ring, barn door, Great-Britain cable	S	4060434014963
SETDLED9-UV400-J	DLED9	DLED9 ultra-violet LED light head, 400nm, DT9 power supply, light shield ring, barn door, Japan cable	S	4060434014970
SETDLED9-UV400-U	DLED9	DLED9 ultra-violet LED light head, 400nm, DT9 power supply, light shield ring, barn door, U.S. cable	S	4060434014987
SETDLH1000SM-A	Serie 400	DLH1000S soft light head, medium soft box, high temperature resistant pouch, 1000W tungsten lamp. Australian cable	S	4060434014994
SETDLH1000SM-E	Serie 400	DLH1000S soft light head, medium soft box, high temperature resistant pouch, 1000W tungsten lamp. European cable	S	4060434015007
SETDLH1000SM-G	Serie 400	DLH1000S soft light head, medium soft box, high temperature resistant pouch, 1000W tungsten lamp. Great-Britain cable	S	4060434015014
SETDLH1000SM-J	Serie 400	DLH1000S soft light head, medium soft box, high temperature resistant pouch, 1000W tungsten lamp. Japan cable	S	4060434015021
SETDLH1000SM-U	Serie 400	DLH1000S soft light head, medium soft box, high temperature resistant pouch, 1000W tungsten lamp. U.S. cable	S	4060434015038
SETDLH1000SPM-A	Serie 400	DLH1000SPPLUS soft light head, medium soft box, high temperature resistant pouch, 1000W tungsten lamp. Australian cable	S	4060434015045
SETDLH1000SPM-E	Serie 400	DLH1000SPPLUS soft light head, medium soft box, high temperature resistant pouch, 1000W tungsten lamp. European cable	S	4060434015052
SETDLH1000SPM-G	Serie 400	DLH1000SPPLUS soft light head, medium soft box, high temperature resistant pouch, 1000W tungsten lamp. Great-Britain cable	S	4060434015069
SETDLH1000SPM-J	Serie 400	DLH1000SPPLUS soft light head, medium soft box, high temperature resistant pouch, 1000W tungsten lamp. Japan cable	S	4060434015076
SETDLH1000SPM-U	Serie 400	DLH1000SPPLUS soft light head, medium soft box, high temperature resistant pouch, 1000W tungsten lamp. U.S. cable	S	4060434015083



Code	Series	Description	LIST €	EAN
SETDLH1000SPPA5-A	Serie 400	DLH1000PLUS soft light head, Panaura 5 dome, high temperature resistant pouch, 1000W tungsten lamp. Australian cable	S	4060434015090
SETDLH1000SPPA5-E	Serie 400	DLH1000PLUS soft light head, Panaura 5 dome, high temperature resistant pouch, 1000W tungsten lamp. European cable	S	4060434015106
SETDLH1000SPPA5-G	Serie 400	DLH1000PLUS soft light head, Panaura 5 dome, high temperature resistant pouch, 1000W tungsten lamp. Great-Britain cable	S	4060434015113
SETDLH1000SPPA5-J	Serie 400	DLH1000PLUS soft light head, Panaura 5 dome, high temperature resistant pouch, 1000W tungsten lamp. Japan cable	S	4060434015120
SETDLH1000SPPA5-U	Serie 400	DLH1000PLUS soft light head, Panaura 5 dome, high temperature resistant pouch, 1000W tungsten lamp. U.S. cable	S	4060434015137
SETDLH1000T-A	Serie 1200	DLH1000T light head, barn door, 1000W G22 tungsten lamp, Australian cable	S	4060434015144
SETDLH1000T-DMX-A	Serie 1200	DLH1000T light head with DMX control, barn door, 1000W G22 tungsten lamp, Australian cable	S	4060434015151
SETDLH1000T-DMX-E	Serie 1200	DLH1000T light head with DMX control, barn door, 1000W G22 tungsten lamp, European cable	S	4060434015168
SETDLH1000T-DMX-G	Serie 1200	DLH1000T light head with DMX control, barn door, 1000W G22 tungsten lamp, Great-Britain cable	S	4060434015175
SETDLH1000T-DMX-J	Serie 1200	DLH1000T light head with DMX control, barn door, no lamp, Japan cable	S	4060434015182
SETDLH1000T-DMX-U	Serie 1200	DLH1000T light head with DMX control, barn door, no lamp, U.S. cable	S	4060434015199
SETDLH1000T-E	Serie 1200	DLH1000T light head, barn door, 1000W G22 tungsten lamp, European cable	S	4060434015205
SETDLH1000T-G	Serie 1200	DLH1000T light head, barn door, 1000W G22 tungsten lamp, Great-Britain cable	S	4060434015212
SETDLH1000T-J	Serie 1200	DLH1000T light head, barn door, no lamp, Japan cable	S	4060434015229
SETDLH1000T-U	Serie 1200	DLH1000T light head, barn door, no lamp, U.S. cable	S	4060434015236
SETDLH1000TPO-A	Serie 1200	DLH1000T light head for pole-operation, barn door, 1000W G22 tungsten lamp, Australian cable	S	4060434015243
SETDLH1000TPO-DMX-A	Serie 1200	DLH1000T light head for pole-operation and DMX control, barn door, 1000W G22 tungsten lamp, Australian cable	S	4060434015250
SETDLH1000TPO-DMX-E	Serie 1200	DLH1000T light head for pole-operation and DMX control, barn door, 1000W G22 tungsten lamp, European cable	S	4060434015267
SETDLH1000TPO-DMX-G	Serie 1200	DLH1000T light head for pole-operation and DMX control, barn door, 1000W G22 tungsten lamp, Great-Britain cable	S	4060434015274
SETDLH1000TPO-DMX-J	Serie 1200	DLH1000T light head for pole-operation and DMX control, barn door, no lamp, Japan cable	S	4060434015281
SETDLH1000TPO-DMX-U	Serie 1200	DLH1000T light head for pole-operation and DMX control, barn door, no lamp, U.S. cable	S	4060434015298
SETDLH1000TPO-E	Serie 1200	DLH1000T light head for pole-operation, barn door, 1000W G22 tungsten lamp, European cable	S	4060434015304
SETDLH1000TPO-G	Serie 1200	DLH1000T light head for pole-operation, barn door, 1000W G22 tungsten lamp, Great-Britain cable	S	4060434015311
SETDLH1000TPO-J	Serie 1200	DLH1000T light head for pole-operation, barn door, no lamp, Japan cable	S	4060434015328
SETDLH1000TPO-U	Serie 1200	DLH1000T light head for pole-operation, barn door, no lamp, U.S. cable	S	4060434015335
SETDLH1200D	Serie 1200	DLH1200D light head, DEB1200D ballst, light head cable, barn door, 1200W daylight lamp (Please specify power connector of „DCAB3A“ cable)	S	4060434015342
SETDLH1200D-PO	Serie 1200	DLH1200D light head for pole-operation, DEB1200D ballst, light head cable, barn door, 1200W daylight lamp (Please specify power connector of „DCAB3A“ cable)	S	4060434015359
SETDLH1x1200SD	Serie 1200	DLH1x1200SD soft light head, DEB1200D ballast, light head cable, Panaura 7 dome, 1200W daylight lamp (Please specify power connector of „DCAB3A“ cable)	S	4060434015366
SETDLH1x150SM-A	Classic	DLH1x150S soft light head, DT24-1 power supply, medium soft box, high temperature resistant pouch, 150W tungsten lamp. Australian cable	S	4060434015373
SETDLH1x150SM-E	Classic	DLH1x150S soft light head, DT24-1 power supply, medium soft box, high temperature resistant pouch, 150W tungsten lamp. European cable	S	4060434015380
SETDLH1x150SM-G	Classic	DLH1x150S soft light head, DT24-1 power supply, medium soft box, high temperature resistant pouch, 150W tungsten lamp. Great-Britain cable	S	4060434015397
SETDLH1x150SM-J	Classic	DLH1x150S soft light head, DT24-1 power supply, medium soft box, high temperature resistant pouch, 150W tungsten lamp. Japan cable	S	4060434015403

All specifications are subject to change without prior notification.

Code	Series	Description	LIST €	EAN
SETDLH1x150SM-U	Classic	DLH1x150S soft light head, DT24-1 power supply, medium soft box, high temperature resistant pouch, 150W tungsten lamp. U.S. cable	S	4060434015410
SETDLH1x150SS-A	Classic	DLH1x150S soft light head, DT24-1 power supply, small soft box, high temperature resistant pouch, 150W tungsten lamp. Australian cable	S	4060434015427
SETDLH1x150SS-E	Classic	DLH1x150S soft light head, DT24-1 power supply, small soft box, high temperature resistant pouch, 150W tungsten lamp. European cable	S	4060434015434
SETDLH1x150SS-G	Classic	DLH1x150S soft light head, DT24-1 power supply, small soft box, high temperature resistant pouch, 150W tungsten lamp. Great-Britain cable	S	4060434015441
SETDLH1x150SS-J	Classic	DLH1x150S soft light head, DT24-1 power supply, small soft box, high temperature resistant pouch, 150W tungsten lamp. Japan cable	S	4060434015458
SETDLH1x150SS-U	Classic	DLH1x150S soft light head, DT24-1 power supply, small soft box, high temperature resistant pouch, 150W tungsten lamp. U.S. cable	S	4060434015465
SETDLH1x150SXS-A	Classic	DLH1x150S soft light head, DT24-1 power supply, mini soft box, high temperature resistant pouch, 150W tungsten lamp. Australian cable	S	4060434015472
SETDLH1x150SXS-E	Classic	DLH1x150S soft light head, DT24-1 power supply, mini soft box high temperature resistant pouch, 150W tungsten lamp. European cable	S	4060434015489
SETDLH1x150SXS-G	Classic	DLH1x150S soft light head, DT24-1 power supply, mini soft box, high temperature resistant pouch, 150W tungsten lamp. Great-Britain cable	S	4060434015496
SETDLH1x150SXS-J	Classic	DLH1x150S soft light head, DT24-1 power supply, mini soft box, high temperature resistant pouch, 150W tungsten lamp. Japan cable	S	4060434015502
SETDLH1x150SXS-U	Classic	DLH1x150S soft light head, DT24-1 power supply, mini soft box, high temperature resistant pouch, 150W tungsten lamp. U.S. cable	S	4060434015519
SETDLH200DT	Serie 200	DLH200DT light head, DEB200DT ballast, light head cable, light shield ring, barn door, 200W daylight lamp. (Please specify power connector of „DCAB3A“ cable)	S	4060434015526
SETDLH200SDTM	Serie 200	DLH200SDT soft light head, DEB200DT ballast, light head cable, medium soft box, 200W daylight lamp. (Please specify power connector of „DCAB3A“ cable)	S	4060434015533
SETDLH200SDTPA3	Serie 200	DLH200SDT soft light head, DEB200DT ballast, light head cable, Panaura 3 dome, 200W daylight lamp. (Please specify power connector of „DCAB3A“ cable)	S	4060434015540
SETDLH200SDTS	Serie 200	DLH200SDT soft light head, DEB200DT ballast, light head cable, small soft box, 200W daylight lamp. (Please specify power connector of „DCAB3A“ cable)	S	4060434015557
SETDLH4-12-E	Classic	DLH4 light head, DIMTA3 power supply, light shield ring, barn door, 150W tungsten lamp, European cable	S	4060434015571
SETDLH4-24-A	Classic	DLH4 light head, DT24-1 power supply, light shield ring, barn door, 150W tungsten lamp, Australian cable	S	4060434015588
SETDLH4-24-E	Classic	DLH4 light head, DT24-1 power supply, light shield ring, barn door, 150W tungsten lamp, European cable	S	4060434015595
SETDLH4-24-G	Classic	DLH4 light head, DT24-1 power supply, light shield ring, barn door, 150W tungsten lamp, Great-Britain cable	S	4060434015601
SETDLH4-24-J	Classic	DLH4 light head, DT24-1 power supply, light shield ring, barn door, 150W tungsten lamp, Japan cable	S	4060434015618
SETDLH4-24-U	Classic	DLH4 light head, DT24-1 power supply, light shield ring, barn door, 150W tungsten lamp, U.S. cable	S	4060434015625
SETDLH400DT	Serie 400	DLH400DT light head, DEB400DT ballast, light head cable, light shield ring, barn door, 400/575W daylight lamp. (Please specify power connector of „DCAB3IEC“ cable)	S	4060434015632
SETDLH400SDTM	Serie 400	DLH400SDT soft light head, DEB400DT ballast, light head cable, medium soft box, 400/575W daylight lamp. (Please specify power connector of „DCAB3IEC“ cable)	S	4060434015649
SETDLH400SDTPA5	Serie 400	DLH400SDT soft light head, DEB400DT ballast, light head cable, Panaura 5 dome, 400/575W daylight lamp. (Please specify power connector of „DCAB3IEC“ cable)	S	4060434015656
SETDLH4x150SM	Classic	DLH4x150S soft light head, DT4x150 power supply, medium soft box, high temperature resistant pouch, 4x 150W tungsten lamps. (Please specify power connector of „DCA-B3A“ cable)	S	4060434015670
SETDLH4x150SPA5	Classic	DLH4x150S soft light head, DT4x150 power supply, Panaura 5 dome, high temperature resistant pouch, 4x 150W tungsten lamps. (Please specify power connector of „DCA-B3A“ cable)	S	4060434015687
SETDLH652T-A	Serie 400	DLH652T light head, light shield ring, barn door, 650W tungsten lamp, Australian cable	S	4060434015694

Code	Series	Description	LIST €	EAN
SETDLH652T-DMX-A	Serie 400	DLH652T light head with DMX control, light shield ring, barn door, 650W tungsten lamp, Australian cable	S	4060434015700
SETDLH652T-DMX-E	Serie 400	DLH652T light head with DMX control, light shield ring, barn door, 650W tungsten lamp, European cable	S	4060434015717
SETDLH652T-DMX-G	Serie 400	DLH652T light head with DMX control, light shield ring, barn door, 650W tungsten lamp, Great-Britain cable	S	4060434015724
SETDLH652T-DMX-J	Serie 400	DLH652T light head with DMX control, light shield ring, barn door, 650W tungsten lamp, Japan cable	S	4060434015731
SETDLH652T-DMX-U	Serie 400	DLH652T light head with DMX control, light shield ring, barn door, 650W tungsten lamp, U.S. cable	S	4060434015748
SETDLH652T-E	Serie 400	DLH652T light head, light shield ring, barn door, 650W tungsten lamp, European cable	S	4060434015755
SETDLH652T-G	Serie 400	DLH652T light head, light shield ring, barn door, 650W tungsten lamp, Great-Britain cable	S	4060434015762
SETDLH652T-J	Serie 400	DLH652T light head, light shield ring, barn door, 650W tungsten lamp, Japan cable	S	4060434015779
SETDLH652T-U	Serie 400	DLH652T light head, light shield ring, barn door, 650W tungsten lamp, U.S. cable	S	4060434015786
SETDLH652TPO-A	Serie 400	DLH652T light head for pole-operation, light shield ring, barn door, 650W tungsten lamp, Australian cable	S	4060434015793
SETDLH652TPO-DMX-A	Serie 400	DLH652T light head for pole-operation and DMX control, light shield ring, barn door, 650W tungsten lamp, Australian cable	S	4060434015809
SETDLH652TPO-DMX-E	Serie 400	DLH652T light head for pole-operation and DMX control, light shield ring, barn door, 650W tungsten lamp, European cable	S	4060434015816
SETDLH652TPO-DMX-G	Serie 400	DLH652T light head for pole-operation and DMX control, light shield ring, barn door, 650W tungsten lamp, Great-Britain cable	S	4060434015823
SETDLH652TPO-DMX-J	Serie 400	DLH652T light head for pole-operation and DMX control, light shield ring, barn door, 650W tungsten lamp, Japan cable	S	4060434015830
SETDLH652TPO-DMX-U	Serie 400	DLH652T light head for pole-operation and DMX control, light shield ring, barn door, 650W tungsten lamp, U.S. cable	S	4060434015847
SETDLH652TPO-E	Serie 400	DLH652T light head for pole-operation, light shield ring, barn door, 650W tungsten lamp, European cable	S	4060434015854
SETDLH652TPO-G	Serie 400	DLH652T light head for pole-operation, light shield ring, barn door, 650W tungsten lamp, Great-Britain cable	S	4060434015861
SETDLH652TPO-J	Serie 400	DLH652T light head for pole-operation, light shield ring, barn door, 650W tungsten lamp, Japan cable	S	4060434015878
SETDLH652TPO-U	Serie 400	DLH652T light head for pole-operation, light shield ring, barn door, 650W tungsten lamp, U.S. cable	S	4060434015885
SETDLHM4-300-A	Classic	DLHM4-300 light head, light shield ring, barn door, 150W tungsten lamp, Australian cable	S	4060434015892
SETDLHM4-300-E	Classic	DLHM4-300 light head, light shield ring, barn door, 150W tungsten lamp, European cable	S	4060434015908
SETDLHM4-300-G	Classic	DLHM4-300 light head, light shield ring, barn door, 150W tungsten lamp, Great-Britain cable	S	4060434015915
SETDLHM4-300-J	Classic	DLHM4-300 light head, light shield ring, barn door, 150W tungsten lamp, Japan cable	S	4060434015922
SETDLHM4-300-U	Classic	DLHM4-300 light head, light shield ring, barn door, 150W tungsten lamp, U.S. cable	S	4060434015939
SETDLHM4-300DMX-A	Classic	DLHM4-300 light head, light shield ring, barn door, 150W tungsten lamp, Australian cable	S	4060434015946
SETDLHM4-300DMX-E	Classic	DLHM4-300 light head, light shield ring, barn door, 150W tungsten lamp, European cable	S	4060434015953
SETDLHM4-300DMX-G	Classic	DLHM4-300 light head, light shield ring, barn door, 150W tungsten lamp, Great-Britain cable	S	4060434015960
SETDLHM4-300DMX-J	Classic	DLHM4-300 light head, light shield ring, barn door, 150W tungsten lamp, Japan cable	S	4060434015977
SETDLHM4-300DMX-U	Classic	DLHM4-300 light head, light shield ring, barn door, 150W tungsten lamp, U.S. cable	S	4060434015984
SETDLHPA7x2DT	Serie 1200	DLHPA7x2DT soft light head, 2x DEB400DT ballasts, 2x light head cables, Panaura 7 dome, 2x 400/575W daylight lamps. (Please specify power connector of „DCAB3IEC“ cable)	S	4060434015991
SETDLHPA7x2T-A	Serie 1200	DLHPA7x2T soft light head, Panaura 7 dome, 2x 1000W tungsten lamps. Australian cable	S	4060434016004
SETDLHPA7x2T-E	Serie 1200	DLHPA7x2T soft light head, Panaura 7 dome, 2x 1000W tungsten lamps. European cable	S	4060434016011
SETDLHPA7x2T-G	Serie 1200	DLHPA7x2T soft light head, Panaura 7 dome, 2x 1000W tungsten lamps. Great-Britain cable	S	4060434016028

All specifications are subject to change without prior notification.



Code	Series	Description	LIST €	EAN
SETDLHPA7x2T-J	Serie 1200	DLHPA7x2T soft light head, Panaura 7 dome, 2x 1000W tungsten lamps. Japan cable	S	4060434016035
SETDLHPA7x2T-U	Serie 1200	DLHPA7x2T soft light head, Panaura 7 dome, 2x 1000W tungsten lamps. U.S. cable	S	4060434016042
SETDLRAP3PA3-BI	Ledraptor	LEDRAPTOR 3 LED soft light, bicolor, DT10-BI power supply, DPOW10 cable, Panaura 3 dome, DLRAP3-P pouch, (Please specify power connector of „DCAB3A-SW“ cable).	S	4060434023026
SETDLRAP3PA5-BI	Ledraptor	LEDRAPTOR 3 LED soft light, bicolor, DT10-BI power supply, DPOW10 cable, Panaura 5 dome, DLRAP5-P pouch, (Please specify power connector of „DCAB3A-SW“ cable).	S	4060434022517
SETDLRAP5-BI	Ledraptor	LEDRAPTOR 5 LED soft light, bicolor, DT20-BI power supply, DPOW20 cable, Panaura 5 dome, DLRAP5-P pouch, (Please specify power connector of „DCAB3A-SW“ cable).	S	4060434022036
SETDLRAP7-BI	Ledraptor	LEDRAPTOR 7 LED soft light, bicolor, DT40-BI power supply, 2x DPOW20 cable, Panaura 7 dome (Please specify power connector of „DCAB3A-SW“ cable).	S	4060434022050
SETDPB70	Lightstream	Complete parallel beam light incl. 1200W ballast, cable and lamp ((A / E / G / J / U) 90-264 V AC, please specify AC power connector of „DCAB3A“ cable)	S	4060434016059

LAMPS
Classic Series
Tungsten Halogen 12 V / 24 V

dedolight	Lamp	W	V	Socket	h ¹⁾	K	lm ³⁾
DLH4 (24 V)	DL150 (FCS)	150 W	24 V	G6,35	300	3200	6000
DLHM4-300 (24 V)	DL100-24	100 W	24 V	G6.35	800	3200	2900
DLH4 (12 V)	DL100 (FCR)	100 W	12 V	GY6.35	700	3200	3600
DLHM4-100 (12 V) (all BLACKENED)	DL75	75 W	12- 14 V	GY6.35	4000	3000	1450
	DL50	50 W	12- 14 V	GY6.35	800	3200	1600
	DL35	35 W	12- 14 V	GY6.35	4000	3000	600
	DL20	20 W	12- 14 V	GY6.35	3000	3200	320
DLH1x150S (24 V)	DL150-NB (FCS)	150 W	24 V	G6,35	300	3200	6000
DLH4x150S (24 V)	DL100-24-NB	100 W	24 V	G6.35	800	3200	2900
DLH1x150S (12 V)	DL100-NB (FCR)	100 W	12 V	GY6.35	700	3200	3600
DLH4x150S (12 V) (all NON-blackened)	DL75-NB	75 W	12- 14 V	GY6.35	4000	3000	1450
	DL50-NB	50 W	12- 14 V	GY6.35	800	3200	1600
	DL35-NB	35 W	12- 14 V	GY6.35	4000	3000	600
	DL20-NB	20 W	12- 14 V	GY6,35	3000	3200	320

dedocool

COOLH	COOLAMP	250 W	24 V	GX5.3	50	3200	10000
-------	----------------	-------	------	-------	----	------	-------

Series 200
Daylight/Tungsten interchangeable, Sundance

dedolight	Lamp	W	V	Socket	h ¹⁾	K	lm ³⁾
DLH202DT	DL200DHR-NB	200 W	70 V	GZY9.5	200	5500	16000
DLH200SDT	DL200THR-NB	200 W	70 V	GZY9.5	1000	3200	17900

Series 400
Daylight/Tungsten interchangeable

dedolight	Lamp	W	V	Socket	h ¹⁾	K	lm ³⁾
DLH402DT	DL400DHR-NB	400 W	67 V	GZZ9.5	750	6200	33000
DLH400SDT	DL575THR-NB	575 W	67 V	GZZ9.5	750	3200	40000
DLHPA7x2DT							

Series 400
Tungsten Halogen 230 V / 240 V / 120 V / 36 V

dedolight	Lamp	W	V	Socket	h ¹⁾	K	lm ³⁾
DLH652T	DL650FRM-NB	650 W	230 V	GY9.5	150	3200	16320
	DL650FRK-NB	650 W	120 V	GY9.5	200	3200	16900
	DL650T26-NB	650 W	230 V	GY9.5	400	3100	15500
	DL500FRH-NB	500 W	230 V	GY9.5	150	3200	12500
	DL500M40-NB	500 W	230- 240 V	GY9.5	2000	2900	8500
	DL500FRG-NB	500 W	120 V	GY9.5	150	3200	13000
DLH1000S	DL1000FEP-NB	1000 W	230- 240 V	G9.5	300	3200	25000
DLH1000SPLUS	DL1000FEL-NB	1000 W	120 V	G9.5	375	3200	27500
DLHPA7x2T	DL800HX-NB (GKV)	800 W	230- 240 V	G9.5	250	3200	20000
	DL750EHF-NB	750 W	120 V	G9.5	500	3200	20000
	DL600GKV-NB	600 W	230 V ²⁾	G9.5	250	3200	14000
	DL600GKV-NB	600 W	240 V ²⁾	G9.5	250	3200	14000
	DL500EHD-NB	500 W	120 V	G9.5	2000	2950	10450

Series 1200
Daylight / Tungsten Halogen 230 V / 80 V

dedolight800-1200	Lamp	W	V	Socket	h ¹⁾	K	Lm ³⁾
DLH1200D	DL1200DHR-NB	1200	90 V	G22	750	6000	111000
DLH1x1200SD							
DLH1000T	DL1000FKJ-NB	1000	230- 240 V	G22	200	3200	26000
DPB70	DL1200DHR-PB 1200 W lamp, G22, suitable only for DPB70 parallel beam light	1200	90 V	G22	750	6000	111000

1) h	Average Lifetime in hours	3) lm	Lumen
2) 230 V / 240 V	specify voltage when ordering	4) -NB	Non-blackened, clear bulb

All specifications are subject to change without prior notification.