



Customer Sorted LIGHTSTREAM Price List 08/2019

These prices reflect German list prices in Euro, excluding VAT. All prices ex warehouse Munich, valid for sales in Germany and Austria only. For other countries please inquire with our authorized / exclusive distributors or their dealers. See list of international distributors. All specifications and prices are subject to change without prior notification.

Potential users from countries not mentioned in our list of exclusive international distributors, may ask for offers from Dedo Weigert Film in Munich.
Dedo Weigert Film GmbH - Karl-Weinmair-Str. 10 - 80807 Munich / Germany

[dedolight Facebook](#)

[dedolight YouTube](#)

Code Extensions

- A = Australia - 240 V AC version or country-specific AC power connector.
- E = Europe - 230 V AC version or country-specific AC power connector.
- G = Great Britain - 240 V AC version or country-specific AC power connector.
- J = Japan - 100 V AC version or country-specific AC power connector.
- U = USA - 120 V AC version or country-specific AC power connector.

Red colored Text marks changes of description or price

Orange field is new product in 2019

Blue field means changed product code in 2019

Red field is a PHASE-OUT product in 2019

NEW
CHANGE
PHASE OUT

Code	Description	LIST EUR	INFO COLUMN	Kit / Set?
SERIES LIGHTSTREAM				
SERIES LIGHTSTREAM SETs				
SETDPB70	Complete parallel beam light incl. 1200 W ballast, cable and lamp ((A / E / G / J / U) 90 - 264 V AC, please specify AC power connector of "DCAB3A" cable)	15.947,00		Set
SERIES LIGHTSTREAM Light Head				
DPB70	1200 W parallel beam light with parabolic reflector. 70 cm diameter. Requires DPOW1200D cable, DEB1200D ballast, special 1200 W G22 lamp.	12.717,00		
SERIES LIGHTSTREAM Lamps				
DL1200DHR-PB	Daylight lamp, 1200 W, Socket G22. To be used with DPB70 parallel beam light head only.	222,00		
SERIES LIGHTSTREAM Cables to Light Head				
DPOW1200D	Cable, light head to ballast, 7m (23')	260,00		
SERIES LIGHTSTREAM Power Supplies / Ballasts				
DEB1200D	Flicker-free electronic ballast 1200 W, incl. DMX control, incl. AC power cable (A / E / G / J / U. 90 - 264 V AC, please specify power connector of "DCAB3A" cable)	2.748,00		
DEB1200H	Ballast holder for DEB1200D with 2x CLAMP-D	169,00		
SERIES LIGHTSTREAM Filter Slot Accessories				
DPB70HON	Honeycomb for DPB70 light head	195,00		
DPB70FH	Filter holder for DPB70 light head	p.o.r.		
DFOPTS	Optimizer filter for DLED2, DLED3 LED light heads, when using parallel beam intensifiers	42,00		
DFOPT	Optimizer filter for DLH4, DLH200DT, DLED4, DLED7 light heads, when using parallel beam intensifiers	58,00		
DFOPTL	Optimizer filter for DLH400DT, DLH650, DLH652T, DLED9, DLED10 light heads, when using parallel beam intensifiers	79,00		
DFOPTXL	Optimizer filter for DLH1200D, DLH1000T, DLED12, DLED30 light heads, when using parallel beam intensifiers	95,00		
SERIES LIGHTSTREAM Light Shaping Accessories				
DPBA-BI6	Parallel Beam intensifier LED, 6cm diameter. Fits: DLED2-BI, DLED3-BI, DLED3-D. May be used with DPBA-7HON honeycomb	222,00		
DPBA-L6	Parallel Beam intensifier LED monochrome, 6cm diameter. Fits: DLED2-D. May be used with DPBA-7HON honeycomb	161,00		
DPBA-7	Parallel beam intensifier for Series 200 and DLH4 light heads. Less than 4° beam angle in flood position. (old code: DPBA)	200,00		
DPBA-BI7	Parallel Beam intensifier, LED bicolor, 7cm diameter Fits: DLED4-BI (DLED7-BI till SN# 1649 only)	251,00		
DPBA-L7	Parallel Beam intensifier LED monochrome, 7cm diameter Fits: DLED4-D, DLED4-T, DLED7-D, DLED7-T	214,00		
DPBA-7HON	Honeycomb for DPBA-7 intensifier. (old code: DPBAHON)	101,00		
DPBA-610	Parallel beam intensifier for DLED2 and DLED3	310,00		
DPBA-710	Parallel beam intensifier for DLED4, DLED7, DLH4 and DLH200DT	290,00		
DPBA-10HON	Honeycomb for DPBA-710 intensifier	120,00		
DPBA-714	Parallel Beam intensifier for Classic sized light heads, 14cm diameter. Fits: DLED7-BI, DLED4-D/-T/-BI, DLH4, DLH200DT. May be used with DPBA-14HON honeycomb	550,00		
DPBA-1419	Parallel beam intensifier for DLED9, DLED10, DLH400DT and DLH652T. May be used with DPBA-19HON honeycomb	1.358,00		
DPBA-19HON	Honeycomb for DPBA-1419 intensifier	98,00		
DPBA-14	Parallel beam intensifier for Series 400/402 and DLED9 light heads. Less than 4° beam angle in flood position. (old code: DPBA400)	470,00		



Customer Sorted LIGHTSTREAM Price List 08/2019

These prices reflect German list prices in Euro, excluding VAT. All prices ex warehouse Munich, valid for sales in Germany and Austria only. For other countries please inquire with our authorized / exclusive distributors or their dealers. See list of international distributors. All specifications and prices are subject to change without prior notification.

Potential users from countries not mentioned in our list of exclusive international distributors, may ask for offers from Dedo Weigert Film in Munich.
Dedo Weigert Film GmbH - Karl-Weinmair-Str. 10 - 80807 Munich / Germany

[dedolight Facebook](#)

[dedolight YouTube](#)

Code Extensions

- A = Australia - 240 V AC version or country-specific AC power connector.
- E = Europe - 230 V AC version or country-specific AC power connector.
- G = Great Britain - 240 V AC version or country-specific AC power connector.
- J = Japan - 100 V AC version or country-specific AC power connector.
- U = USA - 120 V AC version or country-specific AC power connector.

Red colored Text marks changes of description or price

Orange field is new product in 2019

Blue field means changed product code in 2019

Red field is a PHASE-OUT product in 2019

NEW
CHANGE
PHASE OUT

Code	Description	LIST EUR	INFO COLUMN	Kit / Set?
DPBA-18	Parallel beam intensifier for DLH1200D and DLH1000T. May be used with DPBA-14HON honeycomb	630,00		
DPBA-L18	Parallel Beam intensifier LED monocolour, 18cm diameter. Fits: DLED12-D, DLED30-D. May be used with DPBA-14HON honeycomb	630,00		
DPBA-14HON	Honeycomb for DPBA-14/18 intensifier. (old code: DPBA400HON)	145,00		
DPBA-1821	Parallel beam intensifier for DLH1200D and DLH1000T. May be used with DPBA-21HON honeycomb	1.625,00		
DPBA-L1821	Parallel Beam intensifier LED monocolour, 21cm diameter. Fits: DLED12-D, DLED30-D. May be used with DPBA-21HON honeycomb	1.756,00		
DPBA-21HON	Honeycomb for DPBA-1821 and DPBA-L1821 intensifier	97,00		

SERIES LIGHTSTREAM Imager and Imager Accessories

SERIES LIGHTSTREAM Reflectors				
DLR1-7x10	7x10cm Lightstream reflector. Spread Index 1	29,00		
DLR2-7x10	7x10cm Lightstream reflector. Spread Index 2	29,00		
DLR3-7x10	7x10cm Lightstream reflector. Spread Index 3	29,00		
DLR4-7x10	7x10cm Lightstream reflector. Spread Index 4	29,00		
DLR1-25x25	25x25cm Lightstream reflector. Spread Index 1	88,00		
DLR2-25x25	25x25cm Lightstream reflector. Spread Index 2	88,00		
DLR3-25x25	25x25cm Lightstream reflector. Spread Index 3	88,00		
DLR4-25x25	25x25cm Lightstream reflector. Spread Index 4	88,00		
DLR1-30x40	30x40cm Lightstream reflector. Spread Index 1	128,00		
DLR2-30x40	30x40cm Lightstream reflector. Spread Index 2	128,00		
DLR3-30x40	30x40cm Lightstream reflector. Spread Index 3	128,00		
DLR4-30x40	30x40cm Lightstream reflector. Spread Index 4	128,00		
DLR1-40x60	40x60cm Lightstream reflector. Spread Index 1	183,00		
DLR2-40x60	40x60cm Lightstream reflector. Spread Index 2	183,00		
DLR3-40x60	40x60cm Lightstream reflector. Spread Index 3	183,00		
DLR4-40x60	40x60cm Lightstream reflector. Spread Index 4	183,00		
DLR1-50x50	50x50cm Lightstream reflector. Spread Index 1	179,00		
DLR2-50x50	50x50cm Lightstream reflector. Spread Index 2	179,00		
DLR3-50x50	50x50cm Lightstream reflector. Spread Index 3	179,00		
DLR4-50x50	50x50cm Lightstream reflector. Spread Index 4	179,00		
DLR1-50x70	50x70cm Lightstream reflector. Spread Index 1	249,00		
DLR2-50x70	50x70cm Lightstream reflector. Spread Index 2	249,00		
DLR3-50x70	50x70cm Lightstream reflector. Spread Index 3	249,00		
DLR4-50x70	50x70cm Lightstream reflector. Spread Index 4	249,00		
DLR1-100x100	100x100cm Lightstream reflector. Spread index 1	1.965,00		

SERIES LIGHTSTREAM Mountings				
CLAMP-G	Supaclamp 5mm flat to 50mm diameter	24,00		
DLR-LOCK	Sliding lock for DLGA160, to attach and lock Lightstream reflectors.	59,00		
DLGA160	Articulating arm with 16mm stud on each end. 16cm length	64,00		
DLGA240	Articulating arm with 16mm stud on each end. 24cm length	74,00		
DLR-MLOCK	Motorized sliding lock, to attach and lock Lightstream reflectors. Works with DLGA160 arm.	176,00		
DLR-MCB	Control box for motorized sliding locks. 2 outputs. Comes with DLBCA2-V belt clip, DDCC-DTAPS cable and DLPS-12.	325,50		
DLR-MCB6-DMX	Control box for motorized sliding locks. 6 outputs. Incl. DLPS-12 power supply.	225,00		
DMFC29	dedolight mounting, flexible coupler with 16mm stud on both ends. Length 29cm (11.4 inch)	36,00		
DMFC40	dedolight mounting, flexible coupler with 16mm stud on both ends. Length 40cm (15.8 inch)	44,00		
DCAB4MINI-3	Extension cable 3pin, 3m, for DLR-MCB	28,00		
DCAB4MINI-10	Extension cable 3pin, 10m, for DLR-MCB	42,00		



Customer Sorted LIGHTSTREAM Price List 08/2019

These prices reflect German list prices in Euro, excluding VAT. All prices ex warehouse Munich, valid for sales in Germany and Austria only. For other countries please inquire with our authorized / exclusive distributors or their dealers. See list of international distributors. All specifications and prices are subject to change without prior notification.

Potential users from countries not mentioned in our list of exclusive international distributors, may ask for offers from Dedo Weigert Film in Munich.
Dedo Weigert Film GmbH - Karl-Weinmair-Str. 10 - 80807 Munich / Germany

[dedolight Facebook](#)

[dedolight YouTube](#)

Code Extensions

- A = Australia - 240 V AC version or country-specific AC power connector.
- E = Europe - 230 V AC version or country-specific AC power connector.
- G = Great Britain - 240 V AC version or country-specific AC power connector.
- J = Japan - 100 V AC version or country-specific AC power connector.
- U = USA - 120 V AC version or country-specific AC power connector.

Red colored Text marks changes of description or price

Orange field is new product in 2019

Blue field means changed product code in 2019

Red field is a PHASE-OUT product in 2019

NEW
CHANGE
PHASE OUT

Code	Description	LIST EUR	INFO COLUMN	Kit / Set?
DSTFX29	Flexible stand extension (290 mm)	46,00		
DST1200	dedolight stand, black steel with 28 mm (1-1/8") receptor and 16 mm (5/8") removable stud	262,50		
DST1200S	dedolight stand, black aluminium with 28 mm (1-1/8") receptor and 16 mm (5/8") removable stud	254,00		

SERIES LIGHTSTREAM		KITs		
KPB70		Parallel beam kit with light head, ballast, ballast holder, 2x lamp and transport case	17.268,00	
KLRMAX		Hard case with wheels, incl. reflectors (50x50cm, 25x25cm, 7x10cm), locks, mountings and cleaning kit.	9.437,20	
SLR7R-4		Soft bag kit with 4 reflectors in 7x10 cm size. Kit consists out of: reflector #1, #2, #3, #4, one of each. Two locking devices and two swiveling arms.	431,00	Kit
SLR25-6		Soft bag kit with 4 reflectors in 25x25 cm size. Kit consists out of: reflector #1 (2x) and #2, #3, #4, one of each. Four locking devices and four swiveling arms.	1.096,00	Kit
SLR50-6		Soft bag kit with 4 reflectors in 50x50 cm size. Kit consists out of: reflector #1 (2x) and #2, #3, #4, one of each. Four locking devices and four swiveling arms.	1.572,00	Kit
SLRMAX		The SLRMAX kit consists out of SLR7R-4, SLR25-6 and SLR50-6 kits, one of each and a cleaning kit (SCLEAN)	3.148,00	Kit
SCLEAN		Cleaning kit for dedolight Lightstream reflectors. Liquid, gloves, tissue and transport pouch	49,00	Kit

SERIES LIGHTSTREAM		Transport cases / pouches		
DCHD70		Heavy duty transport case for DPB70 light head.	930,00	
DCHDREF		Transport case with wheels for Lightstream reflectors	960,00	
DLRP10		Pouch for 4x 7x10cm reflector.	21,00	
DLRP25		Pouch for 6x 25x25cm reflector.	48,00	
DLRP50		Pouch for 6x 50x50cm reflector.	69,00	
DLRP100		Bag for one 100x100cm reflector.	126,00	
DPBA-P7		Pouch for parallel beam intensifiers with 7cm outer diameter (DPBA-L6, -B16, -7, -L7, -B17)	20,00	
DPBA-P10		Pouch for parallel beam intensifiers with 10cm outer diameter (DPBA-710)	20,00	
DPBA-P14		Pouch for parallel beam intensifiers with 14cm outer diameter (DPBA-14)	20,00	
DPBA-P18		Pouch for parallel beam intensifiers with 18cm outer diameter (DPBA-18, -L18)	24,00	
DPBA-P1419		Pouch for parallel beam intensifier with 19cm outer diameter (DPBA-1419)	64,00	
DPBA-P1821		Pouch for parallel beam intensifier with 21cm outer diameter (DPBA-(L)1821)	68,00	